APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

SUBMIT IN TRIPLICATE.

(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

UNITED	STATI	ES
DEPARTMENT OF	THE	INTERIOR

•	UNIT DEPARTMEN	TED STATES TOF THE I		reverse si	de)	30-045		
GEOLOGICAL SURVEY					5.75 FAR DENIGNATION 2 and SERIAL NO. Ind-2772			
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK				ACK	6. IF INDIAN, ALLOTT	EE OR TRIBE NAM	 -	
1a. TYPE OF WORK	4 TOK PERMIT	O DIVILL,	OLLII	111, OK 1200 B	ACK	Ute Mount		
		DEEPEN		PLUG BAC	CK 🗌	⁷ Bätker Ct		Ga
	AS 🗍	Gas Sto	rage	NGLE MULTIP	LE	Storage P 8.Barkeratr		
WELL WELL W	ELL OTHER	Gas Sto	raye	ONE LX ZONE		Storage P		Ga
El Paso N	atural Gas C	ompany			Ī	9. WELL NO.	201000	
3. ADDRESS OF OPERATOR						WI #22		
	0, Farmington			testa maguinamanta t		10. FIELD AND POOL,		_
4. LOCATION OF WELL (R At surface	deport location clearly and		th any a	tate requirements.	-	Barker Cro		<u>t</u> a
	656'S, 21	93 W U				Sec. 21, T-	REA	/1 _ TA
At proposed prod. zor	16					NMPM	32-N, K-1	-3 - M
14. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POS	T OFFIC	E*		12. COUNTY OR PARIS	H 13. STATE	
						San Juan	NM	
15. DISTANCE FROM PROPLOCATION TO NEARES	T	-		otairproject	TO TH	F ACRES ASSIGNED IS WELL		
(Also to nearest dri	g. unit line, if any)			acres-14,728 N/A				
18. DISTANCE FROM PROI TO NEAREST WELL, I OR APPLIED FOR, ON TH	RILLING, COMPLETED,		19. PF	2359 '	20. ROTARY OR CABLE TOOLS ROTARY			
OR APPLIED FOR, ON TH			1		TROCAL	22. APPROX. DATE W	ORK WILL STAR	· •
6182'GL						July 15,	1977	
23.]	PROPOSED CASI	NG ANI	CEMENTING PROGRA	ıM	· · .		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	oor	SETTING DEPTH	!	QUANTITY OF CEM	ENT	—
12 1/4"	9 5/8"	32.3# H	-40	414'	259 c	u.ft.to ci	rculate	
8 3/4"	7"	20.0# K		2261'	1	cu.ft.to fill 400'		
					casin	g shoe	v	
•	•	•		•	•			
It is int	ended to dri	11 a 6 1/	4" h	ole from 7"	casing	denth into	n the	
	rmation. The							
	seat to the				- <u>-</u>			
m1-111			7		2 L.L.	- D		
	will be used Storage Proje							
	east of Cal:		310	rage gas wir	r be u	edicate	* *	
							5, 4	1
	•)
						1/2	35.5	- /
							200	
		proposal is to dee	pen or i	olug back, give data on p	resent produ	ective zone and prop	ed new product	•
IN AROVE SPACE DESCRIB	E PROPOSED PROGRAM: If		t data í	• • • • • •	d managerad	and true vertical den	the Tire blo	ive
cone. If proposal is to	E PROPOSED PROGRAM: If drill or deepen direction.	ally, give pertinen		on subsurface locations at	iu measureu	und true verment dep	tus. Give blow	ive out
ione. If proposal is to preventer program, if an	drill or deepen direction	ally, give pertinen						.
zone. If proposal is to preventer program, if at 24.	drill or deepen direction. y.	ally, give pertinen	• • • • • • • • • • • • • • • • • • • •	Drilling		Jī	une 10,	
zone. If proposal is to preventer program, if an 24.	drill or deepen direction.	ally, give pertinen	• • • • • • • • • • • • • • • • • • • •					-
zone. If proposal is to preventer program, if an 24.	drill or deepen direction.	ally, give pertinen	• • • • • • • • • • • • • • • • • • • •			Jī		

*See Instructions On Reverse Side

DATE _

WELL LOCATION AND ACREAGE DEDICATION PLAT Effective 1-1-65 All distances must be from the outer boundaries of the Section Well No WI-22 Lease UTE MIN. TRIBAL I-22-IND-2772 Operator EL PASO NATURAL GAS COMPANY BARKER CREEK DOME GAS STORAGE PROJECT Unit Letter Section Township County 32-N 14-W SAN JUAN N Actual Footage Location of Well: WEST 656 SOUTH 2193 feet from the line and feet from the Ground Level Elev. Producing Formation Dedicated Acreage: Pool N/A 6182 DAKOTA N/A 1. Outling the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation _ Yes ΓNο If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. ORIGINAL SIGNED BY LARRY A. AlMES Sr.Drilling Engineer Position El Paso Natural Gas ^{Com}June 10, 1977 Date SECTION 21 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the sume is true and correct to the best of my knowledge and belief. Date Surveyed 2193 APRIL 19, 1977 Registered Frotessional Engineer and/or Land Surveyor

2000

1500

1000

500

1960 2310 2640

1650 1320

Certificate No.



P. O. BOX 990 FARMINGTON, NEW MEXICO 87401 PHONE: 505-325-2841

Multi-Point Surface Use Plan Barker Creek Dome Gas Storage Project WI #22

- 1. Existing Road Please refer to Map No. 1 which shows the existing roads. New roads which will be required have been marked on this map.

 All existing and new roads will be properly maintained during the duration of this project.
- 2. Planned Access Roads Please refer to Map No. 1. The grade of the access roads will be consistent with that of the local terrain. The road surface will not exceed twenty feet (20') in width. Upon completion of the project, the access road will be adequately drained to control soil erosion. Drainage facilities may include ditches, water bars, culverts or any other measure deemed necessary by trained Company personnel to insure proper drainage. Gates and/or cattleguards will be installed if necessary.
- 3. Location of Existing Wells Please refer to Maps No. 1 and No. 2.
- 4. Location of Tank Batteries, Production Facilities, and Production
 Gathering and Service Lines Please refer to Maps No. 1 and No. 2.

 Map No. 2 shows the existing gas gathering
 lines. Map No. 1 shows the existing roads and
 new proposed access roads. All known production
 facilities are shown on these two maps.
- 5. Location and Type of Water Supply Water for the proposed project will be obtained from El Paso Natural Gas Company's San Juan River Plant.
- 6. Source of Construction Materials No additional materials will be required to build either the access road or the proposed location.

Multi-Point Surface Use Plan

Page Two

- Methods of Handling Waste Materials All garbage and trash 7. materials will be put into a burn pit shown on the attached Location Plat No. 1. clean-up operations are begun on the proposed project, the burn pit with its refuse will be buried to a depth of at least three feet (3'). A latrine, the location of which is also shown on Plat No. 1 will be provided for human waste. If large amounts of liquids are left in the reserve pit after completion of the project, the pit will be fenced until the liquids have had adequate time to dry. The location clean-up will not take place until such time as the reserve pit can be properly covered over to prevent run-off from carrying any of these materials into the watershed. No earthen pit will be located on natural drainages; all earthen pits will be so constructed as to prevent leakage from occurring.
- 8. Ancillary Facilities No camps or airstrips will be associated with this project.
- 9. Wellsite Layout Please refer to the attached Plat No. 1.
- 10. Plans for Restoration of the Surface After completion of the proposed project, the location will be cleaned and leveled. The location will be left in such a condition that will enable reseeding operations to be carried out. Seed Mixture #2 will be used. The reseeding operation will be performed during the time period set forth by the regulatory body. The location production equipment will be painted Forest Green.
- 11. Other Information The immediate terrain is a rocky shale ridge with cedar and pinon trees. Cattle and deer graze the area.

- 12. Operator's Representative W. D. Dawson, Post Office Box 990, Farmington, New Mexico 87401
- 13. Certification -

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by El Paso Natural Gas Company and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

June 10, 1977

L. A. Aimes

Sr. Drilling Engineer

LAA:pb

Operations Plan Barker Creek Dome Gas Storage Project WI #22

I. Location: 656'S, 2193'W, Section 21, T-32-N, R-14-W, San Juan County, NM

Field: Barker Creek Dakota <u>Elevation:</u> 6182'GL

II. Geology:

A. Formation Tops:	Mesa Verde		Greenhorn	2129'
-	Menefee su	ırface	Graneros	2189'
	Point Lookout	14'	Dakota	2259'
	Mancos	374'	Total Depth	2359'

B. Logging Program: GR-I, FDC, SNP at 7" casing depth GR-I, FDC, SNP, GR-N at TD.

C. Coring Program: none

D. Natural Gauges: gauge well every connection past 2219' and at TD. Record all gauges in daily drilling report and on morning report.

III. Drilling:

A. Mud Program: mud on surface hole. Air from surface casing depth to Total Depth.

IV. Materials:

A.	Casing Program:	Hole Size	Depth	Csg.Size	Wt.&Grade
		12 1/4"	414'	9 5/8"	32.3# H-40
		8 3/4"	2261'	7"	20.0# K-55
		6 1/4"	2261-2359'		

B. Float Equipment: 9 5/8" surface casing - notched collar for guide shoe.

7" intermediate casing - cement guide shoe and self-fill insert float valve. Run float two joints above shoe.


- C. Tubing: 2344' of 2 3/8", 4.7#, J-55 8rd EUE tubing.
- D. Wellhead Equipment: 10" 2000 psi x 9 5/8" Type R Brewster casing head. 10" 2000 psi x 6" 2000 psi Type 2-082-77 Brewster xmas tree assembly.

V. Cementing:

9 5/8" surface casing - use 219 sks. of Class "B" cement with 3% calcium chloride (259 cu.ft. of slurry, 100% excess to circulate to surface). WOC 12 hours. Test casing to 600#/30 minutes.


7" intermediate casing - use 76 sks. of Class "B" cement with 2% calcium chloride (90 cu.ft. of slurry, 50% excess to fill 400' above the casing shoe). Run temperature survey at 8 hours. WOC 12 hours. Test casing to 1200#/30 minutes.

for Dakera Well




Series 900 Double Gate BOP, rated at 3000 psi Working Pressure
When airdrilling operations begin a Shaffer type 50 or equivalent rotating head is installed on top of the flow nipple and the flow line is converted into a blowie line.

WIFJI



El Paso Natural Gas Company
Typical Location Plat for Pectured Chiefs Well

Santo Barrella



El Paso Natural Gas Company

Well Name: WI #22

Location: 656'S, 2193'W, Section 21, T-32-N,R-14-W, San Juan County, NM

Map #1
Proposed pipeline & road +++
Proposed pipeline + + + 4
Proposed road ----

