SUBMIT IN TRIPLICATE*

Form approved. Budget Bureau No. 42-R1425.

(Other instructions on reverse side)

UNITED STATES							
DEPARTMENT	OF	THE	INTERI	OR			

		ITED STATES IT OF THE I		reverse si		30-045-22626	
		OGICAL SURVI		ION		at let ap genication Synd skurt no.	
4 PDL 16 4 TION		Ind-2772 G. IF INDIAN, ALLOTTEE OR TRIBE NAME					
a. TYPE OF WORK	LL &	DEEPEN [N, OR PLUG B		Ute Mountain Barker Creek Dome Gas	
b. TYPE OF WELL						Storage Project	
The second secon	ELI, OTHER	Gas Stor	age	NGLE X MULTIP	<u> </u>	Barker Creek Dome Gas	
El Paso Na	Storage Project 9. WELL NO.						
ADDRESS OF OPERATOR	iculai das c	.оприну				WI #23	
PO Box 990), Farmingto	n, NM 874	101			10. FIELD AND POOL, OR WILDCAT	
LOCATION OF WELL (ROAT SUFFACE	1055 s, 6		th any S	tate requirements.*)		Barker Creek Dakota 11. sec., T., B., M., OR BLE. AND SUBVEY OR AREA	
At proposed prod. zon	•	317				Sec.16,T-32-N,R-14-W NMPM 12. COUNTY OR PARISH 13. STATE	
4. DISTANCE IN MILES	AND DIRECTION FROM NI	EAREST TOWN OR POS	T OFFICE			San Juan NM	
5. DISTANCE FROM PROPU			16. Te	tales robest		OF ACRES ASSIGNED	
PROPERTY OR LEASE I	INE, FT.				N/A WELL		
(Also to negrest drig, unit line, if any) 18. DISTANCE FROM PROPOSED LOCATION ⁶ TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.			19. PROPOSED DEPTH 3183'		20. ROTARY OR CABLE TOOLS ROTARY		
7021 GL	ether DF, RT, GR, etc.)					July 15, 1977	
3.		PROPOSED CASI	NG ANI	CEMENTING PROGRA	АМ		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	оот	SETTING DEPTH		QUANTITY OF CEMENT	
12 1/4"	9 5/8"	32.3# H-				cu.ft.to circulate	
8 3/4"	7"	20.0# K-			ł	u.ft.to fill 400' above ng shoe	
7" casing This well Dome Gas S customers	will be use Storage Proj east of Cal	e total depended for naturely to the ifornia.	ural sto	gas storage rage gas will	in th	ne Barker Creek ledicated to	
preventer program, if an							
SIGNE SEAG	y Stay	lela TI	TLE	Drilling	CIGIK	DATE	
(This space for Fede	eral or State office use)						
PERMIT NO.				APPROVAL DATE			
APPROVED BY CONDITIONS OF APPROV	VAL, IF ANY:	TI	TLE			DATE	
K.	£20		7	•			
Q	val	*See Instr	uctions	On Reverse Side			

NEW MEXICO OIL CONSCRVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

Team C-102 Supersedes C-178 Effective 1-1-65

All distances must be from the outer boundaries of the Section. Well Ho. Lease UTE IND, TRIBAL I-22-IND-2772 Operator EL PASO NATURAL GAS COMPANY WI-23 BARKER CREEK DOME GAS STORAGE PROJECT County Section Township Unit Letter SAN JUAN 14-W 16 32-N Ι Actual Footage Location of Well: EAST SOUTH 1700 feet from the line and feet from the Producing Formation Dedicatea Acreage: Ground Level Elev. N/A A/ADAKOTA 7021 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation __ T Yes If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.)_ No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commis-THIS PLAT IS REISSUED TO REFLECT MOVED LOCATION. 5-12-77 CERTIFICATION I hereby certify that the information contained herein is true and complete to the my knowledge and belief. Drilling Company June 22, 1977 SECTION 16 I hereby certify that the well location shown on this plat was placed from field nates of actual surveys made by me or under my supervision, and that the same 817 is true and correct to the best of my knowledge and belief. Date/Sulveyed - APRIL 22, 1977 Registered Professiopal Engineer and/or Land Surveyor TO THE PARTY OF TH

11



P. O. BOX 990 FARMINGTON, NEW MEXICO 87401

PHONE: 505-325-2841

Multi-Point Surface Use Plan Barker Creek Dome Gas Storage Project WI #23

- Please refer to Map No. 1 which shows the existing roads. New roads which will be required have been marked on this map. All existing and new roads will be properly maintained during the duration of this project.
- 2. Planned Access Roads Please refer to Map No. 1. The grade of the access roads will be consistent with that of the local terrain. The road surface will not exceed twenty feet (20') in width. Upon completion of the project, the access road will be adequately drained to control soil erosion. Drainage facilities may include ditches, water bars, culverts or any other measure deemed necessary by trained Company personnel to insure proper drainage. Gates and/or cattleguards will be installed if necessary.
- 3. Location of Existing Wells Please refer to Maps No. 1 and No. 2.
- 4. Location of Tank Batteries, Production Facilities, and Production Gathering and Service Lines - Please refer to Maps No. 1 and No. 2. Map No. 2 shows the existing gas gathering lines. Map No. 1 shows the existing roads and new proposed access roads. All known production facilities are shown on these two maps.
- 5. Location and Type of Water Supply Water for the proposed project will be obtained from El Paso Natural Gas Company's San Juan River Plant.
- 6. Source of Construction Materials No additional materials will be required to build either the access road or the proposed location.

- Methods of Handling Waste Materials All garbage and trash 7. materials will be put into a burn pit shown on the attached Location Plat No. 1. clean-up operations are begun on the proposed project, the burn pit with its refuse will be buried to a depth of at least three feet (3'). A latrine, the location of which is also shown on Plat No. 1 will be provided for human waste. If large amounts of liquids are left in the reserve pit after completion of the project, the pit will be fenced until the liquids have had adequate time to dry. The location clean-up will not take place until such time as the reserve pit can be properly covered over to prevent run-off from carrying any of these materials into the watershed. No earthen pit will be located on natural drainages; all earthen pits will be so constructed as to prevent leakage from occurring.
- 8. Ancillary Facilities No camps or airstrips will be associated with this project.
- 9. Wellsite Layout Please refer to the attached Plat No. 1.
- 10. Plans for Restoration of the Surface After completion of the proposed project, the location will be cleaned and leveled. The location will be left in such a condition that will enable reseeding operations to be carried out. Seed Mixture #1 will be used. The reseeding operation will be performed during the time period set forth by the regulatory body. The location production equipment will be painted Forest Green.
- 11. Other Information The immediate terrain is a rocky ridge with cedar and pinon trees growing. Cattle and deer inhabit the area.

- 12. Operator's Representative W. D. Dawson, Post Office Box 990, Farmington, New Mexico 87401
- 13. Certification -

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by El Paso Natural Gas Company and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

June 10, 1977

L. A. Aimes

Sr. Drilling Engineer

LAA:pb

Operations Plan Barker Creek Dome Gas Storage Project WI #23

1700 817

I. Location: 1855 'S, SE'E, Section 16, T-32-N, R-14-W, San Juan County, NM

Field: Barker Creek Dakota Elevation: 7021'GL

II. Geology:

A. Formation Tops: Mesa Verde surface Greenhorn 2953' Menefee 188' 3013' Graneros 3038' Point Lookout 838' Dakota Mancos 1193! Total Depth 3183'

B. Logging Program: GR-I, FDC, SNP at 7" casing seat

GR-I, FDC, SNP, GR-N at TD.

C. Coring Program: none

D. Natural Gauges: gauge well every connection past 3043' and at TD. Record all gauges in daily drilling report and on morning report.

III. Drilling:

A. Mud Program: mud on surface hole. Air from surface casing depth to Total Depth.

IV. Materials:

A. Casing Program		Hole Size	Depth	Csg.Size	Wt.&Grade
		12 1/4"	1238'	9 5/8"	32.3# H-40
		8 3/4"	3085 '	7"	20.0# K-55
		6 1/4"	3085-318 3'		

B. Float Equipment: 9 5/8" surface casing - notched collar for guide shoe.


7" intermediate casing - cement guide shoe and self-fill insert float valve. Run float two joints above shoe.

- C. Tubing: 3123' of 2 3/8", 4.7#, J-55 8rd EUE tubing.
- D. Wellhead Equipment: 10" 2000 psi x 9 5/8" Type R Brewster casing head. 10" 2000 psi x 6" 2000 psi Type 2-082-77 Brewster xmas tree assembly.


V. Cementing:

9 5/8" surface casing - use 657 sks. of Class "B" cement with 3% calcium chloride (775 cu.ft. of slurry, 100% excess to circulate to surface). WOC 12 hours. Test casing to 600 #/30 minutes.


7" intermediate casing - use 76 sks. of Class "B" cement with 2% calcium chloride (90 cu.ft. of slurry, 50% excess to fill 400' above the casing shoe). Run temperature survey at 8 hours. WOC 12 hours. Test casing to 1200#/30 minutes.



Series 900 Double Gate BOP, rated at 3000 psi Working Pressure
When airdrilling operations begin a Shaffer type
50 or equivalent rotating head is installed on top of the flow nipple and the flow line is converted into a blowie line.



C + + 1 M



El Paso Natural Gas Company

Well Name: WI #23

Location: 1700'S, 817'E, Section 16, T-32-N,R-14-W, San Juan County, NM

Map #1

Proposed pipeline & road