

District I

P.O. Box 1980, Hobbs, NM

State Of New Mexico

Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO

APPROPRIATE

District II

P.O. Drawer, Artesia, NM 88211

OIL CONSERVATION DIVISION

P.O. Box 2088

District III

1000 Rio Brazos Rd. Aztec, NM 87410

Santa Fe, New Mexico 87504-2088

DISTRICT OFFICE

AND COPY TO

SANTA FE OFFICE

(Revised 3/9/94)

RECEIVED
AUG 24 1999OIL CON. DIV.
DIST. 3


PIT REMEDIATION AND CLOSURE REPORT

Operator: Conoco Inc.Telephone: 505-324-5813Address: 3315 Bloomfield Hwy - Farmington, NM 87401Facility Or: Moore LS 2A

Well Name

Location: Unit or Qtr/Qtr Sec E Sec 26 T 32N R 12W County San JuanPit Type: Separator BDP Dehydrator BDP Other BDPLand Type: BLM X State Fee OtherPit Location: (Attach diagram) Pit dimension: length 6' width 6' depth 3'Reference: wellhead X otherFootage from reference: 128'Direction from reference: 22 Degrees East of X North
West South

Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet (20 points)	
	50 feet to 9 feet (10 points)	
	Greater than 100 feet (0 points)	
	Total	<u>0</u>
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	Yes (20 points)	
	No (0 points)	
	Total	<u>0</u>
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet (20 points)	(20 points)
	200 feet to 1000 feet (10 points)	(10 points)
	Greater than 1000 feet (0 points)	(0 points)
	Total	<u>0</u>
	RANKING SCORE (TOTAL POINTS):	<u>0</u>

Date Remediation Started: _____		Date Completed: _____	
Remediation Method: (Check all appropriate sections)	Excavation: _____	Approx. cubic yards _____	
	Landfarm _____	Insitu Bioremediation _____	
	Other _____		
Remediation Location:	Onsite _____	Offsite _____	
(ie. landfarmed onsite, name and location of offsite facility)			
General Description Of Remedial Action: <u>Dug center of pit -- hit bedrock at 2'--</u>			
Sample taken -- till bottom of pit 1' in -- back fill clean soil. Samples			
were transported to laboratory for TPH analysis per EPA Method 8015 and for BTEX analysis per EPA Method 8020A			
Ground Water Encountered:	No <input checked="" type="checkbox"/> Yes <input type="checkbox"/>	Depth _____	
Final Pit:	Sample location	<u>Bottom of pit - center</u>	
Closure Sampling:	_____		
(if multiple samples attach sample results and diagram of sample locations and depths)	Sample depth	<u>5'</u>	
	Sample date	<u>6/2/99</u>	Sample time <u>2:22 PM</u>
	Sample Results		
	Benzene (ppm)	<u>NR</u>	
	Total BTEX (ppm)	<u>NR</u>	
	Field headspace (ppm)	<u>1</u>	
	TPH	<u>3</u>	
Ground Water Sample:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	(If yes, attach sample results)	
I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF			
DATE	<u>8/3/99</u>	PRINTED NAME	<u>Judson Valdez</u>
SIGNATURE	<u></u>	AND TITLE	<u>Project Lead</u>


Revised:

Lease Name: Moore LS 2A

Operator: Conoco Inc.

Date: 6-2-99

Site Security
(Indicate North)



Lease Name: Moore LS 2A

Federal/ Indian Lease No: SF-078147

CA No.:

Unit:

Legal Description: Sec.26-T32N-R12W

County: San Juan

Load line valves :
Sealed during Production

Drain line valves :
Sealed during Production

Production Line valve:
Sealed during sales

This lease is subject to t
San Juan Basin Operatic
Conoco Inc.
3315 Bloomfield Hwy
Farmington, NM



MOORE LS 2A
6-2-99 — BDP

6969

[illegible]

EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Client:	Conoco Inc.	Project #:	707003-033
Sample ID:	BDP - Grab	Date Reported:	06-07-99
Laboratory Number:	F456	Date Sampled:	06-02-99
Chain of Custody No:	6966	Date Received:	06-04-99
Sample Matrix:	Soil	Date Extracted:	06-07-99
Preservative:	Cool	Date Analyzed:	06-07-99
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	3.0	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	3.0	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Moore LS 2A. OVM Reading 1.**


Analyst


Review