OIL CONSERVATION COMMISSION AZTEC DISTRICT

OIL CONSERVATION COMMISSION	DATE	8/28/7	78
BOX 2088		n 1 3/0 YYY	
SANTA FE, NEW MEXICO	RE:	Proposed MC XXX	
		Proposed DHC Proposed NSL	
		Proposed SWD	
		Proposed WFX	
Carl Ulvog		Proposed PMX	
Gentlemen:			
I have examined the application dated 8/22	/78		
for the Southland Royalty Company Decker #2A		1-26-32N-12W	
Operator Lease and Wel	l No.	Unit, S-T-R	
and my recommendations are as follows:			
Approve			
	Your	s very truly,	

NEW MEXICO OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO APPLICATION FOR MULTIPLE COMPLETION

					(Tueto		
Southland Royalty Company Address P. O. Drawer 570, Farmington, N.M.		San Juan		August 22, 1978			
			Legse		Well No.		
		Farmington, N.M.	De	ecker	2A		
Location Uni	I .	Section 26	Township 32N		Range 12W		
l Was the N			se authorized	the multiple completion	of a well in these same pools	ot in the same	
		eject well? YES			or a went in these same poors	or in the same	
		ich instance: Order No.			and Well No.:		
z. Il aliswei	15 yes, identify one se	ich matanee. Order her		, or and zonse,			
3. The following facts are submitted:		d: Upper Zone	,		Lower Zone		
a. Name o	of Pool and Formation	Blanco Picture	d Cliffs		Blanco Mesa	Verde	
	id Bottom of	Liunes i i coni		-			
-	Section			C. a.	51701 FF	5172'-5570'	
-	forations)	2968'-3077	•		51/2'-55,		
	of production (Oil or Ga	(s) Gas			Gas		
	of Production	Jus Jus					
	wing or Artificial Lift)	Flowing			Flowing		
		ase check YES or NO)					
El Paso Tenneco	of operators of a c. Waivers consent tors have been to dicated thereon. offset operators to the Natural Gas Co. Oil Co., 720 Sc.	Il leases offsetting applicanting to such multiple completernished copies of the applicate of the well or other acceptable (If such log is not available lease on which this well is ., P. O. Box 990, Fouth Colorado Blvd.	etion from ea lication.* ole log with e at the time located toget Carmingto	ch offset operator, or in latops and bottoms of prodapplication is filed it should be there with their correct main, New Mexico 87	401	id offset opera-	
Kimbark	Operating, 1860	O Lincoln St, Ste.	1600 Is	need n St Donwer	Colorado 20203		
Mesa Pet	troleum, 2800 L	incoin Center Bldg,	, 1000 FT	ncom sc., benver	, adroing office		
		. O. Box 808, Farmi			OIL DIE		
	operators listed in Iter uch notification	n 5 above notified and furni August 22, 1978	shed a copy	of this application? YE	S X NO . If answer	er is yes, give	
CERTIFI	CATE: I, the undersig	gned, state that I am the	ist. Prod	luction Manager o	f theSouthland Roy		
under my sup		(company), and that I at and that the facts stated th	n authorized erein are tru	by said company to make e, correct and complete to	this report; and that this report the best of my knowledge.	rt was prepared	
					You from		
			3,40		Signature ()	•	

^{*}Should wrivers from all offset operators not accompany an application for administrative approval, the New Mexico Oil Conservation Commission will hold the application for a period of twenty (20) days from date of receipt by the Commission's Santa Fe office. If, after said twenty-day period, no protest nor request for hearing is received by the Santa Fe office, the application will then be processed.

NOTE: If the proposed multiple completion will result in an unorthodox well location and/or a non-standard proration unit in one or more of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.

SOUTHLAND ROYALTY COMPANY DUAL COMPLETION DIAGRAM

DECKER #2A

1700' FSL & 1075' FEL Sec. 24, T32N, R12W


9-5/8", 36#, K-55 set at 200°. Cemented with 110 sxs Class B.

Pictured Cliffs perforated from 2968'-3077' with total of 10 holes.
1-1/4", 2.33#, IJ, V-55 landed at 2982'.
Brown liner hanger w/PBR set at 3174'.
Baker Model "R" packer set at 3174'.

7", 20#, K-55 set at 3328'. Cemented with 245 sxs 50/50 Class B Poz followed by 70 sxs Class B.

Mesaverde perforated from 5172'-5570' with total of 20 holes. 2-3/8", 4.7#, CSR-55 set at 5556'

4-1/2", 10.5#, K-55 set from 3174'-5638'. Cemented with 315 sxs 50/50 Class B Poz.



SOUTHLAND ROYALTY COMPANY

DUAL COMPLETION DIAGRAM

DECKER #2A

1700' FSL & 1075' FEL

Sec. 24, T32N, R12W

26

9-5/8", 36#, K-55 set at 200'. Cemented with 110 sxs Class "B".

Pictured Cliffs perforated from 2968'-3077' with total of 10 holes. 1-1/4", 2.33#, IJ, V-55 landed at 2982'. Brown liner hanger set at 3174'. Baker Model "R" packer set at 3306'.

7", 20#, K-55 set at 3328'.

Cemented with 245 sxs 50/50 Class "B" Foz followed by 70 sxs Class "B".

Mesaverde perforated from 5172'-5570' with total of 20 holes. 2-3/8", 4.7#, CSR-55 set at 5525'.

4-1/2", 10.50#, K-55 set from 3174'-5638'. Cemented with 315 sxs 50/50 Class "B" Poz.

R12W

SRC	SRC Hubbard	SRC ☆ ☆3-A Decker	EPNG 4 Moore		SRC Dalsant # 1	
22	-	23		24		
SRG 5 Culpepper-Martin		SRC 3 Decker		EPNG EPNG Moore 5		
÷	EPNG 1 Moore	TENNECO Moore "C" - 学- ²	SRC Decker \$\frac{2}{c}^2	TENNECO	EPNG Moore \$\frac{7}{7}	T
27		26 EPNG	S RC	25	TENNECO	3
KIMBARK OPER.	TENNECO Moore "C" 学 1	2 Moore	Docker 2-A	EPNG S. UNION **** 6 Moore -\$\dagger\$ 1 Marcotte	Hubbard - com	
EPNG 	EPNG Newberry	TENNECO Nowberry "B" SRC Hillstrom 1-A	SRC Moore	MESA PET State - Com"AJ" 34 15-A MESA PET. State Com"S"	MESA PET. Stare - Com. "AK" 35 MESA PET. State \$15	n na v
	ENNECO	35		36		
EPNG	Newberry-'A'	SRC →☆- ¹ Hillstrom	SRC Moore 1-A	MESA P	MESA PET. 1 State ET MESA PET. State 1-A	

