

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

SF 078885

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use APPLICATION FOR PERMIT for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR El Paso Natural Gas Company		8. FARM OR LEASE NAME Gonzales Mesa Water Well
3. ADDRESS OF OPERATOR PO Box 990, Farmington, NM 87401		9. WELL NO. 1
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1480'S, 1620'E		10. FIELD AND POOL, OR WILDCAT N/A
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SE/4 Section 3, T-25-N, R-6-W NMPM
15. ELEVATIONS (Show whether DF, RT, GR, etc.) Est. 6773'GL		12. COUNTY OR PARISH Rio Arriba
		13. STATE New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		<input type="checkbox"/>

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input checked="" type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)	N Perforated		<input checked="" type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 2-21-72 Spud well. Ran 2 joints 10 3/4", 32.75#, H-40 surface casing, 65' set at 77'. Cemented with 88 cu. ft. cement. Circulated to surface. WOC 12 hours, held 600#/30 minutes.
- 2-23-72 T.D. 812'. Ran 20 joints 7 5/8", 26.4#, J-55 production casing, 800' set at 812'. Insert coupling at 811'. Cemented with 266 cu. ft. cement. Circulated to surface. WOC 18 hours.
- 3-8-72 Perf'd 460-90', 498-552', 552-598' with one shot per foot and 686-756' with two shots per foot.
- 5-8-72 Deepened well to 1346'.
- 5-9-72 Ran 12 joints 6 5/8", 0.188" wall Grade B line pipe or liner; set at 1346' with top at 895'.
- 5-17-72 Ran 37 joints 2 3/8", 4.7# tubing; 1164' set at 1174'.

18. I hereby certify that the foregoing is true and correct

SIGNED

H. Wood

TITLE

Petroleum Engineer

DATE

June 9, 1972

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

