

N.

(Revised 7/1/53)
(Form C-106)

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

Marjorie M. Grier

(Company or Operator)

Red Mountain

(Lease)

Well No. 6, in NE 1/4 of NE 1/4, of Sec. 29, T. 20 N, R. 9 W, NMPM.

Red Mountain

Pool,

McKinley

County.

Well is 450 feet from North line and 1530 feet from East line

of Section 29. If State Land the Oil and Gas Lease No. is

Drilling Commenced Oct 2, 1954. Drilling was Completed Oct 10, 1954.

Name of Drilling Contractor L. D. Keys, Ray Johnson and Son Forti

Address Artes, New Mexico

Elevation above sea level at Top of Tubing Head 6500'. The information given is to be kept confidential until , 19.

OIL SANDS OR ZONES

No. 1, from 476 to 496 No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 290' to 295' feet.

No. 2, from 345' to 355' feet. 100'

No. 3, from 428' to 448' feet. 100'

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
5 1/2	14 lbs	Used	459'	National			

MUDDING AND CEMENTING RECORD


SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
6'	5 1/2	459'	None			

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation

Depth Cleaned Out



RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 503 feet, and from 503 feet to 503 feet.
Cable tools were used from 0 feet to 503 feet, and from 503 feet to 503 feet.

PRODUCTION

Put to Producing 1904, 1904.

OIL WELL: The production during the first 24 hours was 0 barrels of liquid of which 0% was oil; 0% was emulsion; 0% water; and 0% was sediment. A.P.I. Gravity 0.

GAS WELL: The production during the first 24 hours was 0 M.C.F. plus 0 barrels of liquid Hydrocarbon. Shut in Pressure 0 lbs.

Length of Time Shut in 0.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.			T. Devonian.		T. Ojo Alamo.
T. Salt.			T. Silurian.		T. Kirtland-Fruitland.
B. Salt.			T. Montoya.		T. Farmington.
T. Yates.			T. Simpson.		T. Pictured Cliffs.
T. 7 Rivers.			T. McKee.		T. Menefee.
T. Queen.			T. Ellenburger.		T. Point Lookout.
T. Grayburg.			T. Gr. Wash.		T. Mancos.
T. San Andres.			T. Granite.		T. Dakota.
T. Glorieta.			T.		T. Morrison.
T. Drinkard.			T.		T. Penn.
T. Tubbs.			T.		T.
T. Abo.			T.		T.
T. Penn.			T.		T.
T. Miss.			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	10	10	reddish mud	340	355	15	water sand
10	20	10	yellow sand	355	370	15	chocolate shale
20	30	10	yellow clay	370	385	15	gray shale
30	40	10	yellow shale	385	400	15	gray water sand
40	50	10	gray shale	400	415	15	blue shale
50	60	10	blue shale	415	430	15	hard gray lime
60	70	10	blue shale	430	445	15	hard gray lime
70	80	10	chocolate shale	445	460	15	chocolate shale
80	90	10	light gray shale	460	475	15	gray sandy lime
90	100	10	gray shale	475	490	15	expanded oil sand
100	110	10	chocolate shale	490	505	15	little blue oil
110	120	10	blue sand	505	520	15	soft chocolate shale
120	130	10	gray sandy shale				
130	140	10	stiffy chocolate shale				
140	150	10	gray sandy shale				
150	160	10	gray shale				
160	170	10	hard shell				
170	180	10	light gray sandy shale				
180	190	10	white sand				
190	200	10	water sand				
200	210	10	chocolate shale				
210	220	10	gray shale				
220	230	10	gray shale				
230	240	10	gray shale				
240	250	10	gray shale				
250	260	10	gray shale				
260	270	10	gray shale				
270	280	10	gray shale				
280	290	10	gray shale				
290	300	10	gray shale				
300	310	10	gray shale				
310	320	10	gray shale				
320	330	10	gray shale				
330	340	10	gray shale				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator. *Marjorie M. Grier* Address. *5024 Fourth St no, Albuquerque, N.M.*
Name. *Marjorie M. Grier* Position or Title. *Owner*