

30-039-06461

Budget Bureau 42-R358.2
Approval expires 12-31-62Form 9-331a
(Feb. 1951)

X

(SUBMIT IN TRIPLICATE)

Land Office Santa FeLease No. S.F. 079160-AUnit SW 1/4 of Sec. 15 18
Designated Drilling Unit.UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

COPY TO O.C.C.

SUNDRY NOTICES AND REPORTS ON WELLS

JAN 25 1953

GEOLOGICAL SURVEY
FARMINGTON, N. M.

NOTICE OF INTENTION TO DRILL.....	XX	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 27, 1953

Well No. 2 Jenkins is located 1050 ft. from XX line and 1050 ft. from W line of sec. 15
NE 1/4, Sec. 15, 26N. 7 E. N.M.P.M.
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco-Rettigrew Rio Arriba New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6133 ft. (ungraded ground)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to drill a well with Rotary Tools to the Pictured Cliffs sandstone, set production casing & test. If production is indicated, intend to shoot with Solidified Nitro-gel. Approximate depth 2200 feet.

CASING PROGRAM:

10-3/4" csg. at 100', cement with 100 sacks and circulate to Surface.

5 1/2" csg. at approx. 2100' with 300 sacks cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company KINGSLEY-LOCKE OIL COMPANYAddress 1400 Luhrs TowerPhoenix, ArizonaBy Henry [Signature]Title Secretary-Treasurer

RECORDED

JAN 11 1900

U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.


Company Kingsley-Locke Oil Company

Lease SF 079160-A Well No. 2 Jenkins

Sec. 15, T. 26 N., R. 7 W., N.M.P.M.

Location 1650' from the South line and 1650' from the West line.

Elevation 6133 Ungraded ground.



Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Charles J. Finklea

Seal:

Registered Professional
Engineer and Land Surveyor.

Charles J. Finklea
N. Mex. Reg. No. 1302

Surveyed January 1, 1900

53