


Form 9-331a
(Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Cheney, Federal
Lease No. 10-01
Unit Cheney, Federal



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 7, 1957

Cheney-Federal
Well No. 4 is located 990 ft. from N line and 990 ft. from E line of sec. 8

25-N 2-N U.S.P.M.
(Twp.) (Range) (Meridian)

Undesignated San Arriba New Mexico
(County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7151 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

After setting 2238' of 5" liner on bottom at 6023' w/100 sx, top of liner at 3785', Temp. Survey top of cement, not high enough, perf. 5" liner at 5455' w/2 shots per ft & cemented thru perf. at 5455' w/50 sx. 1-2500-3000. Set MAC Tool at 3747' and cemented over top of liner at 3785' w/75 sx. Press. 700-2500. Tested top of liner w/1500 for 30 minutes, tested O.K. Drilled out ret. to 5425' and cement to 5455' and washed out to 5950' BTD. Tested 5" liner w/1000 for 30 minutes, tested O.K., no break.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Angolia Petroleum Company

Address Box 633

Alameda, Texas

By [Signature]

Title Division Superintendent