


30-039-07972

COPY FOR  
STATE OF NEW MEXICO  
OIL CONSERVATION  
COMMISSION  
SUBMIT IN TRIPLICATE TO  
DISTRICT OFFICE

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa FeLease No. 778771Unit Base Unit

# SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	DIST. <u>5</u>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	<u>X</u>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico, September 8, 1952

Well No. 1 is located 660 ft. from NE line and 1940 ft. from E line of sec. 11

12/4 of Section 11 7-31-N 8-6-W GNPN  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Wildest Rio Arriba New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6353 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)

Notice of Intention to Abandon Well, Form 9-331a, was approved January 29, 1952. Well was permanently plugged and abandoned as follows: 1. Filled hole with 12 pound mud from 3230 (plugged back depth) to 2990 feet; 2. Plugged hole with solid cement from 2990 to 2813 feet; 3. 9-5/8" casing shot free at 491 feet and 481 feet of 9-5/8" casing was recovered. 4. August 26, 1952, plugged hole with solid cement from 480 to 453 feet, and from 25 feet to surface; 5. Filled hole with 12 pound mud from 2813 to 480 feet and from 453 to 25 feet; 6. Erected 4' pipe marker and restored ground level to original contours as per regulations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Stanolind Oil and Gas CompanyAddress Box 447Farmington, New MexicoBy E. R. HoltTitle Field Superintendent

# CONSERVATION COMMISSION

## AZTEC DISTRICT OFFICE

No. Copies Received 1

### DISTRIBUTION

	NO. FURNISHED	
Operator		
San Jo. Fe	1	
Exploration Office		
State Land Office		
U. S. G. S.		
Transporter		
File	1	