

prop 25689

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078214
Unit McCord

SUNDRY NOTICES AND REPORTS ON

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OF REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 9th, 1956

Well No. 1 is located 220 ft. from N line and 1570 ft. from E line of sec. 34
NW/4 NE/4 Sec. 34 30N 13W N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft. (Not available. Will furnish later).

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Pictured Cliffs Sand test. Estimated total depth 1800'.

Surface Casing: 90' of 8-5/8" 24# J-55 cemented to surface.
Production : Approximately 1800' of 5-1/2" 15.5# J-55 cemented with 100 sacks.

If commercial production is indicated, 5-1/2" casing will be set through the Pictured Cliffs sand, and the producing formation perforated and sand-water fraced.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company BENSON-MONTIN-GREER DRILLING CORP.

Address 405 1/2 West Broadway

Farmington, New Mexico

By Albert H. Greer

Title Vice-President



1.0000 24 cent 10 1/2 inch

1.0000 24 cent 10 1/2 inch

1.0000 24 cent 10 1/2 inch

RECEIVED
OCT 11 1930
U. S. GEOL.
SURVEY
WASHINGTON



1.0000 24 cent 10 1/2 inch

1.0000 24 cent 10 1/2 inch

1.0000 24 cent 10 1/2 inch

1.0000 24 cent 10 1/2 inch

1.0000 24 cent 10 1/2 inch

NEW MEXICO
OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

Date 10-9-56

BENSON-MONTIN-GREER DRILLING CORP.

Operator ~~BENSON-MONTIN-GREER DRILLING CORP.~~

Lease

McCORD

Well No. 1 Section 34 Township 30 NORTH Range 13 WEST, NMPM

Located 990 Feet From the NORTH Line, 1570 Feet From the WEST Line,


SAN JUAN

County, New Mexico.

G. L. Elevation

Name of Producing Formation Pictured Cliffs Pool Wildcat Dedicated Acreage 160

(Note: All distances must be from outer boundaries of Section)



NOTE

This section of form is to be used for gas wells only.

SCALE: 1"=1000'

1. Is this Well a Dual Comp. ? Yes ___ No X.

2. If the answer to Question 1 is yes, are there any other dually completed wells within the dedicated acreage? Yes ___ No ___.

Name James P. Leese

Position Vice-President

Representing Benson-Montin-Greer Drilling Corp.

Address 405 1/2 West Broadway
Farmington, New Mexico

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed 7 AUGUST 1956

James P. Leese
Registered Professional Engineer and/or
Land Surveyor James P. Leese

N. Mex. Reg. No. 1463