

[illegible]

Bonds

W. R. Webb, Fee No. 1, NE 1/4 Sec. 8-30N-11W. I understand there is no bond on this well. Mr. Webb, I am told, lives in California and Mr. Al Evans, Aztec, his driller, informs me they are thinking of making another location and at that time will submit form of bond for both wells.

OCT 18 1938

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

OCT 18 1938

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL	X		

Aztec, New Mexico, October 8, 1938

Place

Date

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

W R Webb

Geo. E. Hooven

Well No. 1

in the

Company or Operator

Lease

NW 1/4

of Sec. 6

T. 30N

R. 11W

N. M. P. M.,

Aztec

Field,

San Juan

County.

The dates of this work were as follows: from Sept 16, 1938 to October 8, 1938

Notice of intention to do the work was (was not) submitted on Form C-102 on May 4 1938

19

and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Well cleaned to bottom at 1410 feet and filled with well mixed mud to surface, EXCEPT at Oil & as sands to 1212 to 1227 and from 1010 to 1025 and 880 to 887, which were cemented. All pipe pulled. Five inch iron pipe marker 16 feet long cemented to show 5 feet above ground.

Witnessed by Al Greer

Name

O & G Inspector

Company

Title

Subscribed and sworn before me this 8th

I hereby swear or affirm that the information given above is true and correct.

day of October

1938

Name W. R. Webb

Position

Contractor Jack Walter

Representing W. R. Webb,

Company or Operator

My commission expires

Feby 14 1940

Address Aztec New Mexico

Remarks:

[Signature]
Name
[Signature]
Title

NEW MEXICO

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED
DATE 11-14-2001 BY 60322 UCBAW

MAY 16 1938

WELL RECORD

Oil Company

MAY 12 1938

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following (?) with (?). **SUBMIT IN TRIPLICATE.**

AREA 840 ACRES
LOCATE WELL CORRECTLY

W. J. Webb care Geo. F. Brington, Aztec, New Mexico

Company or Operator

Address

Կեանք

Well No. 1

to NW 1/4 NW 1/4

of Sec. 6

T 3CN

1999

R. 1157 N. M. P. M. Aztec Field, San Juan County

Well is _____ feet south of the North line and _____ feet west of the East line of _____

If State land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is Geo. F. Hooven Address Los Angeles, Calif.

If Government land the permittee is _____ Address _____

The Lessee is W R Webb Address Hollywood, California

Drilling commenced (no dates available). Drilling was completed 1936

Name of drilling contractor A.S. Evans, driller, Address unknown--non-resident

Elevation above sea level at top of casing _____ feet.

The information given is to be kept confidential until _____ 10

OIL BANDS OR ZONES none commercial

No. 1, from 1010 to 1025 gas. No. 4, from

No. 2, from 1212 to 1227. Small showing of oil

No. 3. from 680 to 887-545 No. 6. from

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 105 to 107 feet small water

No. 2. from 390 to 409 feet 10 hrs per hour

No. 1 from 1160 1170 1 brl per hour

No. 4. from	1305	1375	font	salt water
-------------	------	------	------	------------

CASING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
 Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment: No shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
 Cable tools were used from 00 feet to 1410 feet, and from _____ feet to _____ feet

PRODUCTION

None Commercial
 Put to producing _____, 10 _____
 The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller
 _____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.


Subscribed and sworn to before me this 5
 day of May, 1938
James M. Dumas
 Notary Public.
 My Commission expires May - 1 - 1937

Astec NM 5/5/38
 Place Date
 Name Geo T. Morrison
 Position Agent
 Representing NRWEL
 Company or Operator
 Address Astec, of Geo T. Morrison

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	15	15	surface
15	105	90	red and grey shales
105	107	2	small sand, water 1 brs per hour
107	110	3	red sticky shale
110	110	20	grey shale
110	110	40	hard grey sandstone
110	115	5	sticky grey shale
115	340	155	sand stone
340	390	50	red and grey shale, mixed
390	409	19	blue grey sand. 10 bls water per hour
409	465	56	red shale, cavey
465	510	45	sand stone
510	525	15	oil shale, cavey
525	530	5	fine grey sand
530	575	45	red sticky shale
575	595	20	sandstone
595	680	85	red sticky shale
680	690	10	sand
690	727	37	red pebbly shale, very cavey. 8 1/2" casing run to shut off cave.
727	770	43	grey shale, sulphur streaks
770	820	50	red sandy shale
820	830	10	pink shale, set 8 1/2" casing 830'.
830	880	50	grey fluffy shale
880	887	7	sand. small showing gas.
887	1010	123	grey shale
1010	1025	15	sand., gas and showing of oil
1025	1107	82	grey fluffy shale
1107	1112	5	sand
1112	1160	48	grey shale
1160	1170	10	sand. salt water about 1 bbl per hour.
1170	1195	25	grey shale
1195	1210	15	sand
1210	1212	2	hard slatey shale
1212	1227	15	sand. showing light green oil
1227	1252	25	hard slatey shale
1252	1257	5	hard sand
1257	1289	32	grey shale
1289	1342	53	hard slatey shale, iron pyrites showing
1342	1365	26	grey sandy shale
1365	1375	10	sand, salt water
1375	1410	35	grey sticky shale----bottom.


NOTARY IN OFFICE NEW MEXICO
OIL CONSERVATION COMMISSION



GEO. F. BRUINGTON
ATTORNEY
AZTEC, NEW MEXICO

May 5 1938.

ESTABLISHED SINCE 1906



New Mexico Oil Conservation
Commission,
Attention Mr A. Andreas,
Acting State Geologist,
Santa Fe, New Mexico,
Gentlemen;

*For Sant Fe office
Shepard*

Re; Well drilled NW $\frac{1}{4}$ NW $\frac{1}{4}$ S.6.T.30N.R.11.W.
San Juan County, W.R. Webb.

Referring to your favor of the 2nd inst in regard to the
above. I have prepared application to plug well on the new form
#C-102, and also well record on form C-105, each in triplicate,
and inclosed herewith. I am short some of the information will
endeavor to get it and submit later if necessary.

Yours truly.

Geo. F. Bruington
Geo. F. Bruington

Form 100

OIL CONSERVATION

NEW MEXICO
OIL CONSERVATION COMMISSION

MAY 16 1938

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MAY '7 1938

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	X
NOTICE OF INTENTION TO DEEPEN WELL			

Aztec New Mexico May 4 1938

Place

Date

OIL CONSERVATION COMMISSION,

Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the W.R. Webb

Company or Operator Webb Well No. 1 in NW1/4
 of Sec. 6, T. 30N, R. 11W, N. M. P. M., Aztec Field,
 San Juan County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Plug well from bottom with well mixed shale at all points to the surface, except to use properly mixed cement to cement off the oil/or and gas sands--shown on log submitted-- and erect a metal pipe marker on top, set in cement.

Approved May 17 1938
 except as follows:

W R Webb

By Geo. F. Bruington
 Position agent
 Send communications regarding well to

OIL CONSERVATION COMMISSION,

By

Name Geo. F. Bruington
 Address Aztec New Mexico

Title

Acting State Geol.

MAY 16 1938

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MAY '7 1938

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is begun. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or its agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	X
NOTICE OF INTENTION TO DEEPEN WELL			

Aztec New Mexico May 4 1938

Place

Date

OIL CONSERVATION COMMISSION,

Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

W.R. Webb

Company or Operator

W.R. Webb

Well No.

in N 1/4 NW 1/4

of Sec. San Juan

R.

N. M. P. M.

Aztec

Field

County

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Plug well from bottom with well mixed shale at all points to the surface, except to use properly mixed cement to cement off the oil/or and gas sands--shown on log submitted-- and erect a metal pipe marker on top, set in cement.

Approved
except as follows:

May 17 1938

W R Webb

By

Geo F. Bruington

Position

agent

Send communications regarding well to

OIL CONSERVATION COMMISSION,

By

Acting State Geol.

Name

Geo. F. Bruington

Address

Aztec New Mexico

STATE NEW MEXICO E N W N W
COUNTY San Juan SEC. 6 T. 30N R. 11W
FIELD OR AREA Aztec Area LOCATION 600' / N 1000' / W
LEASE 800 patented land WELL NO. 1
COMPANY W. R. Webb SPD 9-28-34 COMPLETED 3-15-35
ELEV. 5760' 5875' T. D. 1485' P. B. 1410'
CASING 8 1/2" @ 830'

SHOT OR ACID

PERF.

I. P. 15 bbls water @ 5 bbls oil

PRODUCING FORM Farmington

PRODUCTIVE DEPTH OR INTERVAL 1175-1185 & 1222-1247 - WTR.
1280-1291

REMARKS:

P. & A. Oct. 8, 1938

TOPS

SURFACE Turkey Quercus DAKOTA S. S.

OJO ALAMO S. S. MORRISON FM.

FARMINGTON S. S. Fruitland - lowest tested

PICTURED CLIFFS S. S.

MESAVERDE FM.

CLIFF HOUSE

MENEFEE

PT. LOOKOUT

MANCOS SHALE