Environmental Plus, Inc.
P.O. Box 1558
2100 Avenue O
Eunice, NM 88231
(575) 394-3481
(575) 394-2601 (fax)

FIELD MEASUREMENT/OBSERVATION LOG

COMPANY: Legacy | **PROJECT NAME:** L.R. Chamberlan | **PROJECT NUMBER:**

PROJECT MANAGER: Manuel Soriano | **FIELD TECHNICIAN:** EDDIE GAYTAN | **DATE:** 5-23-16

SAMPLE ID	SAMPLE DEPTH (FT)	COLLECTION TIME	PID ANALYSIS TIME	PID READING (PPM)	CHLORIDE ANALYSIS					SOIL DESCRIPTION
							Titration Tube Reading		mg/Kg	
Sp1	3'	9:01	9:26	423	2 gms of soil	40 ml H2O	12	x 20 =	240	
Sp1A	4'	9.05	9:18	673	2 gms of soil	40 ml H2O	12	x 20 =	240	
Sp1B	6'	9:46	10:04	139	2 gms of soil	40 ml H2O	20	x 20 =	400	
Sp1C	7'	9:48	10:05	762	2 gms of soil	40 ml H2O	20	x 20 =	400	
Sp1D	8'	9:59	10:07	122	2 gms of soil	40 ml H2O	20	x 20 =	400	
Sp1E	9'	10:00	10:21	97.4	2 gms of soil	40 ml H2O	20	x 20 =	400	
Sp1F	10'	10:10	10:22	470	2 gms of soil	40 ml H2O	20	x 20 =	400	
Sp1G	11'	10:29	10:43	191	2 gms of soil	40 ml H2O	22	x 20 =	440	
Sp1H	12'	11:06	11:16	48	2 gms of soil	40 ml H2O		x 20 =		
					2 gms of soil	40 ml H2O		x 20 =		
					2 gms of soil	40 ml H2O		x 20 =		
					2 gms of soil	40 ml H2O		x 20 =		
					2 gms of soil	40 ml H2O		x 20 =		
					2 gms of soil	40 ml H2O		x 20 =		
					2 gms of soil	40 ml H2O		x 20 =		
					2 gms of soil	40 ml H2O		x 20 =		
					2 gms of soil	40 ml H2O		x 20 =		
					2 gms of soil	40 ml H2O		x 20 =		
					2 gms of soil	40 ml H2O		x 20 =		

PID CALIBRATION

Time	Fresh Air	Span Gas	Time	Fresh Air	Span Gas

WEATHER

Time	Temp.	Misc