

From: Groves, Amber
To: [Yu, Olivia, EMNRD](#); [Mike Burton](#)
Cc: [Rickman, Rick](#)
Subject: RE: Adobe link. Linn CMU 52 work plan
Date: Monday, October 30, 2017 10:04:42 AM
Attachments: image001.png
image003.png

Good Morning,

It looks like this one slipped through the cracks on my end....sorry about that. NMSLO agrees with NMOCD on approval.

Thank you,

Amber Groves

Remediation Specialist

Field Operations Division

(575)392-3697

(575)263-3209 cell

New Mexico State Land Office

2827 N. Dal Paso Suite 117

Hobbs, NM 88240

.....
CONFIDENTIALITY NOTICE - This e-mail transmission, including all documents, files, or previous e-mail messages attached hereto, may contain confidential and/or legally privileged information. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that you must not read this transmission and that any disclosure, copying, printing, distribution, or use of any of the information contained in and/or attached to this transmission is **STRICTLY PROHIBITED**. If you have received this transmission in error, please immediately notify the sender and delete the original transmission and its attachments without reading or saving in any manner. Thank you.

From: Yu, Olivia, EMNRD [mailto:Olivia.Yu@state.nm.us]
Sent: Friday, September 01, 2017 7:53 AM
To: Mike Burton <marineburton@gmail.com>; Groves, Amber <agroves@slo.state.nm.us>
Cc: Rickman, Rick <rrickman@linenergy.com>
Subject: RE: Adobe link. Linn CMU 52 work plan

Dear Mr. Burton:

NMOCD approves of the delineation completed for 1RP-4773. Due to the large discrepancy between field chloride and laboratory analyses, laboratory analyses (BTEX, TPH, and chlorides) of confirmation bottom and sidewall samples are required for each of the 3 proposed excavated areas. Please remember to use Method 8015 extended (GRO, DRO, and MRO) for TPH. Provide a scaled map with

1) the locations of the confirmation samples at <=50 ft. intervals, and 2) each excavation area marked.

Please confirm. Like approval from NMSLO is required.

Thanks,

Olivia Yu
Environmental Specialist
NMOCD, District I
Olivia.yu@state.nm.us
575-393-6161 x113

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Mike Burton [<mailto:marineburton@gmail.com>]
Sent: Wednesday, August 30, 2017 9:34 AM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>
Cc: Rickman, Rick <rrickman@linenergy.com>
Subject: Adobe link. Linn CMU 52 work plan

Olivia,
I have made the changes and corrected the typos. I set up the Adobe library so I can share the link.
please let me know if this works. If not I will try again.
Thank you.

<https://adobe.ly/2xN2uYO>

Michael Ray Burton
575-499-5306
USMC VET

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>
