

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N French Dr, Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd, Aztec, NM 87410
District IV - (505) 476-3460
1220 S St. Francis Dr., Santa Fe, NM
87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

HOBBS OCE

JAN 19 2012

RECEIVED

OIL & GAS CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-01538
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 309534
7. Lease Name or Unit Agreement Name CAPROCK MALJAMAR UNIT
8. Well Number: 100
9. OGRID Number 269324
10. Pool name or Wildcat MALJAMAR;GRAYBURG-SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other INJECTION
2. Name of Operator LINN OPERATING, INC.
3. Address of Operator 600 TRAVIS, SUITE 5100, HOUSTON, TEXAS 77002
4. Well Location Unit Letter O; 330 feet from the S line and 2310 feet from the E line Section 28 Township 17S Range 33E NMPM LEA County
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4,184' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☒ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

LINN purposes to MIRU and POOH with tubing, RIH with workstring and bit and cleanout to TD. Perform acid job and run back in hole and set packer and tubing at previous depth and run witnessed MIT.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE T. Callahan TITLE: REGULATORY SPECIALIST III DATE JANUARY 18, 2012

Type or print name TERRY B. CALLAHAN E-mail address: tcallahan@linnenergy.com PHONE: 281-840-4272

For State Use Only

APPROVED BY: [Signature] TITLE: PETROLEUM ENGINEER DATE JAN 19 2012
Conditions of Approval (if any):

JAN 23 2012

Well Name Caprock Maljamar Unit 100
 Location O-28-17S-33E 330 FSL 2310 FEL
 Lea County, NM
 API # 30-025-01538
 Elevations GROUND
 KB
 Depths (KB) PBD 4368'
 TD 4448'

Wellbore Schematic

Date Prepared 29-Sep-11 K Murphy
 Last Updated
 Spud Date 18-Mar-58
 RR Date
 Spud Date to RR Date
 Completion Start Date
 Completion End Date
 Completion Total Days
 Co-ordinates

Surf Csg
 8 5/8"
 Set @ 359'
 TOC @ Surf

Csg leak @ 691-722
 Sqz'ed w/ 100 sxs

TOC @ 3723'

Production Csg
 5 1/2"
 Set @ 4400'
 100 sx cmt to surf

Liner
 4-1/2"
 Set @ 4568'
 TOC @ Surf

TD @ 4650'

Surface Casing (3/18/58)

Hole Size 11 jts 8-5/8", 24#, J-55 ST&C csg set at 359'
 12-1/4" Cmt w/ 175 sxs regular w/ 2% Ca Cl - Circ 10 sxs to pit
 TOC @ Surf

Production Casing (3/31/58)

Hole Size 148 jts 5-1/2", 15 5#, J-55 ST&C csg set @ 4400'
 7-3/4" Cmt w/ 100 sxs Incor Neat & 350 gal Dowell Cement
 TOC @ 3723' - Temp survey

Liner.

114 jts 4-1/2" 11 60# K-55 tbq to 4568'
 Cmt w/ 150 sxs Super Premium - circ 5 sxs to pit

Tubing:

	Set at
131 jts 2-3/8" 8rd EUE IPC 4 7# tbq	4075'
1-3 3/4" x 2-3/8" T-2 On-Off tool	4077'
1 - 4 1/2" x 2 3/8" Arrow set pkr	4083'

Notes.

9/30/96 - Deepened from 4444'-4650'

Perforations:

4476,80,86,87,88
 4240, 42,82,86,4310,12,49,51,53,55,56,78,80
 4138,55,59,62,70,77,79,4211,33,35,40,43,79,83,92,4305,06,07,08,09,18,45,51,53,61,77,4403,04,11,12,13,14,4510,11,12