

District I - (575) 393-6161
1625 N French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OCD
MAY 23 2012

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

<p>SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>		<p>WELL API NO. 30-025-26340</p>
<p>1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/></p>		<p>5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/></p>
<p>2. Name of Operator Occidental Permian Limited Partnership</p>		<p>6. State Oil & Gas Lease No.</p>
<p>3. Address of Operator P.O. Box 50250 Midland, TX 79710</p>		<p>7. Lease Name or Unit Agreement Name McQuattens</p>
<p>4. Well Location Unit Letter B : 700 feet from the north line and 2230 feet from the east line Section 11 Township 21S Range 36E NMPM County Lea</p>		<p>8. Well Number 3</p>
<p>11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3538' GR</p>		<p>9. OGRID Number 157984</p>
<p>10. Pool name or Wildcat Handy Tubb-Drintand-Blinney</p>		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
 PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:
 REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-6900' PBTD-5090' Perfs-5720-6706' 6748-6886' CIBP-5150'-5650'-6460'-6730'
 13-3/8" 48# csg @ 1263' w/ 850sx, 17-1/2" hole, TOC-Surf-Circ
 8-5/8" 24# csg @ 4742' w/ 2800sx, 11" hole, TOC-Surf-Circ
 5-1/2" 14# liner @ 4542-6898' w/ 750sx, 7-7/8" hole, TOC-4542'-Circ
 1. RIH & tag cmt/CIBP @ 5090'
 2. M&P 60sx cmt @ 4792-4482' WOC-Tag
 3. M&P 40sx cmt @ 3700-3600' WOC-Tag
 4. M&P 40sx cmt @ 2500-2400' WOC-Tag
 5. M&P 40sx cmt @ 1313-1213' WOC-Tag
 5. M&P 90sx cmt @ 250' to surface
 10# MLF between plugs

Spud Date:

Rig Release I

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE David Stewart TITLE Regulatory Advisor DATE 5/22/12

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717
For State Use Only

APPROVED BY: [Signature] TITLE STAFF WORK DATE 5-

Conditions of Approval (if any):

Occidental Permian Ltd. - Current
McQuatters #3
API No. 30-025-26340



17-1/2" hole @ 1264'
13-3/8" csg @ 1263'
w/ 850sx-TOC-Surf-Circ

4542

11" hole @ 4742'
8-5/8" csg @ 4742'
w/ 2800sx-TOC-Surf-Circ

CIBP @ 5150' w/ 60' cmt

CIBP @ 5650' w/ 3sx

CIBP @ 6460' w/ 3sx
CIBP @ 6730'

Csg Lk @ 5489-5518'

Perfs @ 5720-6323'

7-7/8" hole @ 6900'
5-1/2" liner @ 4542-6898'
w/ 750sx-TOC-4542'

Perfs @ 6529-6706'

Perfs @ 6748-6844'
Perfs @ 6867-6886' sqz w/ 150sx

TD-6900'

**Occidental Permian Ltd. - Proposed
McQuatters #3
API No. 30-025-26340**

90sx @ 250'-Surface

40sx @ 1313-1213' WOC-Tag

40sx @ 2500-2400' WOC-Tag


40sx @ 3700-3600' WOC-Tag

60sx @ 4792-4492' WOC-Tag

CIBP @ 5150' w/ 60' cmt

CIBP @ 5650' w/ 3sx

**CIBP @ 6460' w/ 3sx
CIBP @ 6730'**



17-1/2" hole @ 1264'
13-3/8" csg @ 1263'
w/ 850sx-TOC-Surf-Circ

11" hole @ 4742'
8-5/8" csg @ 4742'
w/ 2800sx-TOC-Surf-Circ

Csg Lk @ 5489-5518'

Perfs @ 5720-6323'

7-7/8" hole @ 6900'
5-1/2" liner @ 4542-6898'
w/ 750sx-TOC-4542'

Perfs @ 6529-6706'

Perfs @ 6748-6844'
Perfs @ 6867-6886' sqz w/ 150sx