

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised July 18, 2013

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-041-20944
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Huntington Energy, L.L.C.		6. State Oil & Gas Lease No.
3. Address of Operator 908 N.W. 71 <sup>st</sup> St., Oklahoma City, OK 73116		7. Lease Name or Unit Agreement Name State of New Mexico 35
4. Well Location Unit Letter C : 660 feet from the North line and 1350 feet from the West line Section 35 Township 06S Range 34E NMPM County Roosevelt		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4304'		9. OGRID Number 208706
		10. Pool name or Wildcat San Address

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Huntington Energy, L.L.C. proposes to plug the above referenced well. The following is the procedure to plug:

MIRU plugging rig. RD wellhead & NU BOP. Load hole w/100 bbls 9.5# 36 vis plug mud. MIRU W/L Co. PU & RIH w/5 1/2" 17# CIBP & set @ 4200'. RIH w/tbg & tag CIBP. Spot 35 sx Cls A on top. PU to 2,151' LD tubing. Set a 25 sx Cls A balanced plug from 2151'-2051' in the 5 1/2" csg. PU to 475' LD tubing. Set 15 sx Cls A balanced plug from 475-375' in the 5 1/2" csg. RU & set surf plug from 50'-surface. POOH w/tubing, RD & rel rig. Dig down & cut off csg 3' below grade. Top off w/cmt & weld on steel ID plate. Clean up & restore location.

WOC & TAG PERF @ 475' CIRC. CMT TO SURFACE (P. CHICKEN AREA) INSIDE & OUT. MARKER TO BE BELOW GROUND LEVEL.

\*Notify NMOCD 24 hrs in advance prior to commencing plug and abandonment procedure.

\* AFTER SETTING CIBP & CIRC MLF

Spud Date:

PRESSURE TEST CSG

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Catherine Smith TITLE Regulatory DATE 10/25/2013

Type or print name \_\_\_\_\_ E-mail address: \_\_\_\_\_ PHONE: \_\_\_\_\_

For State Use Only

APPROVED BY: Maley Brown TITLE Compliance Officer DATE 10/29/2013  
Conditions of Approval (if any):

OIL CONSERVATION DIVISION - Hobbs office Must Be Notified  
24 hours prior to the beginning of Plugging Operations.

OCT 30 2013

# State of New Mexico 35 #1

CURRENT

Roosevelt Co., NM

Sec. 35-6S-34E

660' FNL & 1350' FWL

Today's Date: 9/23/13

Spud: 2/7/2011

Completed: 3/24/11

API: 3004120944

GL: 4304'

13 3/8" 48# H40 set @ 425'

470 sx Cls G

circ 30 bbls to surface ✓

TOC @ 900'

5 1/2 ✓

8 3/4" 32# J-55 set @ 2101'

520 sx Cls C, 260 sx Cls C premium plus

Circ 60 bbls to surface ✓

2 7/8" tbg @ 4368'

## Perfs:

4214'-36': 500 gals 15% NEFE

4300'-36': 500 gals 15% NEFE

PBTD 4465'

5 1/2" 17# J-55 LT&C, set @ 4455'

Cmt w/1000 sx Versa Cem

3rd plug top 4465' - 4749'

155 sx Class C + 1% CaCL

2nd plug top 6781' - 6881'

70 sx Class H

1st plug top 8672' - 8772'

40 sx

Hole size 7 7/8"

TD 8800'