

Results of Directional Survey

API number:	30-025-41048		
OGRID:		Operator:	COG PRODUCTION, LLC
		Property:	EATA FAJITA STATE # 4H

surface	ULSTR:	P	08		T 24S		R 33E
					190 FSL		380 FEL

BH Loc	ULSTR:	A	08		T 24S		R 33E
	15680	MD	11173.5	TVD	340 FNL		421 FEL
					4940 FSL		

Top Perf/OH	ULSTR:	P	08		T 24S		R 33E
	11365	MD	11152.4	TVD	628 FSL		403 FEL

Bot Perf/OH	ULSTR:	A	08		T 24S		R 33E
	15575	MD	11176.0	TVD	445 FNL		421 FEL
					4835 FSL		

	MD	N/S	E/W	VD
	11356	429.17	-23.26	11150.54
TOP PERFS/OH	11365	437.98	-23.19	11152.39
	11387	459.50	-23.02	11156.90
	15574	4643.78	-41.11	11176.06
BOT PERFS/OH	15575	4644.78	-41.11	11176.04
	15626	4695.77	-41.02	11175.02

NEXT TO LAST	15626	4695.77	-41.02	11175.02
LAST READING	15675	4744.75	-40.94	11173.65
TD	15680	4749.75	-40.93	11173.51

Surface Location	190 FS	380 FE
Projected BHL	4940 FS	421 FE
Location of		
Top Perfs/OH	628 FS	403 FE
Bottom Perfs/OH	4835 FS	421 FE

SUMMARY of Subsurface Locations

Surface Location	P-08-24S-33E	190 FS	380 FE	Vert. Depth
Top Perfs/OH	P-08-24S-33E	628 FS	403 FE	11152.39
Bottom Perfs/OH	A-08-24S-33E	4835 FS	421 FE	11176.04
Projected TD	A-08-24S-33E	4940 FS	421 FE	11173.51

MAY 05 2014



PO Box 261021
Corpus Christi, Texas 78426
(361) 767-0602 • (800) 606-GYRO • Fax (361) 767-0612

A GYRO TECHNOLOGIES INC. COMPANY

February 6, 2014

Concho Resources, Inc.
One Concho Center
600 W. Illinois Avenue
Midland, Texas 79701

HOBBS OCD

APR 17 2014

RECEIVED

Attn: Kanicia Castillo

RE: **Eata Fajita State 4H**


Please find enclosed a copy of the survey from 0.00' to 10035.00' ran on the above referenced well.


Sincerely,


Keith Havelka
Operations

STATE OF TEXAS §
 §
COUNTY OF NUECES §

This instrument was acknowledged before me on the 6th day of February A.D., 2014, by Keith Havelka.


Meredith Darden
Notary Public, State of Texas



Company: COG Operating, LLC (Concho)

Lease/Well: Eata Fajita State/4H



Rig Name: Basic 46

State/County: New Mexico/Lea

Latitude: 32.23, Longitude: -103.59

GRID North is 0.40 Degrees East of True North

VS-Azi: 0.00 Degrees



Depth Reference : RKB: 22'

HOBBS OCD

DRILLOG HA GYRO SURVEY CALCULATIONS

APR 17 2014

Filename: gyro survey.ut

Minimum Curvature Method

Report Date/Time: 2/6/2014 / 15:13

RECEIVED

Vaughn Energy Services

Midland, Texas

432-563-5444

Surveyor: Tim Dillon

Eata Fajita State 4H / AP 30-025-41048

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	TVD FT	+N/-S FT	+E/-W FT	Closure Distance FT	Closure Direction Deg	Dogleg Severity Deg/100
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	****
100.00	0.61	275.20	100.00	0.05	-0.53	0.53	275.20	0.61
200.00	0.21	245.45	200.00	0.02	-1.22	1.22	271.02	0.44
300.00	0.27	238.79	299.99	-0.17	-1.59	1.60	263.71	0.07
400.00	0.06	277.88	399.99	-0.29	-1.84	1.86	261.05	0.23
500.00	0.18	187.57	499.99	-0.44	-1.91	1.96	257.16	0.19
600.00	0.21	196.22	599.99	-0.76	-1.98	2.12	249.00	0.04
700.00	0.14	130.18	699.99	-1.01	-1.93	2.18	242.37	0.20
800.00	0.25	130.16	799.99	-1.24	-1.67	2.08	233.54	0.11
900.00	0.23	169.90	899.99	-1.57	-1.47	2.15	223.05	0.16
1000.00	0.16	154.49	999.99	-1.90	-1.37	2.34	215.87	0.08
1100.00	0.15	164.27	1099.99	-2.15	-1.27	2.50	210.62	0.03
1200.00	0.05	161.80	1199.99	-2.32	-1.23	2.62	207.85	0.10
1300.00	0.12	253.78	1299.99	-2.39	-1.31	2.73	208.80	0.13
1400.00	0.30	5.93	1399.99	-2.16	-1.39	2.56	212.78	0.37
1500.00	0.34	35.17	1499.99	-1.65	-1.19	2.03	215.81	0.17
1600.00	0.51	349.51	1599.99	-0.97	-1.10	1.47	228.55	0.36
1700.00	0.66	8.91	1699.98	0.03	-1.09	1.09	271.75	0.25
1800.00	0.26	358.46	1799.98	0.83	-1.01	1.31	309.43	0.41


Measured Depth FT	Incl Angle Deg	Drift Direction Deg	TVD FT	+N/-S FT	+E/-W FT	Closure Distance FT	Closure Direction Deg	Dogleg Severity Deg/100
1900.00	0.35	335.88	1899.98	1.34	-1.14	1.76	319.55	0.15
2000.00	0.46	344.57	1999.97	2.01	-1.38	2.44	325.62	0.12
2100.00	0.46	325.90	2099.97	2.73	-1.71	3.22	327.98	0.15
2200.00	0.59	308.75	2199.97	3.39	-2.34	4.11	325.41	0.20
2300.00	0.69	313.89	2299.96	4.12	-3.17	5.20	322.47	0.11
2400.00	0.54	335.06	2399.95	4.97	-3.80	6.25	322.59	0.27
2500.00	0.85	321.11	2499.95	5.97	-4.46	7.46	323.23	0.35
2600.00	1.08	324.18	2599.93	7.31	-5.48	9.14	323.15	0.24
2700.00	1.11	333.71	2699.91	8.95	-6.46	11.04	324.16	0.18
2800.00	1.53	336.54	2799.89	11.04	-7.42	13.30	326.09	0.43
2900.00	1.26	323.63	2899.86	13.15	-8.60	15.72	326.80	0.42
3000.00	1.12	322.39	2999.84	14.81	-9.85	17.79	326.36	0.14
3100.00	1.36	325.71	3099.81	16.57	-11.12	19.95	326.13	0.25
3200.00	1.37	324.03	3199.78	18.52	-12.49	22.34	326.00	0.04
3300.00	1.34	346.56	3299.76	20.62	-13.47	24.63	326.85	0.53
3400.00	1.54	355.55	3399.73	23.10	-13.84	26.93	329.07	0.30
3500.00	1.18	14.02	3499.70	25.44	-13.70	28.90	331.70	0.57
3600.00	1.06	16.69	3599.68	27.33	-13.18	30.34	334.24	0.12
3700.00	0.85	13.52	3699.66	28.93	-12.75	31.62	336.23	0.22
3800.00	0.71	359.58	3799.66	30.28	-12.58	32.79	337.44	0.23
3900.00	0.66	6.24	3899.65	31.47	-12.52	33.87	338.31	0.10
4000.00	0.63	5.33	3999.64	32.59	-12.40	34.87	339.16	0.04
4100.00	0.31	346.82	4099.64	33.40	-12.41	35.63	339.61	0.35
4200.00	0.60	14.43	4199.64	34.16	-12.35	36.32	340.13	0.36
4300.00	0.60	69.67	4299.63	34.85	-11.72	36.77	341.41	0.56
4400.00	1.53	92.92	4399.61	34.97	-9.90	36.34	344.20	1.00
4500.00	2.71	103.67	4499.54	34.34	-6.27	34.91	349.65	1.24
4600.00	2.07	107.77	4599.46	33.23	-2.26	33.31	356.12	0.66
4700.00	2.39	118.19	4699.38	31.69	1.30	31.72	2.36	0.52
4800.00	3.25	118.14	4799.26	29.37	5.64	29.91	10.87	0.85
4900.00	2.88	134.75	4899.12	26.27	9.92	28.08	20.70	0.96
5000.00	2.30	147.93	4999.02	22.80	12.78	26.13	29.27	0.83
5100.00	1.98	149.60	5098.95	19.60	14.72	24.51	36.89	0.33
5200.00	1.42	147.17	5198.90	17.08	16.26	23.58	43.59	0.57
5300.00	1.33	158.74	5298.87	14.96	17.35	22.91	49.24	0.29
5400.00	1.47	152.45	5398.84	12.74	18.36	22.35	55.26	0.20
5500.00	1.18	157.86	5498.82	10.65	19.34	22.08	61.16	0.32
5600.00	1.32	151.64	5598.79	8.68	20.28	22.06	66.82	0.20
5700.00	1.16	145.51	5698.77	6.84	21.40	22.46	72.29	0.21

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	TVD FT	+N/-S FT	+E/-W FT	Closure Distance FT	Closure Direction Deg	Dogleg Severity Deg/100
5800.00	0.74	126.87	5798.76	5.62	22.49	23.18	75.98	0.51
5900.00	0.99	148.72	5898.74	4.49	23.45	23.88	79.16	0.41
6000.00	0.67	140.20	5998.73	3.30	24.27	24.50	82.25	0.35
6100.00	0.63	133.30	6098.73	2.48	25.04	25.17	84.34	0.09
6200.00	0.78	112.55	6198.72	1.85	26.07	26.14	85.95	0.30
6300.00	0.36	106.94	6298.71	1.49	27.00	27.05	86.84	0.43
6400.00	0.34	180.11	6398.71	1.10	27.30	27.33	87.69	0.42
6500.00	0.31	93.23	6498.71	0.79	27.57	27.58	88.36	0.45
6600.00	0.52	66.51	6598.71	0.96	28.26	28.27	88.06	0.29
6700.00	0.43	18.44	6698.71	1.50	28.80	28.84	87.02	0.40
6800.00	0.36	35.99	6798.70	2.11	29.10	29.18	85.84	0.14
6900.00	0.34	354.39	6898.70	2.66	29.26	29.38	84.80	0.25
7000.00	0.42	331.76	6998.70	3.28	29.05	29.24	83.56	0.17
7100.00	0.52	316.91	7098.70	3.93	28.57	28.84	82.16	0.15
7200.00	0.66	328.86	7198.69	4.76	27.96	28.36	80.34	0.19
7300.00	0.57	324.21	7298.69	5.66	27.37	27.95	78.32	0.11
7400.00	0.37	339.80	7398.68	6.37	26.97	27.71	76.72	0.23
7500.00	0.28	279.72	7498.68	6.71	26.62	27.45	75.84	0.34
7600.00	0.07	9.21	7598.68	6.82	26.39	27.25	75.52	0.29
7700.00	0.49	91.52	7698.68	6.87	26.82	27.69	75.64	0.49
7800.00	1.34	68.41	7798.67	7.29	28.34	29.26	75.58	0.91
7900.00	1.79	73.86	7898.63	8.15	30.93	31.98	75.24	0.47
8000.00	1.40	71.01	7998.59	8.98	33.58	34.76	75.03	0.40
8100.00	1.00	65.92	8098.57	9.73	35.53	36.84	74.68	0.41
8200.00	0.89	60.08	8198.55	10.48	37.00	38.45	74.19	0.15
8300.00	0.60	73.61	8298.55	11.01	38.17	39.73	73.91	0.33
8400.00	0.55	100.23	8398.54	11.07	39.15	40.69	74.21	0.27
8500.00	0.42	129.31	8498.54	10.76	39.91	41.33	74.92	0.28
8600.00	0.43	134.59	8598.53	10.26	40.46	41.74	75.77	0.04
8700.00	0.44	162.69	8698.53	9.63	40.84	41.96	76.73	0.21
8800.00	0.62	200.62	8798.53	8.75	40.76	41.69	77.88	0.38
8900.00	0.77	195.02	8898.52	7.60	40.40	41.11	79.35	0.16
9000.00	0.71	183.67	8998.51	6.34	40.19	40.68	81.04	0.16
9100.00	0.36	191.93	9098.51	5.41	40.08	40.44	82.32	0.35
9200.00	0.53	220.99	9198.50	4.75	39.71	39.99	83.19	0.28
9300.00	1.00	226.30	9298.49	3.79	38.78	38.96	84.41	0.47
9400.00	1.67	232.53	9398.47	2.31	36.99	37.06	86.43	0.68
9500.00	2.01	234.44	9498.42	0.40	34.41	34.41	89.33	0.35
9600.00	1.74	229.61	9598.36	-1.61	31.82	31.86	92.89	0.31

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	TVD FT	+N/-S FT	+E/-W FT	Closure Distance FT	Closure Direction Deg	Dogleg Severity Deg/100
9700.00	1.99	239.14	9698.31	-3.48	29.18	29.38	96.80	0.39
9800.00	2.89	233.55	9798.22	-5.86	25.66	26.33	102.87	0.93
9900.00	3.23	248.65	9898.08	-8.39	21.01	22.63	111.75	0.87
10000.00	3.24	247.54	9997.92	-10.49	15.78	18.95	123.63	0.06
10035.00	3.33	246.38	10032.86	-11.28	13.93	17.92	128.99	0.30



Vaughn Energy Services
Midland, Texas
432-563-5444
Surveyor: Tim Dillon
Eata Fajita State 4H / AP 30-025-41048



VES Survey Date: 01/11/2014



HOBBS OCD

APR 17 2014

RECEIVED

State of New Mexico
County of Lea

I, Michael K. Baber, certify that: I am employed by Terra Directional Services LLC; that I did on the day(s) of 1/12/14 through 1/21/14 conduct or supervise the taking of a MWD survey from a depth of 10082 feet to a depth 15675 feet; that the data is true, correct, complete and within the limitations of the tool as set forth by Terra Directional Services LLC; that I am authorized and qualified to make this report; that this survey was conducted at the request of Concho Oil & Gas for the Eata Fajita State #4H Well API 30-025-41048 in Lea County, New Mexico; and that I have reviewed this report and find that it conforms to the principles and procedures as set forth by Terra Directional Services LLC.

Michael K. Baber
MWD Operations Coordinator

State of Texas
County of Brewer

Before me, a notary public, on this day personally appeared Michael Baber, known to me to be the person whose name is subscribed to the foregoing document and, being by me first duly sworn, declared that the statements therein contained are true and correct.

Notary Public's Signature



8610 N New Braunfels, Suite 405

San Antonio, Texas 78217

(210) 826-2022



Customer Name: COG Operating LLC
Well Name: Eata Fajita State # 4H
API Number: 30-025-41048
County / Parish: 30 miles NE of Jal/Lez

M.W.D. Operator: Stacy Ogle
Directional Driller: Chad Moore
Total Magnetic Correction: 6.89
Job #: NM-347


Vertical Section: 359.58

Tie In Survey(s) Provided By:

	Meas. Depth	Inc.	Azm.	T.V.D.	Ver. Sect.	+N / -S	+E / -W	Dist.	Angle	DLS
Tie - In										
0	10035.00	3.30	246.38	10032.90	-11.40	-11.30	13.90	0.00	0:00	0.00
1	10082.00	3.70	247.50	10079.81	-12.50	-12.42	11.26	16.77	137.81	0.86
2	10254.00	1.10	264.40	10251.65	-14.74	-14.71	4.49	15.38	163.03	1.55
3	10443.00	2.00	302.30	10440.58	-13.12	-13.12	0.11	13.12	180.46	0.70
4	10569.00	2.90	336.40	10566.47	-9.00	-9.03	-3.24	9.59	199.75	1.33
5	10600.00	2.50	335.50	10597.44	-7.66	-7.69	-3.83	8.60	206.50	1.30
6	10632.00	3.60	330.10	10629.39	-6.15	-6.19	-4.62	7.72	216.78	3.55
7	10664.00	7.30	329.80	10661.24	-3.51	-3.56	-6.15	7.10	239.95	11.56
8	10695.00	11.30	335.10	10691.83	0.96	0.90	-8.42	8.47	276.11	13.18
9	10726.00	15.40	339.10	10721.98	7.59	7.50	-11.17	13.45	303.90	13.55
10	10758.00	18.60	341.90	10752.58	16.43	16.33	-14.27	21.68	318.85	10.32
11	10789.00	21.10	343.90	10781.74	26.52	26.39	-17.35	31.58	326.67	8.36
12	10821.00	23.40	348.30	10811.36	38.30	38.15	-20.24	43.18	332.05	8.87
13	10852.00	26.90	351.10	10839.41	51.27	51.11	-22.57	55.87	336.17	11.92
14	10884.00	30.60	352.20	10867.46	66.52	66.34	-24.80	70.82	339.50	11.68
15	10915.00	33.90	354.50	10893.68	82.96	82.76	-26.70	86.96	342.12	11.36
16	10947.00	36.80	356.60	10919.78	101.42	101.22	-28.12	105.05	344.47	9.82
17	10978.00	39.40	359.20	10944.17	120.54	120.33	-28.81	123.73	346.53	9.85
18	11010.00	41.10	2.00	10968.60	141.20	141.00	-28.59	143.87	348.54	7.76
19	11041.00	43.90	2.00	10991.45	162.13	161.93	-27.86	164.30	350.24	9.03
20	11073.00	46.70	1.30	11013.96	184.85	184.66	-27.20	186.65	351.62	8.89
21	11104.00	50.00	1.40	11034.56	208.00	207.81	-26.66	209.52	352.69	10.65
22	11136.00	53.50	1.30	11054.36	233.12	232.93	-26.07	234.39	353.61	10.94
23	11167.00	56.10	0.70	11072.23	258.44	258.26	-25.63	259.53	354.33	8.53
24	11199.00	59.00	0.20	11089.40	285.44	285.26	-25.42	286.39	354.91	9.16
25	11230.00	61.80	0.00	11104.71	312.39	312.21	-25.37	313.24	355.35	9.05
26	11262.00	64.60	0.70	11119.14	340.94	340.77	-25.19	341.70	355.77	8.97
27	11293.00	68.40	1.40	11131.50	369.36	369.19	-24.67	370.01	356.18	12.43
28	11325.00	72.40	1.60	11142.23	399.48	399.32	-23.88	400.03	356.58	12.51
29	11356.00	76.50	0.80	11150.54	429.33	429.17	-23.26	429.80	356.90	13.46
30	11387.00	79.80	0.10	11156.90	459.66	459.50	-23.02	460.08	357.13	10.87
31	11418.00	82.30	359.20	11161.73	490.28	490.12	-23.21	490.67	357.29	8.56
32	11450.00	84.90	358.20	11165.29	522.07	521.91	-23.93	522.46	357.37	8.70
33	11481.00	87.60	357.60	11167.32	552.99	552.82	-25.06	553.39	357.40	8.92
34	11513.00	88.70	357.50	11168.35	584.95	584.77	-26.43	585.37	357.41	3.45
35	11576.00	90.00	357.90	11169.07	647.91	647.72	-28.96	648.37	357.44	2.16
36	11639.00	90.80	358.50	11168.63	710.89	710.69	-30.94	711.36	357.51	1.59
37	11702.00	90.20	359.00	11168.08	773.88	773.67	-32.31	774.34	357.61	1.24
38	11796.00	90.10	358.20	11167.83	867.87	867.64	-34.61	868.33	357.72	0.86
39	11891.00	88.70	358.50	11168.83	962.84	962.59	-37.34	963.32	357.78	1.51
40	11985.00	88.90	359.00	11170.79	1056.81	1056.55	-39.39	1057.28	357.86	0.57
41	12080.00	89.40	359.50	11172.20	1151.80	1151.53	-40.64	1152.25	357.98	0.74
42	12174.00	90.70	0.30	11172.12	1245.79	1245.53	-40.80	1246.19	358.12	1.62
43	12269.00	91.30	1.40	11170.46	1340.75	1340.50	-39.39	1341.08	358.32	1.32
44	12363.00	91.90	1.20	11167.84	1434.67	1434.44	-37.26	1434.92	358.51	0.67

LATIFANY R GOODEN
Notary Public, State of Texas
My Commission Expires
January 12, 2016

45	12458.00	89.80	1.80	11166.43	1529.60	1529.39	-34.77	1529.78	358.70	2.30
46	12552.00	88.70	2.00	11167.66	1623.52	1623.33	-31.66	1623.64	358.88	1.19
47	12646.00	89.60	2.20	11169.06	1717.41	1717.25	-28.21	1717.48	359.06	0.98
48	12741.00	89.90	1.40	11169.47	1812.34	1812.20	-25.23	1812.38	359.20	0.90
49	12835.00	88.50	1.10	11170.78	1906.29	1906.17	-23.18	1906.31	359.30	1.52
50	12930.00	88.00	1.30	11173.68	2001.21	2001.10	-21.19	2001.22	359.39	0.57
51	13024.00	88.40	2.10	11176.64	2095.09	2095.02	-18.40	2095.10	359.50	0.95
52	13119.00	88.40	1.20	11179.29	2189.99	2189.94	-15.67	2189.99	359.59	0.95
53	13213.00	87.50	0.30	11182.65	2283.91	2283.87	-14.44	2283.91	359.64	1.35
54	13308.00	90.40	1.00	11184.39	2378.87	2378.84	-13.36	2378.87	359.68	3.14
55	13402.00	88.70	0.10	11185.13	2472.85	2472.82	-12.46	2472.86	359.71	2.05
56	13497.00	88.50	359.90	11187.45	2567.82	2567.80	-12.46	2567.83	359.72	0.30
57	13591.00	89.20	0.60	11189.34	2661.79	2661.77	-12.05	2661.80	359.74	1.05
58	13686.00	88.80	359.80	11191.00	2756.77	2756.76	-11.72	2756.78	359.76	0.94
59	13780.00	89.50	0.30	11192.39	2850.76	2850.75	-11.64	2850.77	359.77	0.92
60	13875.00	89.00	359.10	11193.63	2945.75	2945.74	-12.13	2945.76	359.76	1.37
61	13969.00	89.30	359.00	11195.03	3039.73	3039.71	-13.69	3039.74	359.74	0.34
62	14063.00	89.80	359.40	11195.77	3133.73	3133.70	-15.00	3133.74	359.73	0.68
63	14158.00	90.40	359.90	11195.60	3228.72	3228.70	-15.58	3228.73	359.72	0.82
64	14252.00	87.20	359.20	11197.57	3322.69	3322.66	-16.32	3322.70	359.72	3.48
65	14346.00	90.40	358.70	11199.54	3416.65	3416.61	-18.04	3416.66	359.70	3.45
66	14441.00	89.10	358.50	11199.95	3511.64	3511.58	-20.37	3511.64	359.67	1.38
67	14535.00	88.40	358.60	11202.00	3605.60	3605.53	-22.74	3605.60	359.64	0.75
68	14630.00	89.90	358.60	11203.41	3700.57	3700.49	-25.06	3700.57	359.61	1.58
69	14724.00	91.60	359.10	11202.18	3794.55	3794.46	-26.95	3794.55	359.59	1.89
70	14819.00	92.70	359.00	11198.62	3889.48	3889.37	-28.52	3889.48	359.58	1.16
71	14913.00	92.50	358.50	11194.35	3983.37	3983.25	-30.57	3983.37	359.56	0.57
72	15007.00	91.10	358.20	11191.40	4077.30	4077.17	-33.28	4077.30	359.53	1.52
73	15102.00	92.10	358.50	11188.75	4172.24	4172.09	-36.01	4172.24	359.51	1.10
74	15196.00	93.60	358.70	11184.07	4266.11	4265.94	-38.31	4266.11	359.49	1.61
75	15291.00	91.60	359.60	11179.77	4361.00	4360.83	-39.71	4361.01	359.48	2.31
76	15385.00	89.60	359.30	11178.78	4454.99	4454.81	-40.62	4455.00	359.48	2.15
77	15480.00	91.50	0.00	11177.87	4549.98	4549.80	-41.20	4549.99	359.48	2.13
78	15574.00	90.70	0.10	11176.06	4643.96	4643.78	-41.11	4643.97	359.49	0.86
79	15626.00	91.60	0.10	11175.02	4695.95	4695.77	-41.02	4695.95	359.50	1.73
PTB	15675.00	91.60	0.10	11173.65	4744.93	4744.75	-40.94	4744.93	359.51	0.00



A handwritten signature in black ink, appearing to be 'LJ'.

A handwritten signature in black ink, appearing to be 'LJ'.