

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised June 10, 2003

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-35980
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. K-6019

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		7. Lease Name or Unit Agreement Name Chem RZ State
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		8. Well Number 8
2. Name of Operator Cambrian Management, LTD		9. OGRID Number 198688
3. Address of Operator P.O. Box 272 Midland, TX 79702		10. Pool name or Wildcat Tulk (Wolfcamp)
4. Well Location Unit Letter <u>K</u> : <u>1980</u> feet from the <u>South</u> line and <u>2310</u> feet from the <u>West</u> line Section <u>4</u> Township <u>15S</u> Range <u>32E</u> NMPM County <u>Lea</u>		
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4312' Ground level elevation		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☒
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completion Attach wellbore diagram of proposed completion or recompletion.

14. Approved as to plugging of the Well Bore.
Get verbal instructions from Gary Wink and give notice to plug and abandon Liability under bond is retained until surface restoration is completed.

6/26/03 06:00 Spot 45 sx Cl C + .1% R-21 9950 - 9850'

6/27/03 09:00 Spot 45 sx Cl C + 1% CaCl 6942' - 6842'; Pull up hole & WOC 3 hrs; Tag top of plug @ 6690'

6/27/03 16:00 Spot 45 sx Cl C + 1% CaCl 4158' - 4050'; Pull up hole & WOC 3 hrs; Tag top of plug @ 4033'

6/27/03 22:00 Spot 45 sx Cl C + 1% CaCl 1750' - 1650'; Pull up hole & WOC 3 hrs; Tag top of plug @ 1540'

6/27/03 22:00 Spot 30 sx Cl C + 1% CaCl 531' - 431'; Pull up hole & WOC 3 hrs; Tag top of plug @ 368'

6/28/03 06:00 Cut off wellhead; Spot 10 sx Cl C + 1% CaCl 60' - 0'; Weld on P & A marker

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Joe E. Crawford TITLE Operations Superintendent DATE 7/18/03

Type or print name Joe E. Crawford E-mail address: jcrawford@cambrianmgmt.com Telephone No. 432/620/9181

(This space for State use)

APPROVED BY Gary W. Wink TITLE FIELD REPRESENTATIVE II / STAFF MANAGER DATE JUL 21 2003
Conditions of approval, if any:


Approved as to plugging of the Well Bore.
Liability under bond is retained until

Wellbore Schematic

Chem State # 8RZ

Wellbore ID #: 716008

Printed: 7/18/2003



1980' FSL & 2310' FWL	GL Elev:	4,312.00
Sec,Blk,Sur(Lbr,Lge,Sur)or(Sec,Twn,Rng): 4, , T4S R32E	Fill Depth:	
County, State: LEA, NM	PBTD:	
Aux ID (API, etc.): 30-025-35980	TD:	9,950.00
KB = 18; DF = ; All Depths Corr To: GL	BOP:	

Hole Size

Diameter	Top At	Btm At	Date Drilled
17.5000	0.00	476.00	5/29/2003
11.0000	476.00	4,100.00	6/6/2003
7.8750	4,100.00	9,950.00	6/22/2003

Surface Casing

Date Ran: 5/29/2003

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Casing	10	13.3750	48.00	H40	476.00	0.00	476.00

Intermediate Casing

Date Ran: 6/6/2003

Description	#	Diameter	Weight	Grade	Length	Top At	Btm At
Casing	96	8.6250	24.00	J55	4,100.00	0.00	4,100.00

Cement

# Sx	Class	Weight	I D	O D	Top At	Btm At	TOC Per
495	C	14.80	13.375	17.500	0.00	476.00	Circ
1535	C		8.625	11.000	0.00	4,100.00	Circ

Wellbore Plugs and Junk

Top	Bottom	Type	Diameter	Solid	Date
0.00	60.00	Cmt	8.625	Yes	6/28/2003
368.00	531.00	Cmt	8.625	Yes	6/28/2003
Tagged top of cement					
1,540.00	1,750.00	Cmt	8.625	Yes	6/27/2003
Tagged top of cement					
4,033.00	4,158.00	Cmt	8.625	Yes	6/27/2003
Tagged top of cement					
6,690.00	6,937.00	Cmt	7.875	Yes	6/27/2003
Tagged top of cement					
9,850.00	9,950.00	Cmt	7.875	Yes	6/26/2003