| Submit I Copy To Appropriate District  Office  | State of New Mexi  | ico                             | Form C-103  |   |
|--|--|---------------------------------|---|---|
| District I - (575) 393-6161  | Energy, Minerals and Natura  | l Resources                     | Revised July 18, 2013 WELL API NO.  |   |
| 1625 N. French Dr., Hobbs, NM 88240<br><u>District II</u> – (575) 748-1283   | DOWN CONCEDUATION I  |                                 | 30-025-055 34   |   |
| 811 S. First St., Artesia, NM 88210<br>District III – (505) 334-6178   | BBSL CONSERVATION I  | DIVISION                        | 5. Indicate Type of Lease   |   |
| 1000 Rio Brazos Rd Aztas N'M 97110   |  |                                 | STATE FEE 6. State Oil & Gas Lease No.  |   |
| District IV – (505) 476-3460<br>1220 S St. Francis Dr., Santa Fe, NM   | L 24 2017 Santa Fe, NM 875   |                                 | B-153-12  |   |
| 87505  | ES AND REPORTS ON WELLS  |                                 | 7. Lease Name or Unit Agreement Name  |   |
|  | ALS TO DRILL OR TO DEEPEN OR PLUG  |                                 |   |   |
| DIFFERENT RESERVOIR. USE "APPLICATION PROPOSALS.)  | ATION FOR PERMIT" (FORM C-101) FOR   |                                 | East Eumont Unit  |   |
|  | Gas Well Other Injection   | 4                               | 8. Well Number 4  |   |
| 2. Name of Operator  | ,  |                                 | 9. OGRID Number   |   |
| 3. Address of Operator   | VTP Limited Partnership  |                                 | 192463 /  |   |
|  | 250 Midland, TX 79710  |                                 | Eymont Tates 7RQn   |   |
| 4. Well Location   |  |                                 | EUMONI ILIES IN QUI   |   |
| Unit Letter :  | 1980 feet from the South   | line and                        | 180 feet from the West line   |   |
| Section 33   | Township (35 Rang  | ge 37E                          | NMPM County Lea   | ( |
|  | 11. Elevation (Show whether DR, R  | (KB, RT, GR, etc.)              |   |   |
| Destruira a construir de la co | 3716   |                                 | The transfer of the second of |   |
| 12 Check A   | ppropriate Box to Indicate Nati  | ure of Notice P                 | eport or Other Data   |   |
| 12. Check A  | opropriate Box to indicate Nati  |                                 |   |   |
| NOTICE OF INT  | The state of the s |                                 | EQUENT REPORT OF:   |   |
| PERFORM REMEDIAL WORK  |  | REMEDIAL WORK<br>COMMENCE DRILL |   |   |
| TEMPORARILY ABANDON ☐ PULL OR ALTER CASING ☐   |  | CASING/CEMENT                   |   |   |
| DOWNHOLE COMMINGLE   | ,  | on on tar out the tri           |   |   |
| CLOSED-LOOP SYSTEM   |  |                                 | (13) 111.   |   |
| OTHER:   | tad appretions. (Classic state all per   | OTHER: \ \ \                    | CIBP, MIT   |   |
| of starting any proposed wor   | k). SEE RULE 19.15.7.14 NMAC.  | For Multiple Con                | give pertinent dates, including estimated date  |   |
| proposed completion or recompletion.  Abandonment Expires 7/11/2021  |  |                                 |   |   |
| 6/5/2017 Csg-150# Tbg-350#, bled down csg, attempt to bleed off tbg, had steady stream. MIRU PU, Well died down  |  |                                 |   |   |
| enough to attempt to ND flange.  |  |                                 |   |   |
| 6/6/2017 Cut off flange, NU BOP, unset pkr, POOH & LD pkr & tbg. RIH w/ gauge ring & tag up @ 3595', POOH.   |  |                                 |   |   |
| 6/7/2017 PIH w/ hit oog coreppor å tag up @ 26001 work down to 26001 POOLL PILL w/ rows viss å tag up @ 26001  |  |                                 |   |   |
| 6/7/2017 RIH w/ bit, csg scrapper & tag up @ 3600', work down to 3680', POOH. RIH w/ gauge ring & tagged @ 3665', POOH. RIH w/ CIBP & set @ 3600', POOH, make 3 runs w/ dump bailer, for calc 30' cmt on top of CIBP.  |  |                                 |   |   |
| TOOH. THIT W/ CIBP &   | Set @ 3000 , FOOH, make 3 funs   | s w/ dump baller,               | for calc 30 cmt on top of CIBP.   |   |
| 6/8/2017 RIH w/ tbg & tag cmt @  | 3575', circ hole w/ 10# MLF, test  | csg for 30min, lo               | st 20#. Contact Maxey Brown-  |   |
|  |  |                                 | ahead and run test. POOH w/ tbg,  |   |
| ND BOP, flange up B-1 a pass. RDPU.  | adaptor, RU pressure recorder, to  | est to 510#, lost 4             | 10# in 30min, WOC considered test   |   |
| 6/2017-NMOCh Devices   | rejected MIT 7/10/17-Not   | ify NMOCO MIT                   | 7/11/17-Runmit-Tost to 565#   | _ |
|  |  |                                 |   |   |
| Spud Date:   | Rig Release Date:  |                                 |   |   |
|  |  |                                 |   |   |
| I hereby certify that the information al   | pove is true and complete to the best  | of my knowledge a               | and belief.   |   |
| May to   |  |                                 | 7/20/17   |   |
| SIGNATURE  | TITLE C. D.  | agulatami Advisar               |   |   |
| SIGNATURE DE NOTE  | TITLE Sr. Ro   | egulatory Advisor               | DATE @ AG (17   |   |
| Type or print nameDavid Stewart  | E-mail address:  | david_stewart@o                 | oxy.com PHONE: 432-685-5717   |   |
| For State Use Only   | 0  | 1                               | , ,   |   |
| W AV   | 1600-1   | n/TT                            | 7/21/2015   | 7 |
| APPROVED BY:   | PITLE M  | UIL                             | DATE //24/2011  |   |
| Conditions of Approval (if any):   | 7-1 4-1  |                                 | ,   |   |
| RBDMS-CHART-V  |  |                                 |   |   |

OXY USA WTP LP - Current East Eumont Unit #4 API No. 30-025-05534

TD-4035'

11" hole @ 299' 8-5/8" csg @ 299 w/ 225sx-TOC-Surf-Circ

7-7/8" hole @ 4035' 5-1/2" csg @ 4035' w/ 300sx-TOC-2425'-TS

Perfs @ 3751-3849'

1994-sqz w/ 150sx cmt @ 3618-3984'

CIBP @ 3600' w/ 25' cmt to 3575' Tagged

CIBP @ 3945' w/ 5sx cmt PB-3905'

SO