

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
May 27, 2004

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-35024
1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Marathon Oil Permian, LLC		6. State Oil & Gas Lease No. E01923-0
3. Address of Operator 5555 San Felipe Houston, TX 77056		7. Lease Name or Unit Agreement Name Corner Pocket 14 St.
4. Well Location Unit Letter <u>A</u> : <u>660</u> feet from the <u>North</u> line and <u>660</u> feet from the <u>East</u> line Section <u>14</u> Township <u>21S</u> Range <u>34E</u> NMPM County <u>LEA</u>		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3669 GR		9. OGRID Number 372098
Pit or Below-grade Tank Application ☐ or Closure ☐		10. Pool name or Wildcat Wison
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____		
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
OTHER: ☐

SUBSEQUENT
REMEDIAL WORK
COMMENCE DRILLING OPNS.
CASING/CEMENT JOB
OTHER: ☐
INT TO P&A PM
P&A NR _____
P&A R _____

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- Pressure test failed (9/25/17)*
- 55 11988 30sx @ 11532-11,432 Tag. CLASS 'H' CIRC. MLF. PRESSURE TEST CSG (7" shoe & 4 1/2" TOL)
 - 30sx @ 8500-8400.
 - 30sx @ 5798-5698. (SHOE) WOC & TAG
 - 40sx @ 3722-3622 P.S. & Tag.
 - 200sx @ 3550-2950 P.S. & Tag (Salt).
 - 70 150sx @ 1505-1405 P.S. WOC & TAG
 - P&S 100' cmt to surf. Verify ~~300~~ CIRC TO SURFACE OUT 13 3/8" x 9 5/8" & 9 5/8" x 7" & Leave 7" Full
Install upright P&A marker

Install D.H.M.
P&A mud between all plugs.
Closed loop.
All fluids to licensed facilities.

NOTIFY OCD 24 HOURS PRIOR TO
BEGINNING PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE [Signature] TITLE Agent DATE 08-01-2018

Type or print name: Brody Pinkerton E-mail address: Brody@maverickwellpluggers.com Telephone No.: 432-458-3780

For State Use Only

APPROVED BY: [Signature] TITLE P.E.S. DATE 08/06/2018
Conditions of Approval (if any):

C103 INTENT TO P&A EXPIRES
1 YEAR FROM DATE OF APPROVAL

Corner Pocket 14 State #1 WBD.xlsx

Marathon Oil Corporation

VERTICAL WELLBORE DIAGRAM

Corner Pocket 14 State #1

Lea County, New Mexico
SL: 1650'FNL&1980'FEL
Sec14-T21S-R34E
BHL: Vertical
Sec14-T21S-R34E
GL Elev:3669'

API No. 30-025-35024

17-1/2" hole cmt circulated →

12-1/4" hole cmt circulated ? →

*CALC TO L
@ 3578'*

8-1/2" hole cmt @ 5,500' →

CIBP w/ 50' cmt @ 12,038' →

perfs 12128'-136' →

8-1/2" hole Cmt @ 11,540' →

Perfs 12654'-708' →

CIBP w/ 35' cmt @ 12,859' →

PBTD 12,859'

Casing

Size	No Jts	Wt	Grade/Thrds	Depth Set (MD)	Depth Set (TVD)
13-3/8"	32	54.5	J-55	1455'	
9-5/8"	134	40	J-55/L-80	5748'	
7"	255	26	P-110	11842'	
4-1/2"	34	13.5	P-110 CSG Liner	12898'	

TOL 11,482'

Production Assembly

Description	Length	Depth Set (MD)	Depth Set (TVD)
		0.00'	
		0.00'	
		0.00'	
		0.00'	
		0.00'	
		0.00'	

Vertical Completion Description


Perfed Morrow 12654'-708' Frac w/ 41,500# 20/40 sintered bauxite
Perfed Morrow 12128'-236' 2,500 gal 15% NEFE HCl foamed w/ N2

Wellbore Schematic

Well Name: CORNER POCKET 14 STATE 1

State/Province NEW MEXICO	Prospect Area	Field Name WILSON	Well Subtype GAS WELL	Lat/Long Datum NAD27	Latitude (°) 32.484325	Longitude (°) -103.433728
Well Configuration Type	Well Objective	Well Status TEMPORARILY ABANDONED	Ground Elevation (ft) 3,669.00	KB Distance (ft) 17.00		

CORNER POCKET 14 STATE 1, 8/1/2018 12:18:51 AM



Directions to Well:

MAVERICK WELL PLUGGERS

COMPANY: *Marathon Oil Permian*
 WELL NAME: *Corner Pocket St.*
 WELL #: *14*
 COUNTY: *Lea*
 LEASE ID: *E01423-0*

SURFACE CASING				
OD	WT/FT	GRADE	SET AT	TOC
<i>13 3/8"</i>	<i>54.5</i>	<i>J-55</i>	<i>1455'</i>	
INTERMEDIATE CASING				
OD	WT/FT	GRADE	SET AT	TOC
<i>9 5/8"</i>	<i>40</i>	<i>J-55</i>	<i>5748'</i>	
PRODUCTION CASING				
OD	WT/FT	GRADE	SET AT	TOC
<i>7"</i>	<i>26</i>	<i>P-110</i>	<i>11842'</i>	
TUBING				
OD	WT/FT	GRADE	SET AT	TAC
<i>4 1/2"</i>	<i>13.5</i>	<i>P-110 Liner</i>	<i>12848'</i>	

