### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

**OCD Hobbs** 

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				NMNM97164  6. If Indian, Allottee or Tribe Name			
Type of Well     Gas Well	her		HOBBS	3 OCD	8. Well Name and No FEDERAL 24 02		
<ol><li>Name of Operator CHEVRON USA INCORPOR</li></ol>	Contact: ATED E-Mail: howie.luca	HOWIE LUCAS s@chevron.∞m	JUN:1 (	2019	9. API Well No. 30-025-33779-	00-C1	
3a. Address 6301 DEAUVILLE BLVD MIDLAND, TX 79706		3b. Phone No. (ii Ph: 832-588-4			10. Field and Pool or Multiple-See A		rea
4. Location of Well (Footage, Sec., 7	C., R., M., or Survey Description	<del>)</del>			11. County or Parish	, State	
Sec 24 T20S R38E SESW 66				LEA COUNTY, NM			
12. CHECK THE A	PPROPRIATE BOX(ES)	TO INDICATE	NATURE O	F NOTICE	L , REPORT, OR OT	HER DATA	
TYPE OF SUBMISSION			·TYPE OF	FACTION		•	
□ Notice of Intent	☐ Acidize	• Deeper		□ Produc	tion (Start/Resume)	☐ Water	Shut-Off
	☐ Alter Casing	Hydrau	lic Fracturing	☐ Reclam	nation	☐ Well In	ntegrity
Subsequent Report	☐ Casing Repair	■ New C	onstruction	☐ Recom	plete	Other	
☐ Final Abandonment Notice	☐ Change Plans	Plug ar	Plug and Abandon		☐ Temporarily Abandon		
	☐ Convert to Injection	☐ Plug B	ick	■ Water Disposal			
8 5/8" 24# @ 1628': TOC @ s Chevron has successfully aba 05/06/2019: MIRU. Pressure to rods and pump. 05/07/2019: Continue to L/D r 05/09/2019: Spot 70 SKS Cla 14.8 ppg F/ 6610' T/ 5902'. Sp yld 14.8 ppg F/ 7318' T/ 6712 05/10/2019: Did not tag plug, Class C 1.32 yld 14.8 ppg F/ 05/13/2019: Attempt to free T	andoned this well as per the test TBG to 750 PSI for 5 rods and release TAC. Pass C 1.32 yld 14.8 ppg F/oot 60 SKS Class C 1.32 '- three stage super plug. spot 70 SKS Class C 1.3; 56610' T/ 5902', tbg stuck.	ne following time minutes - good. trick McKelvey(f 7318' 77 6610'. 2 yld 14.8 ppg F	line: Circulate clea <u>3LM)</u> approve Spot 70 SKS ( 7318' T/ 661	d next plug Class C 1.3 0'. Spot 70	RE DU	AMATION PR ATTACHE CLAM E 11 - 23	ED ATION
14. I hereby certify that the foregoing is	Electronic Submission #	USA INCORPOR	ATED. sent to	the Hobbs	•		<del></del>
Name (Printed/Typed) HOWIE L	•	* *	tle ENGINE		(10DEM03730E)		
					PTED FOR R	FCORD	
Signature (Electronic	Submission)	D	ate 05/30/20	-			
	THIS SPACE FO	OR FEDERAL	OR STATE	OFFICE U	ISEAY 3 1 201	a	
Approved By			itle		nekman	L[€ Date	
onditions of approval, if any, are attache rtify that the applicant holds legal or eq hich would entitle the applicant to condu	uitable title to those rights in the	e subject lease	Office		AU OF LAN <del>D'</del> MANA( ARLSBAD FIELD OFF		
itle 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent	U.S.C. Section 1212, make it a statements or representations as	crime for any perso to any matter withi	n knowingly and its jurisdiction.	willfully to m	nake to any department o	r agency of the	United
netructions on page 2)							

\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REPSET RECORD ONLY

22 NMOCD

### Additional data for EC transaction #467001 that would not fit on the form

### 10. Field and Pool, continued

WARREN

#### 32. Additional remarks, continued

620' of tubing in the well.
05/14/2019: Spot 120 SKS Class C 1.32 yld 14.8 ppg F/ 5990' T/ 4777'. Tag TOC @ 4670'. Pressure test to 650 PSI for 10 minutes - good. M/P MLF.
05/15/2019: Spot 88 SKS Class C 1.32 yld 14.8 ppg F/ 4400' T/ 3510', Spot 88 SKS Class C 1.32 yld 14.8 ppg F/ 3510' T/ 2620'. Tag TOC @ 2693'. Pat McKelvev(BLM) approved tag depth and perfs. M/P 25 BBLS MLF F/ 2693' T/ 1600'. Perforate @ 1684'. Establish inj rate of 2.0 BPM at 300 PSI. Sqz 27 SKS Class C F/ 1684' T/ 1578' inside and out.
05/16/2019: Tag TOC @ 1383'. Patrick McKelvev(BLM) approved tag and next plug. Perforate @ 1348'. Sqz 25 SKS Class C 1.32 yld 14.8 ppg w/ 2% CC F/ 1350' T/ 1250'.
05/17/2019: Tag TOC @ 1210'. Patrick McKelvev(BLM) approved tag. Cut CSG @ 1150'.
05/20/2019: Work CSG free, pull and L/D 5-1/2" casing. Run scraper, circulate clean, and TOH W/ Scraper.

Scraper. 05/21/2019; Set CIBP @ 1146'. 05/22/2019: Trag CIBP @ 1155' (tubing vs wireline depth). M/P 32 BBLS MLF F/ 1045' T/ 600'. Spot 30 SKS Class C 1.32 yld 14.8 ppg F/ 1155' T/1045'. Tag TOC @ 1050'. Passed bubble test. Spot 166 SKS Class C 1.32 yld 14.8 ppg F/ 600' T/ surface. RDMO

Form 3160-5 (August 2007)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS** 

FORM APP	RO	VED
OMB No. 10	004	0137
Fynires: July	71	2010

5. Lease Serial No. NMNM97164

6. If Indian, Allottee or Tribe Name

Date

		to drill or to re-ente APD) for such propo				
SUBMIT IN TRIPLICATE - Other instructions on page 2.				7. If Unit of CA/Agreement, Name and/or No.		
1. Type of Well						
✓ Oil Well Gas V			8. Well Name and No. Federal 24 2			
2. Name of Operator CHEVRON USA INC				9. API Well No. 30-025-33779		
			nclude area code) 10. Field and Pool or Exploratory Area			
6301 DEAUVILLE BLVD. RM. N4705 MIDLAND, TX 79706 432-687-7210				Blineberry, ABO, TUBB		
4. Location of Well (Footage, Sec., T.,	R.,M., or Survey Description	i)		11. Country or Parish, State		
Sec 24 T20S R38E 1980FSL 1980FWL				Lea County, NM		
12. CHEC	CK THE APPROPRIATE BO	OX(ES) TO INDICATE NAT	TURE OF NOTIC	E, REPORT OR OTH	ER DATA	
TYPE OF SUBMISSION			TYPE OF ACT	ION		
Notice of Intent	Acidize	Deepen Deepen	Produ	uction (Start/Resume)	Water Shut-Off	
Nonec of Intell	Alter Casing	Fracture Treat	Recla	mation	Well Integrity	
Subsequent Report	Casing Repair	New Construction	Reco	mplete	Other	
	Change Plans	Plug and Abandon	on Temporarily Abandon		<del></del>	
Final Abandonment Notice	andonment Notice Convert to Injection		☐ Wate	r Disposal		
testing has been completed. Final determined that the site is ready for 8 5/8" 24# @ 1628': TOC @ surface Chevron has successfully abandom 05/06/2019: MIRU. Pressure test TI 05/07/2019: Continue to L/D rods a 05/09/2019: Spot 70 SKS Class C 2/1d 14.8 ppg F/ 7318' T/ 6712' - thre 05/10/2019: Did not tag plug, spot 70 05/13/2019: Attempt to free TBG. P 05/14/2019: Spot 120 SKS Class C 05/15/2019: Spot 88 SKS Class C 05/15/2019: Spot 88 SKS Class C 05/16/2019: Tag TOC @ 1383'. Pat 1350' T/ 1250'.	r final inspection.) e; 5 1/2" 17# @ 7944': TO ed this well as per the follo BG to 750 PSI for 5 minute nd release TAC. Patrick M 1.32 yld 14.8 ppg F/ 7318' ee stage super plug. 70 SKS Class C 1.32 yld 1 at McKelvey(BLM) approv 1.32 yld 14.8 ppg F/ 5990 1.32 yld 14.8 ppg F/ 4400' n and perfs. M/P 25 BBLS d out. trick McKelvey(BLM) approv trick McKelvey(BLM) approversek	oving timeline: es - good. Circulate clean tcKelvey(BLM) approved in T/ 6610'. Spot 70 SKS Cla 4.8 ppg F/ 7318' T/ 6610'. ved to cut tubing. Cut TBG D' T/ 4777'. Tag TOC @ 46 T/ 3510', Spot 88 SKS Cla MLF F/ 2693' T/ 1600'. Pe oved tag and next plug. Pe oved tag. Cut CSG @ 115	fluid. L/D rods a next plug. ass C 1.32 yld 1 Spot 70 SKS C @ 5,990', left 6 570'. Pressure te ass C 1.32 yld 1 erforate @ 1684 erforate @ 1348	and pump.  4.8 ppg F/ 6610' T/ 5  lass C 1.32 yld 14.8 20' of tubing in the wast to 650 PSI for 10 4.8 ppg F/ 3510' T/ 2 '. Establish inj rate of	902'. Spot 60 SKS Class C 1.32 ppg F/ 6610' T/ 5902', tbg stuck. rell. minutes - good. M/P MLF. 620'. Tag TOC @ 2693'. Pat f 2.0 BPM at 300 PSI. Sqz 27 SKS	
14. I hereby certify that the foregoing is a	No. of No.	-1/T1)				
-	are and correct. Name (Franc	1	\ Engineer/A#e-	nev in East		
Howie Lucas			Title P&A Engineer/Attorney in Fact			
Signature Signature			Date 05/30/2019			
	THIS SPACE	FOR FEDERAL OR	STATE OF	FICE USE		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title

Office

entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would

Approved by

Form 3160-5 (August 2007)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS** 

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

5. Lease Serial No. NMNM97164

6. If Indian, Allottee or Tribe Name

	Jse Form 3160-3 (A			s.			
SUBMIT IN TRIPLICATE – Other instructions on page 2.				7. If Unit of CA/Agreement, Name and/or No.			
1. Type of Well  Oil Well  Gas Well  Other			8. Well Name and No. Federal 24 2				
2. Name of Operator CHEVRON USA INC					9. API Well No. 30-025-33779		
3a. Address 6301 DEAUVILLE BLVD. RM. N4707 MIDLAND, TX 79706 432-687-7786				de)	10. Field and Pool or Exploratory Area Blineberry, ABO, TUBB		
4. Location of Well (Footage, Sec., T.,)	R.,M., or Survey Description,	)			11. Country or Parish, S Lea County, NM	State	
Sec 24 T20S R38E 1980FSL 1980FWL					<u> </u>		
12. CHEC	K THE APPROPRIATE BO	X(ES) TO INDI			· · · · · · · · · · · · · · · · · · ·	R DATA	
TYPE OF SUBMISSION			TY	PE OF ACT	ION		
Notice of Intent	Acidize Alter Casing	Deepe	en Production (Start/Resume) ure Treat Reclamation			Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair	=	Construction	<u> </u>		Other	
Final Abandonment Notice	Change Plans Convert to Injection	Plug a	ind Abandon Back		oorarily Abandon r Disposal		
Attach the Bond under which the w following completion of the involv testing has been completed. Final adtermined that the site is ready for 8 5/8" 24# @ 1628': TOC @ surface Chevron has successfully abandone 05/21/2019: Set CIBP @ 1146'. 05/22/2019: Tag CIBP @ 1155' (tub TOC @ 1050'. Passed bubble test. \$	ed operations. If the operation Abandonment Notices must be final inspection.)  1; 5 1/2" 17# @ 7944': TOO of this well as per the following vs wireline depth). M/F Spot 166 SKS Class C 1.3	on results in a m be filed only after C @ 2784' (TS) wing timeline: P 32 BBLS MLi 32 yld 14.8 ppg	ultiple completion all requirements	on or recomp ts, including	letion in a new interval, reclamation, have been seen seen seen seen seen seen see	a Form 3160-4 must be filed once completed and the operator has	
14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)			Dea Farince/Attended Fort				
Howie Lucas Title P&A Engineer/Attor			mey in Fact				
Signature Signature			Date 05/30/2019				
	THIS SPACE	FOR FEDE	RAL OR ST	ATE OF	FICE USE		
Approved by			Title			Date	
Conditions of approval, if any, are attached that the applicant holds legal or equitable to			ertify		1~		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false,

(Instructions on page 2)

entitle the applicant to conduct operations thereon.

fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



## United States Department of the Interior

### **BUREAU OF LAND MANAGEMENT**

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

### Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure) Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1 The Application for Permit to Drill or Reenter (APD. Form 3160-3). Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3 The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crystal Weaver Environmental Protection Specialist 575-234-5943

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Evnironmental Protection Specialist 575-234-5996

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612