



Legacy Reserves

Lea County, NM (NAD83)

Lea

Lea Unit #65H

Original Wellbore

HOBBS OCD
JUN 24 2019
RECEIVED

Design: Original Wellbore

Daily Survey Report

23 January, 2019



Company:	Legacy Reserves	Local Co-ordinate Reference:	Well Lea Unit #65H
Project:	Lea County, NM (NAD83)	TVD Reference:	RKB @ 3872.0usft
Site:	Lea	MD Reference:	RKB @ 3872.0usft
Well:	Lea Unit #65H	North Reference:	Grid
Wellbore:	Original Wellbore	Survey Calculation Method:	Minimum Curvature
Design:	Original Wellbore	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Lea				
Site Position:	Northing:	567,587.00 usft	Latitude:	32° 33' 27.391 N	
From:	Map	Easting:	797,256.10 usft	Longitude:	103° 30' 9.733 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16"	Grid Convergence:	0.45 °

Well	Lea Unit #65H					
Well Position	+N/-S	0.0 usft	Northing:	576,042.85 usft	Latitude:	32° 34' 51.464 N
	+E/-W	0.0 usft	Easting:	791,930.17 usft	Longitude:	103° 31' 11.203 W
Position Uncertainty	0.0 usft	Wellhead Elevation:	3,681.0 usft	Ground Level:	3,654.0 usft	

Wellbore	Original Wellbore				
Magnetics	Model Name	Sample Date	Declination	Dip Angle	Field Strength
			(°)	(°)	(nT)
	IGRF2000	2/12/2018	6.73	60.57	48,256.00000000

Design	Original Wellbore				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD)	+N/-S	+E/-W	Direction	
	(usft)	(usft)	(usft)	(°)	
	0.0	0.0	0.0	182.42	

Survey Program	Date 1/23/2019			
From	To	Survey (Wellbore)	Tool Name	Description
(usft)	(usft)			
66.3	5,571.0	Gyro (Original Wellbore)	GYRO-MWD	Gyro MWD
5,681.0	18,718.5	As Drilled (Original Wellbore)	MWD	MWD - Standard

Survey								
MD	Inc	Azi (azimuth)	TVD	V. Sec	N/S	E/W	DLeg	
(usft)	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(°/100usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	
66.3	0.80	116.45	66.3	0.2	-0.2	0.4	1.21	
159.6	0.83	126.99	159.6	0.8	-0.9	1.5	0.16	
252.9	0.80	110.44	252.9	1.4	-1.5	2.7	0.25	
346.2	0.79	111.33	346.2	1.8	-2.0	3.9	0.02	
439.5	0.77	115.25	439.5	2.3	-2.5	5.1	0.06	
532.8	0.79	115.08	532.8	2.8	-3.0	6.2	0.02	
626.1	0.78	122.57	626.0	3.3	-3.7	7.3	0.11	
719.4	0.68	120.15	719.3	3.9	-4.3	8.3	0.11	
812.7	0.61	109.83	812.6	4.3	-4.7	9.3	0.15	
906.0	0.34	139.20	905.9	4.7	-5.1	9.9	0.38	

Company: Legacy Reserves
Project: Lea County, NM (NAD83)
Site: Lea
Well: Lea Unit #65H
Wellbore: Original Wellbore
Design: Original Wellbore

Local Co-ordinate Reference: Well Lea Unit #65H
TVD Reference: RKB @ 3672.0usft
MD Reference: RKB @ 3672.0usft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM 5000.1 Single User Db

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	V. Sec (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)
999.3	0.33	161.14	999.2	5.1	-5.6	10.2	0.14
1,092.6	0.41	172.16	1,092.5	5.7	-6.1	10.3	0.11
1,185.9	0.64	187.53	1,185.8	6.6	-7.0	10.3	0.29
1,279.2	0.97	179.29	1,279.1	7.9	-8.3	10.3	0.37
1,372.5	1.31	176.30	1,372.4	9.7	-10.2	10.3	0.37
1,465.8	1.41	173.45	1,465.7	11.9	-12.4	10.5	0.13
1,559.1	1.65	169.78	1,558.9	14.3	-14.8	10.9	0.28
1,652.4	1.79	165.07	1,652.2	17.0	-17.6	11.5	0.21
1,745.7	1.79	168.25	1,745.4	19.9	-20.4	12.2	0.11
1,839.0	1.60	172.63	1,838.7	22.5	-23.1	12.7	0.25
1,932.3	1.57	282.32	1,932.0	23.6	-24.1	11.6	2.78
2,025.6	4.00	285.63	2,025.2	22.6	-23.0	7.2	2.61
2,118.9	4.85	281.60	2,118.2	21.3	-21.3	0.2	0.97
2,212.2	4.92	279.89	2,211.1	20.1	-19.8	-7.6	0.17
2,305.5	6.55	282.15	2,304.0	18.7	-18.0	-16.8	1.76
2,398.8	8.05	282.36	2,396.5	16.7	-15.5	-28.3	1.61
2,492.1	8.17	285.18	2,488.9	14.1	-12.4	-41.1	0.45
2,585.4	7.96	283.68	2,581.3	11.4	-9.1	-53.8	0.32
2,678.7	8.29	282.41	2,673.6	8.9	-6.1	-66.6	0.40
2,772.0	8.42	283.02	2,765.9	6.5	-3.1	-79.9	0.17
2,865.3	8.38	284.00	2,858.2	3.9	0.0	-93.1	0.16
2,958.6	7.88	282.62	2,950.6	1.4	3.1	-106.0	0.58
3,051.9	7.86	284.29	3,043.0	-1.0	6.1	-118.4	0.25
3,145.2	8.06	278.45	3,135.4	-3.0	8.6	-131.0	0.89
3,238.5	8.11	279.81	3,227.8	-4.6	10.7	-144.0	0.21
3,331.8	7.44	279.90	3,320.2	-6.2	12.8	-156.4	0.72
3,425.1	7.55	272.09	3,412.7	-7.0	14.1	-168.5	1.10
3,518.4	7.27	272.00	3,505.3	-6.9	14.5	-180.5	0.30
3,611.7	8.16	271.83	3,597.7	-6.8	14.9	-193.0	0.95
3,705.0	7.74	271.09	3,690.1	-6.5	15.3	-205.9	0.46
3,798.3	7.14	271.46	3,782.6	-6.3	15.5	-218.0	0.65
3,891.6	6.67	275.61	3,875.3	-6.5	16.2	-229.2	0.73
3,984.9	6.48	273.49	3,967.9	-6.9	17.1	-239.9	0.33
4,078.2	6.00	275.32	4,060.7	-7.2	17.8	-250.0	0.56
4,171.5	5.71	277.28	4,153.5	-7.9	18.9	-259.4	0.38
4,264.8	5.26	277.81	4,246.4	-8.7	20.1	-268.3	0.49
4,358.1	4.86	278.24	4,339.3	-9.5	21.2	-276.4	0.43
4,451.4	4.68	281.12	4,432.3	-10.5	22.5	-284.1	0.32
4,544.7	4.40	285.38	4,525.3	-11.8	24.2	-291.2	0.47
4,638.0	3.97	283.89	4,618.4	-13.3	25.9	-297.8	0.48
4,731.3	2.69	282.01	4,711.5	-14.3	27.1	-303.1	1.38
4,824.6	2.67	280.51	4,804.7	-15.0	28.0	-307.4	0.08
4,917.9	2.07	258.15	4,897.9	-14.8	28.0	-311.2	1.17
5,011.2	1.07	268.48	4,991.2	-14.4	27.7	-313.7	1.11

Company: Legacy Reserves
Project: Lea County, NM (NAD83)
Site: Lea
Well: Lea Unit #85H
Wellbore: Original Wellbore
Design: Original Wellbore

Local Co-ordinate Reference:
TVD Reference:
MD Reference:
North Reference:
Survey Calculation Method:
Database:

Well Lea Unit #85H
RKB @ 3672.0usft
RKB @ 3672.0usft
Grid
Minimum Curvature
EDM 5000.1 Single User Db

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	V. Sec (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)
5,104.5	0.95	270.81	5,084.5	-14.3	27.7	-315.3	0.14
5,197.8	1.00	267.07	5,177.7	-14.2	27.6	-316.9	0.09
5,291.1	0.92	273.20	5,271.0	-14.1	27.6	-318.5	0.14
5,384.4	0.94	266.43	5,364.3	-14.1	27.6	-320.0	0.12
5,477.7	0.90	262.78	5,457.6	-13.9	27.5	-321.5	0.08
5,571.0	0.99	266.07	5,550.9	-13.6	27.3	-323.0	0.11
5,661.0	1.10	253.40	5,660.9	-13.2	27.0	-325.0	0.23
5,776.0	1.10	257.30	5,755.9	-12.7	26.5	-326.7	0.08
5,870.0	1.10	270.10	5,849.8	-12.4	26.3	-328.5	0.26
5,965.0	0.90	261.90	5,944.8	-12.2	26.2	-330.2	0.26
6,059.0	1.00	268.70	6,038.8	-12.0	26.1	-331.7	0.16
6,153.0	0.80	256.80	6,132.8	-11.8	25.9	-333.2	0.29
6,248.0	0.50	264.50	6,227.8	-11.6	25.7	-334.2	0.33
6,342.0	0.70	253.10	6,321.8	-11.3	25.5	-335.2	0.25
6,437.0	0.80	229.20	6,416.8	-10.7	24.9	-336.3	0.34
6,531.0	0.60	214.40	6,510.8	-9.8	24.1	-337.0	0.29
6,625.0	0.60	234.10	6,604.8	-9.1	23.4	-337.7	0.22
6,720.0	0.60	219.70	6,699.8	-8.4	22.7	-338.4	0.16
6,814.0	0.60	230.90	6,793.8	-7.7	22.0	-339.1	0.12
6,909.0	0.50	250.10	6,888.8	-7.2	21.6	-339.9	0.22
7,003.0	0.50	215.30	6,982.8	-6.7	21.1	-340.5	0.32
7,097.0	0.40	198.40	7,076.8	-6.0	20.4	-340.9	0.18
7,192.0	0.50	225.50	7,171.7	-5.4	19.8	-341.3	0.24
7,285.0	0.40	185.80	7,264.7	-4.8	19.2	-341.6	0.34
7,379.0	0.40	180.30	7,358.7	-4.1	18.6	-341.6	0.04
7,473.0	0.40	184.20	7,452.7	-3.5	17.9	-341.6	0.03
7,567.0	1.10	264.20	7,546.7	-3.0	17.5	-342.6	1.17
7,661.0	1.20	256.80	7,640.7	-2.6	17.2	-344.4	0.19
7,756.0	1.10	242.20	7,735.7	-1.9	16.5	-346.2	0.32
7,850.0	1.10	249.60	7,829.7	-1.1	15.8	-347.8	0.15
7,944.0	1.20	246.20	7,923.7	-0.3	15.1	-349.6	0.13
8,038.0	1.30	242.60	8,017.6	0.7	14.2	-351.4	0.14
8,132.0	1.00	235.50	8,111.6	1.7	13.2	-353.1	0.35
8,226.0	0.80	246.80	8,205.6	2.5	12.5	-354.3	0.28
8,320.0	0.60	236.40	8,299.6	3.1	12.0	-355.4	0.25
8,414.0	0.20	301.10	8,393.6	3.3	11.8	-355.9	0.58
8,508.0	0.40	283.00	8,487.6	3.1	12.0	-356.4	0.23
8,602.0	0.60	29.50	8,581.6	2.6	12.5	-356.4	0.86
8,697.0	0.70	43.90	8,676.6	1.7	13.3	-355.8	0.20
8,791.0	1.10	281.70	8,770.6	1.2	13.9	-356.3	1.69
8,885.0	1.80	308.10	8,864.6	0.2	15.0	-358.3	1.01
8,979.0	1.90	337.80	8,958.5	-2.1	17.4	-360.1	1.01
9,073.0	1.90	336.10	9,052.5	-4.9	20.2	-361.3	0.06
9,167.0	2.10	325.00	9,146.4	-7.7	23.1	-362.9	0.46
9,261.0	1.80	316.70	9,240.3	-10.1	25.6	-364.9	0.44

Company: Legacy Reserves
Project: Lea County, NM (NAD83)
Site: Lea
Well: Lea Unit #65H
Wellbore: Original Wellbore
Design: Original Wellbore

Local Co-ordinate Reference:
TVD Reference:
MD Reference:
North Reference:
Survey Calculation Method:
Database:

Well Lea Unit #65H
RKB @ 3672.0usft
RKB @ 3672.0usft
Grid
Minimum Curvature
EDM 5000.1 Single User Db

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	V. Sec (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)
9,355.0	1.70	316.20	9,334.3	-12.1	27.6	-366.9	0.11
9,449.0	1.50	265.10	9,428.3	-12.9	28.5	-369.1	1.48
9,544.0	1.40	264.20	9,523.2	-12.6	28.3	-371.5	0.11
9,638.0	1.70	273.80	9,617.2	-12.4	28.3	-374.0	0.42
9,732.0	1.10	277.90	9,711.2	-12.6	28.5	-376.3	0.65
9,826.0	0.90	282.80	9,805.2	-12.8	28.8	-377.9	0.23
9,920.0	0.20	293.50	9,899.2	-13.0	29.0	-378.8	0.75
10,014.0	0.40	290.70	9,993.2	-13.1	29.2	-379.2	0.21
10,108.0	0.80	242.60	10,087.1	-12.9	29.0	-380.1	0.65
10,202.0	1.60	251.30	10,181.1	-12.1	28.3	-382.0	0.87
10,295.0	1.80	227.60	10,274.1	-10.6	26.9	-384.3	0.78
10,375.0	2.20	207.20	10,354.0	-8.3	24.7	-385.9	1.01
10,469.0	15.80	191.60	10,446.7	6.0	10.5	-389.3	14.57
10,562.0	29.60	191.70	10,532.3	41.4	-24.6	-396.5	14.84
10,655.0	35.90	190.90	10,610.4	91.0	-73.9	-406.4	6.79
10,749.0	39.70	180.10	10,684.8	148.4	-131.1	-411.6	8.11
10,842.0	50.40	174.50	10,750.4	213.8	-196.7	-408.2	12.26
10,936.0	63.80	182.10	10,801.4	292.2	-275.3	-406.3	15.77
10,975.0	65.20	181.70	10,818.2	327.4	-310.5	-407.5	3.71
11,012.7	66.67	179.62	10,833.6	361.9	-344.9	-407.9	6.36
FTP-Lea 65H							
11,069.0	68.90	176.60	10,854.9	413.8	-397.0	-406.1	6.36
11,162.0	74.60	173.50	10,884.0	501.3	-484.9	-398.5	6.90
11,256.0	82.70	172.10	10,902.5	592.1	-576.3	-386.9	8.74
11,349.0	89.50	174.90	10,908.8	683.7	-668.4	-376.4	7.90
11,443.0	91.70	177.20	10,907.8	777.1	-762.1	-370.0	3.39
11,536.0	91.90	180.00	10,904.9	869.9	-855.1	-367.7	3.02
11,629.0	91.30	181.70	10,902.3	962.8	-948.0	-369.1	1.94
11,723.0	89.30	181.90	10,901.8	1,056.8	-1,042.0	-372.0	2.14
11,817.0	89.90	181.90	10,902.5	1,150.8	-1,135.9	-375.1	0.64
11,911.0	88.50	182.40	10,903.8	1,244.8	-1,229.8	-378.7	1.58
12,005.0	89.20	182.60	10,905.7	1,338.7	-1,323.7	-382.8	0.77
12,098.0	90.00	183.10	10,906.3	1,431.7	-1,416.6	-387.4	1.01
12,192.0	88.90	181.90	10,907.2	1,525.7	-1,510.5	-391.5	1.73
12,285.0	87.40	179.60	10,910.2	1,618.6	-1,603.4	-392.7	2.95
12,379.0	88.50	180.50	10,913.6	1,712.5	-1,697.4	-392.8	1.51
12,472.0	87.10	178.90	10,917.1	1,805.3	-1,790.3	-392.3	2.29
12,565.0	88.40	179.30	10,920.8	1,898.1	-1,883.2	-390.8	1.46
12,658.0	90.40	181.60	10,921.8	1,991.0	-1,976.2	-391.6	3.28
12,752.0	90.00	179.80	10,921.4	2,084.9	-2,070.2	-392.7	1.96
12,845.0	87.70	178.40	10,923.3	2,177.8	-2,163.1	-391.3	2.90
12,939.0	88.40	178.60	10,926.5	2,271.5	-2,257.1	-388.8	0.77
13,032.0	89.30	178.90	10,928.4	2,364.3	-2,350.0	-386.8	1.02
13,125.0	90.70	179.30	10,928.4	2,457.1	-2,443.0	-385.3	1.57

Company: Legacy Reserves
Project: Lea County, NM (NAD83)
Site: Lea
Well: Lea Unit #65H
Wellbore: Original Wellbore
Design: Original Wellbore

Local Co-ordinate Reference:
TVD Reference:
MD Reference:
North Reference:
Survey Calculation Method:
Database:

Well Lea Unit #65H
 RKB @ 3672.0usft
 RKB @ 3672.0usft
 Grid
 Minimum Curvature
 EDM 5000.1 Single User Db

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	V. Sec (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)
13,219.0	88.30	179.40	10,929.2	2,551.0	-2,537.0	-384.3	2.56
13,313.0	89.80	180.00	10,930.7	2,644.9	-2,631.0	-383.8	1.72
13,407.0	90.80	180.30	10,930.3	2,738.8	-2,725.0	-384.0	1.11
13,500.0	88.50	179.80	10,930.8	2,831.7	-2,818.0	-384.1	2.53
13,594.0	89.20	179.60	10,932.7	2,925.6	-2,911.9	-383.6	0.77
13,687.0	86.90	179.80	10,935.9	3,018.4	-3,004.9	-383.1	2.48
13,781.0	87.70	179.60	10,940.3	3,112.2	-3,098.8	-382.6	0.88
13,868.0	90.50	181.20	10,943.2	3,299.0	-3,285.7	-383.9	1.72
14,061.0	91.60	181.70	10,941.5	3,392.0	-3,378.7	-386.3	1.30
14,154.0	90.00	179.60	10,940.2	3,484.9	-3,471.6	-387.3	2.84
14,248.0	86.40	178.70	10,943.2	3,578.7	-3,565.6	-385.9	3.95
14,342.0	85.60	179.10	10,949.7	3,672.3	-3,659.3	-384.1	0.95
14,436.0	86.50	178.60	10,956.2	3,765.9	-3,753.1	-382.3	1.09
14,530.0	89.10	178.90	10,959.8	3,859.6	-3,847.0	-380.2	2.78
14,624.0	89.10	179.60	10,961.3	3,953.5	-3,941.0	-379.0	0.74
14,718.0	89.20	180.00	10,962.7	4,047.4	-4,035.0	-378.6	0.44
14,811.0	88.70	180.50	10,964.4	4,140.3	-4,127.9	-379.1	0.76
14,905.0	88.30	180.70	10,966.9	4,234.2	-4,221.9	-380.0	0.48
14,999.0	89.00	179.10	10,969.1	4,328.1	-4,315.9	-379.9	1.86
15,093.0	89.30	178.20	10,970.5	4,421.9	-4,409.8	-377.7	1.01
15,186.0	89.00	177.00	10,971.9	4,514.5	-4,502.7	-373.8	1.33
15,279.0	89.60	178.90	10,973.0	4,607.2	-4,595.7	-370.4	2.14
15,373.0	89.90	180.10	10,973.4	4,701.1	-4,689.7	-369.6	1.32
15,468.0	90.00	180.50	10,973.5	4,796.0	-4,784.7	-370.1	0.43
15,562.0	89.30	180.50	10,974.1	4,890.0	-4,878.7	-370.9	0.74
15,656.0	90.20	179.60	10,974.5	4,983.9	-4,972.6	-371.0	1.35
15,749.0	90.00	180.00	10,974.3	5,078.8	-5,065.6	-370.7	0.48
15,843.0	89.70	180.30	10,974.6	5,170.7	-5,159.6	-370.9	0.45
15,936.0	89.30	180.30	10,975.4	5,263.7	-5,252.6	-371.4	0.43
16,030.0	88.70	180.50	10,977.0	5,357.6	-5,346.6	-372.1	0.67
16,123.0	88.50	179.60	10,979.3	5,450.5	-5,439.6	-372.2	0.99
16,217.0	87.90	177.20	10,982.2	5,544.2	-5,533.5	-369.5	2.63
16,311.0	87.50	177.20	10,986.0	5,637.7	-5,627.3	-365.0	0.43
16,404.0	89.30	177.70	10,988.6	5,730.3	-5,720.2	-360.8	2.01
16,498.0	90.10	178.60	10,989.1	5,824.1	-5,814.1	-357.8	1.28
16,592.0	89.90	178.60	10,989.1	5,917.9	-5,908.1	-355.5	0.21
16,686.0	89.60	178.90	10,989.5	6,011.7	-6,002.1	-353.4	0.45
16,779.0	89.30	179.10	10,990.4	6,104.5	-6,095.1	-351.8	0.39
16,873.0	90.20	179.40	10,990.8	6,198.3	-6,189.1	-350.6	1.01
16,968.0	89.80	179.60	10,990.8	6,293.2	-6,284.1	-349.8	0.47
17,061.0	89.40	180.00	10,991.5	6,386.1	-6,377.0	-349.4	0.61
17,155.0	88.90	180.00	10,992.8	6,480.0	-6,471.0	-349.4	0.53
17,248.0	90.50	179.40	10,993.3	6,572.9	-6,564.0	-348.9	1.84
17,341.0	90.30	179.60	10,992.7	6,665.8	-6,657.0	-348.1	0.30

Company: Legacy Reserves
Project: Lea County, NM (NAD83)
Site: Lea
Well: Lea Unit #65H
Wellbore: Original Wellbore
Design: Original Wellbore

Local Co-ordinate Reference:
TVD Reference:
MD Reference:
North Reference:
Survey Calculation Method:
Database:

Well Lea Unit #65H
 RKB @ 3672.0usft
 RKB @ 3672.0usft
 Grid
 Minimum Curvature
 EDM 5000.1 Single User Db

Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	V. Sec (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)
17,435.0	90.30	179.80	10,992.2	6,759.7	-6,751.0	-347.6	0.21
17,528.0	90.00	179.80	10,991.9	6,852.6	-6,844.0	-347.3	0.32
17,621.0	89.90	180.00	10,992.0	6,945.5	-6,937.0	-347.1	0.24
17,715.0	88.60	179.10	10,993.3	7,039.4	-7,031.0	-346.4	1.68
17,808.0	88.50	179.10	10,995.6	7,132.2	-7,124.0	-345.0	0.11
17,901.0	88.10	179.40	10,998.4	7,225.0	-7,216.9	-343.7	0.54
17,995.0	88.90	179.40	11,000.8	7,318.8	-7,310.9	-342.8	0.85
18,088.0	89.20	179.30	11,002.4	7,411.7	-7,403.9	-341.7	0.34
18,181.0	89.00	179.40	11,003.8	7,504.5	-7,496.8	-340.6	0.24
18,274.0	88.80	179.40	11,005.6	7,597.4	-7,589.8	-339.7	0.22
18,368.0	88.60	179.30	11,007.8	7,691.2	-7,683.8	-338.6	0.24
18,461.0	89.10	180.00	11,009.6	7,784.1	-7,776.8	-338.0	0.92
18,555.0	89.50	180.50	11,010.8	7,878.0	-7,870.8	-338.4	0.68
18,668.0	89.50	180.70	11,011.8	7,991.0	-7,983.7	-339.6	0.18
18,717.7	89.50	180.70	11,012.2	8,040.7	-8,033.5	-340.2	0.00
BHL-Lea 65H							
18,718.5	89.50	180.70	11,012.2	8,041.4	-8,034.2	-340.2	0.00

Checked By: _____ Approved By: _____ Date: _____