Submit 1 Copy To Appropriate District	Office	Casas of N	Iaaa Maadi				_	
District I - (575) 393-6161	17	State of N		_	_			Form C-103 ed July 18,2013
1625 N. French Dr., Hobbs, NM 88240	Energy	, Minerals a	nd Natura	i Kesources	WELL A			7
District II - (575) 748-1283	OIL	CONSERVA	ATIO (O)	WISION	5 Yedisəs	<b>30-02</b> e Type of L	<u>5-06361</u>	
811 S. First St., Artesia, NM 88210 <u>Disrtict III - (</u> 505) 334-6178		1220 South 5	- 4	Dr. OC	5. Indicat	ATE		FEE 🗌
1000 Rio Brazos Rd. Aztec, NM 87410 <u>District IV - (505)</u> 476-3460	)	0 . 5	AUG	7 ×	6 State C	il & Gas Le		
1220 S. St. Francis Dr., Santa Fe, NM 8	87505	Santa Fe,	NM 8750	2010	o. State C		1732	
	Y NOTICES AND REP		1100	7.	7 Tease I	Name or Un		ent Name
(DO NOT USE THIS FORM FOR PRO				KEM		heast Drin	_	
RESERVIOR. USE "APPLICATION I				70	8. Well N		karu Ulli	(NEDO)
1. Type of Well: Oil Well	Gas Well  Other				le. Meli IV		323	
2. Name of Operator					9. OGRII			
_	Apache Corpora	ition					373	
3. Address of Operator						10. Pool Name or Wildcat		
	Airpark Lane, Ste. 30	00, Midland,	TX 79705		<u>Eu</u>	nice;B-T-[	), North (	22900)
4. Well Location	J : 1980	feet from th	e S	line and	1980	fact from t	E	line
Unit Letter Section	J : 1980 2 Township		Range	37E	NMPM	feet from t	County	Lea
Section		Show whether			141411 141		County	
		•	492' GL	, - , ,				
12	. Check Appropriate	Box To Indica	te Nature	of Notice. Re	eport, or O	ther Data		
		1 27	'ı		-			
	F INTENTION TO:	BANDON	DEMEDIA		SEQUEN.	_		<b>с</b> П
PERFORM REMEDIAL WORK TEMPORARILY ABANDON				L WORK CE DRILLING	COPNS [	] PANDA	NG CASIN	° ∃
PULL OR ALTER CASING	MULTIPLE CO	_	. •	EMENT JOB		י אווטר ר	•	
DOWNHOLE COMMINGLE					_	_		
CLOSED-LOOP SYSTEM								
OTHER:			OTHER:					
13. Describe proposed or co	mpleted operations. (	Clearly state	all pertinei	nt details, an	d give pert	inent dates	, includin	g estimated
date of starting any proposed	I work.) SEE RULE	19.15.7.14 NM	IAC. For	Multiple Co	mpletions:	Attach we	ellbore dia	agram or
proposed completion or reco	mpletion.							
					_			
Apache Corporation prop			-		•		-	•
be used for all	fluids from this well	oore and disp	osed of r	equired by (	OCD Rule	19.15.17.1	4 NMAC.	
					Se	e Attac	<b>b</b> 1	
Spud Date:			Rig Relea	ase Date:	φοπαιτι	ons of	Approv	V2 '
						•	·PP. ·	• •
<u> </u>								
I hereby certify that the infor	rmation above is true a	and complete	to the best	of my know	ledge and	belief.		
	L . 1	•						
SIGNATURE	Quana Bush	2 TITLE	Sr. Re	clamation F	oreman	DATE	8/	13/19
Type or print name								
	Guinn Burks	E-mail add.	guinn.bu	rks@apache	ecorp.com	PHONE:	432-5	556-9143
For State Use Only	Guinn Burks	E-mail add.	guinn.bu	rks@apache	ecorp.com	PHONE:	432-5	556-9143
For State Use Only  APPROVED BY:	Wear Ant	E-mail add.  TITLE	guinn.bu	rks@apache	ecorp.com	-	8-16-	




 WELL #
 323

 API #
 30-025-06361

 COUNTY
 LEA

**WELL BORE INFO.** 0 20" Hole 16" 65# @ 253' w/ 300 sx CIRC to surf 835 1670 2505 13 1/2" Hole 10 3/4" 40.5# @ 2904' w/ 1600 sx, TOC @ 205' by TS 3340 TOC @ 3665' by TS 4175 5010 CIBP @ 5645' w/ 35' cmt



Blinebry perfs @ 5740'-6177'

Sqz'd Tubb perfs @ 6332'-6540

Sqz'd Drinkard perfs @ 6625'-6761'

7515

CIBP pushed to 7828'
CIBP @ 7845' w/ 35' cmt

5845

6680

8350

8 3/4" Hole 7" 23# @ 8350' w/800 sx TOC @ 3665' by TS

CIBP @ 6855' w/ 35' cmt

McKee perfs @ 7945'-8010'



LEASE NAME	NEDU	
WELL#	323	
API #	30-025-06361	
COUNTY	LEA	

## PROPOSED PROCEDURE

0

20" Hole 16" 65# @ 253' w/ 300 sx CIRC to surf

13 1/2" Hole

10 3/4" 40.5# @ 2904'

w/ 1600 sx, TOC @ 205' by TS

TOC @ 3665' by TS

CIBP @ 5645' w/ 35' cmt

CIBP @ 6855' w/ 35' cmt

CIBP pushed to 7828' CIBP @ 7845' w/ 35' cmt

835

1670

2505

3340

4175

5010

5845

6680

7515

8350

8 3/4" Hole 7" 23# @ 8350'

w/800 sx TOC @ 3665' by TS

PBTD @ 6855 TD @ 8350'

PUH & perf @ 288' & attempt to sqz 300 sx Class "C" cmt from 288' to surf. Attempt to CIRC 7" & 10 3/4" to surf. (Surface Shoe & Water Board)

3. PUH & perf @ 1470' & sqz 75 sx Class "C' cmt from 1470'-1370' WOC/TAG

2. PUH & perf @ 2954' and sqz 80 sx Class "C" cmt from 2954'-2700', WOC/TAG (Yates & Intermediate Shoe)

1. MIRU P&A rig. RIH w/ tbg & verify CIBP @ 5645', CIRC w/MLF & spot 35 sx Class "C" cmt from 5645'-5305' (Glorieta)

Blinebry perfs @ 5740'-6177'

Sqz'd Tubb perfs @ 6332'-6540

Sqz'd Drinkard perfs @ 6625'-6761'

McKee perfs @ 7945'-8010'

•							
Submit 1 Copy To Appropriate Dis	strict Office	Chara of N	Mi				
<u>District 1</u> - (575) 393-6161	Energy,		ew Mexico  Id Natural Resources		Form C-103 Revised July 18,2013		
1625 N. French Dr., Hobbs, NM 88 <u>District Π</u> - (575) 748-1283	3240			WELL API NO.	5-06361		
811 S. First St., Artesia, NM 88210	OIL (	CONSERVA	ATION DIVISION	5. Indicate Type of Lo			
Disrtict III - (505) 334-6178	7410	1220 South S	St. Francis Dr.	STATE 🗹	FEE 🗌		
1000 Rio Brazos Rd. Aztec, NM 8' <u>District IV - (505)</u> 476-3460	/410	Santa Fe	NM 87505	6. State Oil & Gas Le	ase No.		
1220 S. St. Francis Dr., Santa Fe, N	NM 87505	Sama 1 C,	141VI 67303		1732		
SUNI	DRY NOTICES AND REPO	RTS ON WEL	LS	7. Lease Name or Uni	t Agreement Name		
	PROPOSALS TO DRILL OR DEE ON FOR PERMIT" (FORM C-101)			Northeast Drin	kard Unit (NEDU)		
		I OK SOCII I KO	i OSALS.)	8. Well Number			
1. Type of Well: Oil Well 2. Name of Operator	Gas Well Other	· · · · · · · · · · · · · · · · · · ·		323 9. OGRID Numer			
2. Name of Operator	Apache Corporat	ion			173		
3. Address of Operator	, , , , , , , , , , , , , , , , , , ,		· .	10. Pool Name or Wildcat			
	ns Airpark Lane, Ste. 300	0, Midland, 1	TX 79705	Eunice;B-T-D	, North (22900)		
4. Well Location	T . 1000	foot foom the	. 6	1980 feet from t	TC 15mm		
Unit Letter Section	J : 1980 2 Township	feet from the	S line and Range 37E		<b>E</b> line County <b>Lea</b>		
Section			OR, RKB,RT, GR, etc.)	INIVII IVI	County Dea		
			192' GL				
	12. Check Appropriate B	ox To Indicat	te Nature of Notice, Re	port, or Other Data			
NOTICE	OF INTENTION TO:	1 1	l sure	- SEQUENT REPORT	OF:		
PERFORM REMEDIAL WO	_	ANDON 🗹	REMEDIAL WORK		IG CASING		
TEMPORARILY ABANDON	CHANGE PLAN	==	COMMENCE DRILLING	OPNS. P AND A			
PULL OR ALTER CASING		ИPL 🗌	CASING/CEMENT JOB				
DOWNHOLE COMMINGLE							
CLOSED-LOOP SYSTEM OTHER:			OTHER:				
	r completed operations. (C	Clearly state a	<u> </u>	give pertinent dates	including estimated		
• -	sed work.) SEE RULE 19	•	_				
proposed completion or re				, <b>*</b> . : 			
	• · · · · · · · · · · · · · · · · · · ·		:				
. :		• •					
			:				
Anacha Cornoration n	roposes to P&A the abov	re mentioner	l well by the attached	procedure A close	nd loon evetem will		
	all fluids from this wellb			•			
20 2002 101		a ap					
	**			•			
•		<u>:</u> .					
Spud Date:			Rig Release Date:				
• -							
					<del></del>		
I hereby certify that the ir	nformation above is true ai	nd complete to	o the best of my knowle	edge and belief.			
					- 4 4		
SIGNATURE _	XXIIIIII BUXKA	TITLE	Sr. Reclamation Fo	oreman DATE	8/13/19		
Tumo on:	Guinn Burks	ولاء المسمال	quinn hurko@aaaaha	nom com DIIONE.	499.EEE 0449		
Type or print name	Guiiii Durks	E-mail add.	guinn.burks@apache	corp.com PHONE:	432-556-9143		
For State Use Only							
APPROVED BY:	···	TITLE		DATE			
Conditions of Approval (if a	ny):						



 LEASE NAME
 NEDU

 WELL #
 323

 API #
 30-025-06361

 COUNTY
 LEA

	WELL BORE INFO.	
0	20" Hole 16" 65# @ 253' w/ 300 sx CIRC to surf	
835		
1670		
2505		
3340	13 1/2" Hole 10 3/4" 40.5# @ 2904' w/ 1600 sx, TOC @ 205' by TS TOC @ 3665' by TS	
1175		
5010		
5845	CIBP @ 5645' w/ 35' cmt	
6680	CIBP @ 6855' w/ 35' cmt	

CIBP pushed to 7828' CIBP @ 7845' w/ 35' cmt

8 3/4" Hole

7" 23# @ 8350' w/800 sx TOC @ 3665' by TS

7515

8350

TD @ 8350'

Blinebry perfs @ 5740'-6177'

Sqz'd Tubb perfs @ 6332'-6540

Sqz'd Drinkard perfs @ 6625'-6761'

McKee perfs @ 7945'-8010'



LEASE NAME	NEDU	
WELL#	323	
API#	30-025-06361	
COUNTY	LEA	

## PROPOSED PROCEDURE

(

20" Hole 16" 65# @ 253' w/ 300 sx CIRC to surf

835

1670

2505

13 1/2" Hole 10 3/4" 40.5# @ 2904' w/ 1600 sx, TOC @ 205' by TS

3340

TOC @ 3665' by TS

4175

5010

CIBP @ 5645' w/ 35' cmt

5845

6680

CIBP @ 6855' w/ 35' cmt

7515

8350

CIBP pushed to 7828' CIBP @ 7845' w/ 35' cmt

8 3/4" Hole 7" 23# @ 8350' w/800 sx TOC @ 3665' by TS

PBTD @ 6855 TD @ 8350'  PUH & perf @ 288' & attempt to sqz 300 sx Class "C" cmt from 288' to surf. Attempt to CIRC 7" & 10 3/4" to surf. (Surface Shoe & Water Board)

3. PUH & perf @ 1470' & sqz 75 sx Class "C' cmt from 1470'-1370' WOC/TAG

 PUH & perf @ 2954' and sqz 80 sx Class "C" cmt from 2954'-2700', WOC/TAG (Yates & Intermediate Shoe)

1. MIRU P&A rig. RIH w/ tbg & verify CIBP @ 5645', CIRC w/MLF & spot 35 sx Class "C" cmt from 5645'-5305' (Glorieta)

Blinebry perfs @ 5740'-6177'

Sqz'd Tubb perfs @ 6332'-6540

Sqz'd Drinkard perfs @ 6625'-6761'

McKee perfs @ 7945'-8010'

## **GENERAL CONDITIONS OF APPROVAL:**

- 1) Insure all bradenheads have been exposed, identified, and valves are operational prior to rigging up on well.
- 2) Contact the appropriate NMOCD District Office no later than 24 hours prior to moving in and rigging up.
- 3) A copy of the approved C103 intent to P&A should be distributed to the onsite company and plugging representatives. Approved procedures are good for a period of one year from approved date, unless otherwise specified on the C103 intent. Approvals past this date will require the submission and approval of a new C103 intent.
- 4) A company representative is required to be present to witness all operations including setting CIBP's, circulation of mud laden fluids, perforating, squeezing or spotting cement plugs, tags, or any other operations approved on the C103 intent to P&A. Company representative should contact the NMOCD and report all operations.
- 5) Any changes that may be required during plugging operations should be approved by the NMOCD before proceeding.
- 6) A closed loop system is to be used for all plugging operations. Contents of the steel pits to be hauled to a NMOCD permitted disposal facility.
- 7) Mud laden fluids must be placed between all cement plugs mixed at 25 sacks of salt gel per 100 barrels of brine.
- 8) All cement plugs will be 100' or 25 sacks cement, whichever is greater. Class 'C' cement will be used above 7500' and Class 'H' below 7500'. Plugs should be no more than 3000' apart
- 9) Site remediation due within one year of well plugging completion.