
RECEIVED

(Instructions on page 2)

OCD-HOBBS

,		~~ `			FORM APPROV	/ED
orm 3160-5 pril 200 EB 2 5 2009 [UNITED STATE	ES FINTERIOR			OM B No 1004-0	137
· 2 0 2003 [NACEMENT	,		Expires March 3	1, 2007	
HOBBSOCO	BUREAU OF LAND MA NOTICES AND RE		WELLS	5 Lease Sen	ial No	
Do not use th	nis form for proposals ell. Use Form 3160-3	to drill or to	re-enter an 📌	6 If Indian	n, Allottee or Trib	oe Name
SUBMIT IN TRIPLICATE- Other instructions on reverse side.				7. If Unit or CA/Agreement, Name and/or No NM Federal Unit		
Type of Well Oil Well □			8. Well Name and No.			
Name of Operator ConocoPhilli	/	/		SEMU	J-MCKEE-Fede	eral #60
	3b. Phone No (include area code)		9. API Well No. 3002507857			
3a Address 4001 Penbrook, Suite 351, Odessa, Texas 79762 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Section 29, T-20-S, R-38-E, Lea County, New Mexico Unit E 1980 FNL & 990 FWL		432-368-1268			nd Pool, or Explo	
				Warren McKee 11 County or Parish, State Lea County, New Mexico		
TYPE OF SUBMISSION			TYPE OF ACTION			
	Acıdıze	Deepen	Production (S	tart/Resume)	Water Shu	nt-Off
Notice of Intent	Alter Casing	Fracture Treat	Reclamation		Well Integ	rity Instruct new pov
Subsequent Report	Casing Repair Change Plans	New Construct Plug and Aband		bandon	lin	
T					-	
If the proposal is to deepen dire Attach the Bond under which the following completion of the in-	ectionally or recomplete horizont he work will be performed or pro volved operations. If the operation	ally, give subsurface lo ovide the Bond No. on on results in a multiple	cations and measured and tr file with BLM/BIA. Requi completion or recompletion	any proposed warue vertical deptured subsequentain in a new interverse	ths of all pertinent reports shall be fi al, a Form 3160-4	t markers and zone iled within 30 days 4 shall be filed onc
Describe Proposed or Complet If the proposal is to deepen dire Attach the Bond under which t following completion of the in	led Operation (clearly state all per ectionally or recomplete horizont he work will be performed or pro volved operations. If the operational Abandoniment Notices shall be	rtinent details, including ally, give subsurface lo ovide the Bond No. on on results in a multiple	g estimated starting date of a acations and measured and tr file with BLM/BIA. Requi completion or recompletion	any proposed warue vertical deptured subsequentain in a new interverse	ths of all pertinent reports shall be fi al, a Form 3160-4	t markers and zone iled within 30 days 4 shall be filed onc
3. Describe Proposed or Complet If the proposal is to deepen dur Attach the Bond under which t following completion of the in testing has been completed. For determined that the site is ready	led Operation (clearly state all per ectionally or recomplete horizont he work will be performed or pro volved operations. If the operational Abandoniment Notices shall be	rtinent details, including ally, give subsurface loovede the Bond No. on on results in a multiple of filed only after all results in a multiple.	g estimated starting date of a cations and measured and to file with BLM/BIA. Requi completion or recompletion quirements, including reclar	any proposed we rue vertical dept red subsequent in a new interventation, have been	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
3. Describe Proposed or Complet If the proposal is to deepen dur Attach the Bond under which t following completion of the in testing has been completed. For determined that the site is ready	led Operation (clearly state all per ectionally or recomplete horizont he work will be performed or pro- volved operations. If the operational Abandomment Notices shall by for final inspection)	rtinent details, including ally, give subsurface loovede the Bond No. on on results in a multiple of filed only after all results in a multiple.	g estimated starting date of a cations and measured and to file with BLM/BIA. Requi completion or recompletion quirements, including reclar	any proposed we rue vertical dept red subsequent in a new interventation, have been	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
3. Describe Proposed or Complet If the proposal is to deepen dur Attach the Bond under which t following completion of the in testing has been completed. For determined that the site is ready	led Operation (clearly state all per ectionally or recomplete horizont he work will be performed or pro- volved operations. If the operational Abandomment Notices shall by for final inspection)	rtinent details, including ally, give subsurface loovede the Bond No. on on results in a multiple of filed only after all results in a multiple.	g estimated starting date of a cations and measured and to file with BLM/BIA. Requi completion or recompletion quirements, including reclar	any proposed we rue vertical dept red subsequent in a new interventation, have been	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
B. Describe Proposed or Complet If the proposal is to deepen dur Attach the Bond under which t following completion of the in testing has been completed. For determined that the site is ready	led Operation (clearly state all per ectionally or recomplete horizont he work will be performed or pro- volved operations. If the operational Abandomment Notices shall by for final inspection)	rtinent details, including ally, give subsurface loovede the Bond No. on on results in a multiple of filed only after all results in a multiple.	g estimated starting date of a cations and measured and to file with BLM/BIA. Requi completion or recompletion quirements, including reclar	any proposed we rue vertical dept red subsequent in a new interventation, have been	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
B. Describe Proposed or Complet If the proposal is to deepen dur Attach the Bond under which t following completion of the in testing has been completed. For determined that the site is ready	led Operation (clearly state all per ectionally or recomplete horizont he work will be performed or pro- volved operations. If the operational Abandomment Notices shall by for final inspection)	rtinent details, including ally, give subsurface loovede the Bond No. on on results in a multiple of filed only after all results in a multiple.	g estimated starting date of a cations and measured and to file with BLM/BIA. Requi completion or recompletion quirements, including reclar	any proposed we rue vertical dept red subsequent in a new interventation, have been	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
3. Describe Proposed or Complet If the proposal is to deepen dur Attach the Bond under which t following completion of the in testing has been completed. For determined that the site is ready	led Operation (clearly state all per ectionally or recomplete horizont he work will be performed or pro- volved operations. If the operational Abandomment Notices shall by for final inspection)	rtinent details, including ally, give subsurface loovede the Bond No. on on results in a multiple of filed only after all results in a multiple.	g estimated starting date of a cations and measured and to file with BLM/BIA. Requi completion or recompletion quirements, including reclar	any proposed we rue vertical dept red subsequent in a new interventation, have been	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
3. Describe Proposed or Complet If the proposal is to deepen dur Attach the Bond under which t following completion of the in testing has been completed. For determined that the site is ready	led Operation (clearly state all per ectionally or recomplete horizont he work will be performed or pro- volved operations. If the operational Abandomment Notices shall by for final inspection)	rtinent details, including ally, give subsurface loovede the Bond No. on on results in a multiple of filed only after all results in a multiple.	g estimated starting date of a cations and measured and to file with BLM/BIA. Requi completion or recompletion quirements, including reclar	any proposed we rue vertical dept red subsequent in a new interventation, have been	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
3. Describe Proposed or Complet If the proposal is to deepen dur Attach the Bond under which t following completion of the in testing has been completed. For determined that the site is ready	led Operation (clearly state all per ectionally or recomplete horizont he work will be performed or pro- volved operations. If the operational Abandomment Notices shall by for final inspection)	rtinent details, including ally, give subsurface loovede the Bond No. on on results in a multiple of filed only after all results in a multiple.	g estimated starting date of a cations and measured and to file with BLM/BIA. Requi completion or recompletion quirements, including reclar	any proposed we rue vertical dept red subsequent in a new interventation, have been	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
3. Describe Proposed or Complet If the proposal is to deepen dur Attach the Bond under which t following completion of the in testing has been completed. For determined that the site is ready	led Operation (clearly state all per ectionally or recomplete horizont he work will be performed or pro- volved operations. If the operational Abandomment Notices shall by for final inspection)	rtinent details, including ally, give subsurface loovede the Bond No. on on results in a multiple of filed only after all results in a multiple.	g estimated starting date of a cations and measured and to file with BLM/BIA. Requi completion or recompletion quirements, including reclar	any proposed we rue vertical dept red subsequent in a new interventation, have been	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
3. Describe Proposed or Complet If the proposal is to deepen dur Attach the Bond under which t following completion of the in testing has been completed. For determined that the site is ready ConocoPhillips Company route is generally depicted	led Operation (clearly state all per ectionally or recomplete horizont he work will be performed or pro volved operations. If the operational Abandonment Notices shall by for final inspection) request permission to install d on the attached drawing.	rtinent details, including ally, give subsurface loovede the Bond No. on on results in a multiple of filed only after all results in a multiple.	g estimated starting date of a cations and measured and to file with BLM/BIA. Requi completion or recompletion quirements, including reclar	any proposed we rue vertical dept red subsequent in a new interventation, have been	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
3. Describe Proposed or Complet If the proposal is to deepen dire Attach the Bond under which t following completion of the int testing has been completed. Fi determined that the site is read- ConocoPhillips Company route is generally depicted 4. Thereby certify that the fore Name (Printed/Typed)	led Operation (clearly state all percetionally or recomplete horizont the work will be performed or provolved operations. If the operational Abandonment Notices shall by for final inspection.) request permission to install don the attached drawing.	rtinent details, includin ally, give subsurface lo ovide the Bond No. on on results in a multiple be filed only after all re-	g estimated starting date of a cations and measured and tr file with BLM/BIA. Requi completion or recompletion quirements, including reclar are associated with the SE	any proposed we rue vertical dept red subsequent in a new interventation, have been	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
3. Describe Proposed or Complet If the proposal is to deepen dire Attach the Bond under which t following completion of the in testing has been completed. Fi determined that the site is read- ConocoPhillips Company route is generally depicted	led Operation (clearly state all percetionally or recomplete horizont the work will be performed or provolved operations. If the operational Abandonment Notices shall by for final inspection.) request permission to install don the attached drawing.	rtinent details, includin ally, give subsurface lo ovide the Bond No. on on results in a multiple be filed only after all re-	g estimated starting date of a cations and measured and to file with BLM/BIA. Requi completion or recompletion quirements, including reclar	any proposed we rue vertical dept red subsequent in a new interventation, have been	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
3. Describe Proposed or Complet If the proposal is to deepen dire Attach the Bond under which t following completion of the in testing has been completed. Fi determined that the site is read- ConocoPhillips Company route is generally depicted 4. Thereby certify that the fore Name (Printed/Typed)	led Operation (clearly state all percetionally or recomplete horizont the work will be performed or provolved operations. If the operational Abandonment Notices shall by for final inspection.) request permission to install don the attached drawing.	rtinent details, includin ally, give subsurface lo ovide the Bond No. on on results in a multiple be filed only after all re-	g estimated starting date of a cations and measured and tr file with BLM/BIA. Requi completion or recompletion quirements, including reclar are associated with the SE	any proposed we rue vertical dept red subsequent in a new intervenation, have been the comment of the comment o	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
3. Describe Proposed or Complet If the proposal is to deepen dire Attach the Bond under which t following completion of the in testing has been completed. Fi determined that the site is read- ConocoPhillips Company route is generally depicted 4. Thereby certify that the fore Name (Printed/Typed) Todd Tredaway	led Operation (clearly state all percetionally or recomplete horizont the work will be performed or provolved operations. If the operational Abandonment Notices shall by for final inspection.) request permission to install don the attached drawing.	rtinent details, includinally, give subsurface lo ovide the Bond No. on on results in a multiple of filed only after all results in a more results in a multiple of filed only after all results in a more results in a multiple of filed only after all results in a multiple of filed only after all results in a multiple results in a	g estimated starting date of cations and measured and trifle with BLM/BIA. Required completion or recompletion quirements, including reclaring associated with the SE de Contract Agent	any proposed we rue vertical dept red subsequent in a new intervention, have been considered to the constant of the constant o	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
3. Describe Proposed or Complete If the proposal is to deepen dire. Attach the Bond under which the following completion of the intesting has been completed. Find determined that the site is ready. ConocoPhillips Company route is generally depicted. The second of the following company route is generally depicted.	led Operation (clearly state all percetionally or recomplete horizont he work will be performed or provolved operations. If the operational Abandonment Notices shall by for final inspection) request permission to install don the attached drawing.	rtinent details, includinally, give subsurface lo ovide the Bond No. on on results in a multiple of filed only after all results in a more results in a multiple of filed only after all results in a more results in a multiple of filed only after all results in a multiple of filed only after all results in a multiple results in a	g estimated starting date of acations and measured and trifle with BLM/BIA. Requi completion or recompletion quirements, including reclar associated with the SE le Contract Agent	any proposed we rue vertical dept red subsequent in a new intervention, have been considered to the constant of the constant o	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
13. Describe Proposed or Complete If the proposal is to deepen dire Attach the Bond under which the following completion of the intesting has been completed. Find determined that the site is readed. ConocoPhillips Company route is generally depicted. 4. Thereby certify that the fore Name (Printed/Typed) Todd Tredaway	led Operation (clearly state all percettonally or recomplete horizont he work will be performed or provolved operations. If the operational Abandonment Notices shall by for final inspection) request permission to install it on the attached drawing.	rtinent details, including ally, give subsurface looved the Bond No. on on results in a multiple de filed only after all results in a power limited and the second	g estimated starting date of cations and measured and trifle with BLM/BIA. Required completion or recompletion quirements, including reclaring associated with the SE de Contract Agent	any proposed we rue vertical dept red subsequent in a new intervention, have been considered to the constant of the constant o	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has
3. Describe Proposed or Complete If the proposal is to deepen dire Attach the Bond under which the following completion of the intesting has been completed. Find determined that the site is ready conocoPhillips Company route is generally depicted. 4. Thereby certify that the fore Name (Printed/Typed) Todd Tredaway Signature	led Operation (clearly state all percetionally or recomplete horizont the work will be performed or provolved operations. If the operational Abandonment Notices shall by for final inspection.) request permission to install don the attached drawing. TIMS SPACE FOR attached Approval of this notical or equitable title to those right	rtinent details, including ally, give subsurface looved the Bond No. on on results in a multiple de filed only after all results in a power limit and the subsurface of the su	g estimated starting date of acations and measured and trifle with BLM/BIA. Requi completion or recompletion quirements, including reclar associated with the SE R STATE OFFICE Title CARLSE	any proposed we rue vertical dept red subsequent in a new intervention, have been considered to the constant of the constant o	ths of all pertinent reports shall be fi al, a Form 3160-4 en completed, and	t markers and zone iled within 30 days 4 shall be filed onc d the operator has



LESSER PRAIRIE-CHICKENS

No surface use is allowed during the following time periods; unless otherwise specified, this stipulation does not apply to operation and maintenance of production facilities.

For the purpose of: Protecting Lesser Prairie-Chickens: All of Section 15; Township 20 South, Range 37 East; and Section 29; Township 20 South, Range 38 East.

Oil and gas activities, including 3-D geophysical exploration and drilling, will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th, annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.

BLM Serial Number: LC-031621B, LC-031695A Company Reference: Conoco Phillips Company

Well No. & Name: Britt B # 5, and SEMU-McKee Federal # 60

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the APD and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.
- 5. Powerlines shall be constructed in accordance to standards outlined in "Suggested Practices for Raptor Protection on Powerlines," Raptor Research Foundation, Inc., 1981. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication are "raptor safe." Such proof shall be provided by a raptor expert approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large

perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

- 6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
- 7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.
- 8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.
- 9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.
- 10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes from the poles removed.
- See attached reclamation plans.
- See attached Lesser-prairie chicken timing requirements.

BLM Serial #: LC-031621B, LC-031695A Company Reference: Conoco Phillips Company Well Name and Number: Britt B # 5, and SEMU-McKee Federal # 60

Seed Mixture for LPC Sand/Shinnery Sites

The holder shall seed all disturbed areas with the seed mixture listed below. The seed mixture shall be planted in the amounts specified in pounds of pure live seed (PLS)* per acre. There shall be <u>no</u> primary or secondary noxious weeds in the seed mixture. Seed will be tested and the viability testing of seed will be done in accordance with State law(s) and within nine (9) months prior to purchase. Commercial seed will be either certified or registered seed. The seed container will be tagged in accordance with State law(s) and available for inspection by the authorized officer.

Seed will be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture will be evenly and uniformly planted over the disturbed area (smaller/heavier seeds have a tendency to drop the bottom of the drill and are planted first). The holder shall take appropriate measures to ensure this does not occur. Where drilling is not possible, seed will be broadcast and the area shall be raked or chained to cover the seed. When broadcasting the seed, the pounds per acre are to be doubled. The seeding will be repeated until a satisfactory stand is established as determined by the authorized officer. Evaluation of growth will not be made before completion of at least one full growing season after seeding.

Species to be planted in pounds of pure live seed* per acre:

<u>Species</u>	<u>lb/acre</u>	
Plains Br Sand Blu Little Blu Big Blues Plains Co Sand Dro	estem lestem stem breopsis	5lbs/A 5lbs/A 3lbs/A 6lbs/A 2lbs/A 1lbs/A
		*

^{**}Four-winged Saltbush

5lbs/A

Pounds of seed x percent purity x percent germination = pounds pure live seed

^{*} This can be used around well pads and other areas where caliche cannot be removed.

^{*}Pounds of pure live seed: