



Actual Wellpath Report

No. 1H AWP

Page 1 of 8



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	COG Operating LLC	Slot	No. 1H_SHL
Area	Chaves County, NM	Well	No. 1H
Field	(Andromeda) Sec 14, T15S, R31E	Wellbore	No. 1H_AWB
Facility	Andromeda Federal No. 1H	Sidetrack from	No. 1 AWB at 8300.00 MD

REPORT SETUP INFORMATION

Projection System	NAD83 / TM New Mexico State Planes, Eastern Zone (3001), US feet	Software System	WellArchitect® 2.0
North Reference	Grid	User	Victor Hernandez
Scale	0.999941	Report Generated	1/18/2010 at 3:59:36 PM
Convergence at slot	0.30° East	Database/Source file	WA_Midland/No._1H_AWB.xml

WELLPATH LOCATION

	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[USft]	Northing[USft]	Latitude	Longitude
Slot Location	0.00	0.00	709469.50	735769.10	33°01'17.120"N	103°47'05.231"W
Facility Reference Pt			709469.50	735769.10	33°01'17.120"N	103°47'05.231"W
Field Reference Pt			709469.50	735769.10	33°01'17.120"N	103°47'05.231"W

WELLPATH DATUM

Calculation method	Minimum curvature	Permian 6 Rig on #1H_SHL (RT) to GL	25.00ft
Horizontal Reference Pt	Surface Location	Permian 6 Rig on #1H_SHL (RT) to GE	4400.00ft
Vertical Reference Pt	Permian 6 Rig on #1H_SHL (RT)	GL to Mud Line (Facility)	0.00ft
MD Reference Pt	Permian 6 Rig on #1H_SHL (RT)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	GE	Section Azimuth	269.38°

Actual Wellpath Report

No. 1H AWP

Page 2 of 8

INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	COG Operating LLC	Slot	No. 1H_SHL
Area	Chaves County, NM	Well	No. 1H
Field	(Andromeda) Sec 14, T15S, R31E	Wellbore	No. 1H AWB
Facility	Andromeda Federal No. 1H	Sidetrack from	No. 1 AWB at 8300.00 MD

WELLPATH DATA (166 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	DLS [°/100ft]
0.00	0.000	60.510	0.00	0.00	0.00	0.00	709469.50	735769.10	33°01'17.120"N	103°47'05.231"W	0.00
100.00	0.100	60.510	100.00	-0.08	0.04	0.08	709469.58	735769.14	33°01'17.121"N	103°47'05.230"W	0.10
200.00	0.190	84.880	200.00	-0.32	0.10	0.32	709469.82	735769.20	33°01'17.121"N	103°47'05.228"W	0.11
300.00	0.230	53.310	300.00	-0.65	0.24	0.64	709470.14	735769.34	33°01'17.123"N	103°47'05.224"W	0.12
400.00	0.120	94.650	400.00	-0.91	0.35	0.91	709470.41	735769.45	33°01'17.124"N	103°47'05.221"W	0.16
500.00	0.250	109.380	500.00	-1.22	0.27	1.22	709470.72	735769.37	33°01'17.123"N	103°47'05.217"W	0.14
600.00	0.310	111.910	600.00	-1.68	0.09	1.68	709471.18	735769.19	33°01'17.121"N	103°47'05.212"W	0.06
700.00	0.210	75.310	700.00	-2.10	0.04	2.10	709471.60	735769.14	33°01'17.121"N	103°47'05.207"W	0.19
800.00	0.270	105.620	799.99	-2.51	0.02	2.51	709472.01	735769.12	33°01'17.121"N	103°47'05.202"W	0.14
900.00	0.260	75.650	899.99	-2.95	0.01	2.95	709472.45	735769.11	33°01'17.120"N	103°47'05.197"W	0.14
1000.00	0.120	177.580	999.99	-3.18	-0.03	3.18	709472.68	735769.07	33°01'17.120"N	103°47'05.194"W	0.31
1100.00	0.210	111.330	1099.99	-3.35	-0.21	3.35	709472.85	735768.89	33°01'17.118"N	103°47'05.192"W	0.20
1200.00	0.030	205.360	1199.99	-3.51	-0.30	3.51	709473.01	735768.80	33°01'17.117"N	103°47'05.190"W	0.21
1300.00	0.140	133.080	1299.99	-3.59	-0.40	3.59	709473.09	735768.70	33°01'17.116"N	103°47'05.189"W	0.13
1400.00	0.270	348.070	1399.99	-3.63	-0.26	3.63	709473.13	735768.84	33°01'17.118"N	103°47'05.189"W	0.39
1500.00	0.190	314.460	1499.99	-3.47	0.09	3.46	709472.96	735769.19	33°01'17.121"N	103°47'05.191"W	0.15
1600.00	0.380	342.160	1599.99	-3.25	0.52	3.25	709472.74	735769.62	33°01'17.125"N	103°47'05.193"W	0.23
1700.00	0.170	329.660	1699.99	-3.08	0.97	3.07	709472.57	735770.07	33°01'17.130"N	103°47'05.195"W	0.22
1800.00	0.360	332.480	1799.99	-2.86	1.37	2.85	709472.35	735770.47	33°01'17.134"N	103°47'05.198"W	0.19
1900.00	0.140	329.300	1899.99	-2.66	1.76	2.64	709472.14	735770.86	33°01'17.138"N	103°47'05.200"W	0.22
2000.00	0.260	349.960	1999.99	-2.56	2.08	2.54	709472.04	735771.18	33°01'17.141"N	103°47'05.201"W	0.14
2100.00	0.680	61.920	2099.98	-3.05	2.59	3.02	709472.52	735771.69	33°01'17.146"N	103°47'05.196"W	0.65
2200.00	0.960	58.480	2199.97	-4.30	3.30	4.26	709473.76	735772.40	33°01'17.153"N	103°47'05.181"W	0.28
2300.00	0.650	46.070	2299.96	-5.43	4.14	5.38	709474.88	735773.24	33°01'17.161"N	103°47'05.168"W	0.35
2400.00	0.640	48.530	2399.96	-6.26	4.90	6.21	709475.71	735774.00	33°01'17.169"N	103°47'05.158"W	0.03
2500.00	0.720	73.850	2499.95	-7.29	5.44	7.23	709476.73	735774.54	33°01'17.174"N	103°47'05.146"W	0.31
2600.00	0.640	61.400	2599.94	-8.39	5.89	8.33	709477.83	735774.99	33°01'17.178"N	103°47'05.133"W	0.17
2700.00	0.610	72.200	2699.94	-9.39	6.32	9.32	709478.82	735775.42	33°01'17.183"N	103°47'05.121"W	0.12
2800.00	0.730	77.870	2799.93	-10.52	6.61	10.45	709479.95	735775.71	33°01'17.185"N	103°47'05.108"W	0.14
2900.00	0.830	69.410	2899.92	-11.83	7.00	11.75	709481.25	735776.10	33°01'17.189"N	103°47'05.093"W	0.15

Actual Wellpath Report

No. 1H AWP

Page 3 of 8

REFERENCE WELLPATH IDENTIFICATION

Operator	COG Operating LLC	Slot	No. 1H_SHL
Area	Chaves County, NM	Well	No. 1H
Field	(Andromeda) Sec 14, T15S, R31E	Wellbore	No. 1H AWB
Facility	Andromeda Federal No. 1H	Sidetrack from	No. 1 AWB at 8300.00 MD

WELLPATH DATA (166 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	DLS ["/100ft]
3000.00	0.680	63.360	2999.91	-13.04	7.52	12.96	709482.46	735776.62	33°01'17.194"N	103°47'05.079"W	0.17
3100.00	0.520	72.540	3099.91	-14.01	7.92	13.93	709483.42	735777.02	33°01'17.198"N	103°47'05.067"W	0.19
3200.00	0.340	89.900	3199.90	-14.74	8.06	14.66	709484.15	735777.16	33°01'17.199"N	103°47'05.059"W	0.22
3300.00	0.300	78.640	3299.90	-15.29	8.11	15.21	709484.71	735777.21	33°01'17.200"N	103°47'05.052"W	0.07
3400.00	0.310	58.730	3399.90	-15.78	8.31	15.70	709485.20	735777.40	33°01'17.202"N	103°47'05.046"W	0.11
3500.00	0.580	51.040	3499.90	-16.41	8.76	16.32	709485.82	735777.86	33°01'17.206"N	103°47'05.039"W	0.28
3600.00	0.750	65.650	3599.89	-17.41	9.35	17.31	709486.81	735778.45	33°01'17.212"N	103°47'05.027"W	0.24
3700.00	0.850	74.860	3699.88	-18.73	9.82	18.62	709488.12	735778.92	33°01'17.217"N	103°47'05.012"W	0.16
3800.00	0.770	83.460	3799.87	-20.11	10.09	20.01	709489.51	735779.19	33°01'17.219"N	103°47'04.996"W	0.15
3900.00	0.880	91.900	3899.86	-21.55	10.14	21.44	709490.94	735779.24	33°01'17.220"N	103°47'04.979"W	0.16
4000.00	0.710	97.470	3999.85	-22.93	10.03	22.82	709492.32	735779.13	33°01'17.219"N	103°47'04.963"W	0.19
4100.00	0.560	92.370	4099.85	-24.03	9.93	23.93	709493.42	735779.03	33°01'17.218"N	103°47'04.950"W	0.16
4200.00	0.450	106.930	4199.84	-24.89	9.80	24.79	709494.29	735778.90	33°01'17.216"N	103°47'04.940"W	0.17
4300.00	0.480	107.060	4299.84	-25.67	9.56	25.57	709495.06	735778.66	33°01'17.214"N	103°47'04.930"W	0.03
4400.00	0.360	105.800	4399.84	-26.37	9.35	26.27	709495.77	735778.45	33°01'17.212"N	103°47'04.922"W	0.12
4500.00	0.270	104.270	4499.83	-26.90	9.21	26.80	709496.30	735778.31	33°01'17.210"N	103°47'04.916"W	0.09
4600.00	0.140	74.560	4599.83	-27.24	9.18	27.15	709496.64	735778.28	33°01'17.210"N	103°47'04.912"W	0.16
4700.00	0.160	68.570	4699.83	-27.49	9.26	27.39	709496.89	735778.36	33°01'17.211"N	103°47'04.909"W	0.03
4800.00	0.150	65.730	4799.83	-27.74	9.37	27.64	709497.14	735778.47	33°01'17.212"N	103°47'04.906"W	0.01
4900.00	0.260	52.470	4899.83	-28.04	9.56	27.94	709497.44	735778.66	33°01'17.214"N	103°47'04.903"W	0.12
5000.00	0.200	82.270	4999.83	-28.40	9.72	28.29	709497.79	735778.82	33°01'17.215"N	103°47'04.898"W	0.13
5100.00	0.290	177.000	5099.83	-28.58	9.49	28.48	709497.98	735778.59	33°01'17.213"N	103°47'04.896"W	0.37
5200.00	0.270	154.220	5199.83	-28.69	9.03	28.60	709498.10	735778.13	33°01'17.208"N	103°47'04.895"W	0.11
5300.00	0.370	155.470	5299.83	-28.92	8.52	28.83	709498.33	735777.62	33°01'17.203"N	103°47'04.892"W	0.10
5400.00	0.400	191.750	5399.83	-28.98	7.89	28.90	709498.39	735776.99	33°01'17.197"N	103°47'04.891"W	0.24
5500.00	0.260	206.880	5499.82	-28.80	7.34	28.72	709498.22	735776.44	33°01'17.192"N	103°47'04.894"W	0.16
5600.00	0.330	212.160	5599.82	-28.54	6.90	28.47	709497.97	735776.00	33°01'17.187"N	103°47'04.897"W	0.08
5700.00	0.390	235.820	5699.82	-28.10	6.46	28.03	709497.53	735775.56	33°01'17.183"N	103°47'04.902"W	0.16
5800.00	0.310	254.010	5799.82	-27.56	6.20	27.49	709496.99	735775.30	33°01'17.180"N	103°47'04.908"W	0.14
5900.00	0.280	255.090	5899.82	-27.06	6.06	26.99	709496.49	735775.16	33°01'17.179"N	103°47'04.914"W	0.03



Actual Wellpath Report

No. 1H AWP

Page 4 of 8



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	COG Operating LLC	Slot	No. 1H_SHL
Area	Chaves County, NM	Well	No. 1H
Field	(Andromeda) Sec 14, T15S, R31E	Wellbore	No. 1H AWB
Facility	Andromeda Federal No. 1H	Sidetrack from	No. 1 AWP at 8300.00 MD

WELLPATH DATA (166 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	DLS [°/100ft]
6000.00	0.270	258.380	5999.82	-26.59	5.95	26.53	709496.03	735775.05	33°01'17.178"N	103°47'04.919"W	0.02
6100.00	0.400	255.070	6099.82	-26.02	5.81	25.96	709495.46	735774.91	33°01'17.177"N	103°47'04.926"W	0.13
6200.00	0.530	265.700	6199.81	-25.22	5.69	25.16	709494.66	735774.79	33°01'17.175"N	103°47'04.935"W	0.16
6300.00	0.570	255.280	6299.81	-24.28	5.53	24.22	709493.72	735774.63	33°01'17.174"N	103°47'04.947"W	0.11
6400.00	0.630	270.210	6399.80	-23.24	5.40	23.19	709492.69	735774.50	33°01'17.173"N	103°47'04.959"W	0.17
6500.00	0.520	277.330	6499.80	-22.25	5.46	22.19	709491.69	735774.56	33°01'17.173"N	103°47'04.970"W	0.13
6600.00	0.540	282.230	6599.79	-21.34	5.62	21.28	709490.78	735774.72	33°01'17.175"N	103°47'04.981"W	0.05
6700.00	0.540	277.110	6699.79	-20.41	5.78	20.35	709489.85	735774.88	33°01'17.177"N	103°47'04.992"W	0.05
6800.00	0.650	280.600	6799.78	-19.39	5.94	19.32	709488.82	735775.04	33°01'17.178"N	103°47'05.004"W	0.12
6900.00	0.620	281.760	6899.78	-18.30	6.15	18.24	709487.74	735775.25	33°01'17.180"N	103°47'05.017"W	0.03
7000.00	0.630	293.510	6999.77	-17.27	6.48	17.20	709486.70	735775.58	33°01'17.184"N	103°47'05.029"W	0.13
7100.00	0.660	287.780	7099.76	-16.22	6.88	16.15	709485.65	735775.98	33°01'17.188"N	103°47'05.041"W	0.07
7200.00	0.750	299.560	7199.76	-15.11	7.38	15.03	709484.53	735776.48	33°01'17.193"N	103°47'05.054"W	0.17
7300.00	0.500	317.710	7299.75	-14.26	8.02	14.17	709483.67	735777.12	33°01'17.199"N	103°47'05.064"W	0.32
7400.00	0.580	315.820	7399.75	-13.62	8.71	13.52	709483.02	735777.81	33°01'17.206"N	103°47'05.072"W	0.08
7500.00	0.310	350.320	7499.74	-13.22	9.34	13.12	709482.62	735778.44	33°01'17.212"N	103°47'05.077"W	0.37
7600.00	0.300	8.550	7599.74	-13.22	9.86	13.12	709482.62	735778.96	33°01'17.217"N	103°47'05.077"W	0.10
7700.00	0.390	13.970	7699.74	-13.35	10.45	13.24	709482.74	735779.55	33°01'17.223"N	103°47'05.075"W	0.10
7800.00	0.570	35.670	7799.74	-13.73	11.19	13.61	709483.11	735780.29	33°01'17.230"N	103°47'05.071"W	0.25
7900.00	0.790	34.170	7899.73	-14.42	12.16	14.29	709483.79	735781.26	33°01'17.240"N	103°47'05.063"W	0.22
8000.00	0.720	34.710	7999.72	-15.18	13.25	15.03	709484.53	735782.35	33°01'17.251"N	103°47'05.054"W	0.07
8100.00	0.830	42.340	8099.71	-16.03	14.30	15.88	709485.38	735783.40	33°01'17.261"N	103°47'05.044"W	0.15
8200.00	1.430	48.940	8199.69	-17.48	15.66	17.31	709486.81	735784.76	33°01'17.275"N	103°47'05.027"W	0.61
8300.00	2.350	62.180	8299.64	-20.25	17.43	20.06	709489.56	735786.53	33°01'17.292"N	103°47'04.995"W	1.01
8357.00	2.500	61.500	8356.59	-22.39	18.57	22.19	709491.69	735787.67	33°01'17.303"N	103°47'04.970"W	0.27
8389.00	1.100	308.200	8388.58	-22.76	19.09	22.56	709492.06	735788.19	33°01'17.308"N	103°47'04.965"W	9.70
8421.00	6.100	275.700	8420.50	-20.83	19.45	20.63	709490.12	735788.55	33°01'17.312"N	103°47'04.988"W	16.27
8453.00	11.000	268.800	8452.14	-16.09	19.56	15.88	709485.38	735788.66	33°01'17.313"N	103°47'05.044"W	15.62
8485.00	15.000	267.500	8483.31	-8.89	19.31	8.69	709478.19	735788.41	33°01'17.311"N	103°47'05.128"W	12.53
8517.00	19.600	269.600	8513.86	0.62	19.10	-0.82	709468.68	735788.19	33°01'17.309"N	103°47'05.240"W	-14.50



Actual Wellpath Report

No. 1HAWP

Page 5 of 8



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	COG Operating LLC	Slot	No. 1H SHL
Area	Chaves County, NM	Well	No. 1H
Field	(Andromeda) Sec 14, T15S, R31E	Wellbore	No. 1H AWB
Facility	Andromeda Federal No. 1H	Sidetrack from	No. 1 AWB at 8300.00 MD

WELLPATH DATA (166 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	DLS [°/100ft]
8549.00	23.800	271.600	8543.58	12.44	19.24	-12.65	709456.85	735788.34	33°01'17.311"N	103°47'05.379"W	13.33
8581.00	27.200	272.100	8572.46	26.20	19.69	-26.42	709443.08	735788.79	33°01'17.317"N	103°47'05.540"W	10.65
8613.00	31.000	271.400	8600.42	41.75	20.16	-41.97	709427.53	735789.26	33°01'17.322"N	103°47'05.723"W	11.92
8645.00	35.400	270.400	8627.19	59.26	20.42	-59.48	709410.02	735789.52	33°01'17.326"N	103°47'05.929"W	13.86
8677.00	39.400	271.200	8652.60	78.69	20.70	-78.91	709390.59	735789.80	33°01'17.329"N	103°47'06.157"W	12.59
8709.00	43.000	271.700	8676.68	99.75	21.24	-99.98	709369.52	735790.34	33°01'17.336"N	103°47'06.404"W	11.30
8740.00	46.700	270.200	8698.65	121.60	21.59	-121.84	709347.67	735790.69	33°01'17.340"N	103°47'06.661"W	12.41
8772.00	50.000	269.600	8719.92	145.50	21.54	-145.74	709323.76	735790.64	33°01'17.341"N	103°47'06.942"W	10.41
8804.00	52.900	268.700	8739.86	170.53	21.17	-170.76	709298.75	735790.27	33°01'17.339"N	103°47'07.236"W	9.33
8835.00	56.000	268.200	8757.88	195.74	20.49	-195.97	709273.54	735789.58	33°01'17.333"N	103°47'07.532"W	10.09
8867.00	59.600	268.200	8774.93	222.81	19.63	-223.03	709246.48	735788.73	33°01'17.326"N	103°47'07.849"W	11.25
8899.00	63.600	268.400	8790.14	250.95	18.80	-251.16	709218.35	735787.90	33°01'17.319"N	103°47'08.180"W	12.51
8931.00	65.900	268.100	8803.79	279.88	17.92	-280.09	709189.43	735787.02	33°01'17.312"N	103°47'08.520"W	7.24
8963.00	68.400	266.700	8816.22	309.35	16.58	-309.55	709159.97	735785.67	33°01'17.300"N	103°47'08.866"W	8.79
8994.00	71.800	265.600	8826.77	338.45	14.62	-338.62	709130.90	735783.71	33°01'17.283"N	103°47'09.207"W	11.46
9026.00	74.600	265.800	8836.02	369.02	12.32	-369.17	709100.35	735781.42	33°01'17.261"N	103°47'09.566"W	8.77
9058.00	77.200	267.500	8843.81	400.01	10.51	-400.15	709069.38	735779.61	33°01'17.245"N	103°47'09.930"W	9.62
9089.00	79.300	269.900	8850.13	430.36	9.82	-430.49	709039.04	735778.92	33°01'17.240"N	103°47'10.286"W	10.17
9121.00	81.600	270.700	8855.44	461.91	9.99	-462.04	709007.49	735779.09	33°01'17.243"N	103°47'10.657"W	7.60
9153.00	84.600	270.900	8859.28	493.66	10.43	-493.80	708975.73	735779.53	33°01'17.249"N	103°47'11.030"W	9.40
9185.00	88.400	270.600	8861.23	525.59	10.85	-525.73	708943.80	735779.95	33°01'17.255"N	103°47'11.405"W	11.91
9217.00	89.300	270.700	8861.87	557.57	11.21	-557.73	708911.81	735780.31	33°01'17.260"N	103°47'11.781"W	2.83
9253.00	89.300	266.700	8862.31	593.56	10.40	-593.71	708875.83	735779.50	33°01'17.254"N	103°47'12.203"W	11.11
9349.00	88.900	267.100	8863.82	689.46	5.21	-689.55	708779.99	735774.31	33°01'17.208"N	103°47'13.329"W	0.59
9444.00	88.600	268.000	8865.89	784.39	1.15	-784.44	708685.10	735770.25	33°01'17.172"N	103°47'14.444"W	1.00
9540.00	89.900	268.500	8867.15	880.36	-1.79	-880.39	708589.17	735767.31	33°01'17.148"N	103°47'15.571"W	1.45
9636.00	89.800	269.700	8867.40	976.35	-3.29	-976.37	708493.19	735765.81	33°01'17.138"N	103°47'16.698"W	1.25
9732.00	90.200	269.500	8867.40	1072.35	-3.96	-1072.37	708397.19	735765.14	33°01'17.136"N	103°47'17.826"W	0.47
9827.00	91.900	269.700	8865.66	1167.33	-4.63	-1167.35	708302.22	735764.47	33°01'17.135"N	103°47'18.941"W	1.80
9923.00	91.800	271.100	8862.56	1263.26	-3.96	-1263.29	708206.28	735765.14	33°01'17.146"N	103°47'20.068"W	1.46

Actual Wellpath Report

No. 1H AWP

Page 6 of 8

REFERENCE WELLPATH IDENTIFICATION

Operator	COG Operating LLC	Slot	No. 1H_SHL
Area	Chaves County, NM	Well	No. 1H
Field	(Andromeda) Sec 14, T15S, R31E	Wellbore	No. 1H AWB
Facility	Andromeda Federal No. 1H	Sidetrack from	No. 1 AWB at 8300.00 MD

WELLPATH DATA (166 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [serv ft]	Grid North [serv ft]	Latitude	Longitude	DLS [°/1000ft]
10019.00	91.100	271.400	8860.13	1359.18	-1.86	-1359.24	708110.34	735767.24	33°01'17.172"N	103°47'21.195"W	0.79
10115.00	90.400	271.200	8858.88	1455.12	0.31	-1455.21	708014.38	735769.41	33°01'17.198"N	103°47'22.322"W	0.76
10211.00	91.300	269.600	8857.45	1551.09	0.98	-1551.19	707918.40	735770.08	33°01'17.210"N	103°47'23.449"W	1.91
10306.00	91.200	269.300	8855.38	1646.07	0.07	-1646.16	707823.44	735769.17	33°01'17.206"N	103°47'24.564"W	0.33
10402.00	90.100	269.100	8854.29	1742.06	-1.27	-1742.15	707727.46	735767.83	33°01'17.197"N	103°47'25.691"W	1.16
10498.00	90.000	269.100	8854.21	1838.06	-2.78	-1838.13	707631.48	735766.32	33°01'17.187"N	103°47'26.819"W	0.10
10594.00	90.100	269.000	8854.12	1934.06	-4.37	-1934.12	707535.50	735764.73	33°01'17.177"N	103°47'27.946"W	0.15
10689.00	90.100	269.300	8853.96	2029.05	-5.78	-2029.11	707440.51	735763.32	33°01'17.167"N	103°47'29.062"W	0.32
10784.00	91.200	269.500	8852.88	2124.05	-6.77	-2124.10	707345.53	735762.33	33°01'17.162"N	103°47'30.178"W	1.18
10879.00	90.000	269.800	8851.89	2219.04	-7.35	-2219.09	707250.55	735761.75	33°01'17.162"N	103°47'31.293"W	1.30
10975.00	89.100	268.800	8852.64	2315.03	-8.52	-2315.08	707154.56	735760.58	33°01'17.155"N	103°47'32.421"W	1.40
11071.00	89.100	268.200	8854.15	2411.01	-11.04	-2411.03	707058.62	735758.06	33°01'17.135"N	103°47'33.548"W	0.62
11167.00	90.300	267.500	8854.65	2506.97	-14.64	-2506.96	706962.69	735754.46	33°01'17.104"N	103°47'34.674"W	1.45
11262.00	93.200	267.900	8851.75	2601.88	-18.45	-2601.83	706867.83	735750.65	33°01'17.071"N	103°47'35.789"W	3.08
11326.00	93.100	269.100	8848.23	2665.77	-20.12	-2665.71	706803.95	735748.98	33°01'17.058"N	103°47'36.539"W	1.88
11390.00	93.200	269.200	8844.72	2729.67	-21.07	-2729.60	706740.06	735748.03	33°01'17.052"N	103°47'37.290"W	0.22
11454.00	93.100	269.500	8841.20	2793.58	-21.79	-2793.50	706676.17	735747.31	33°01'17.048"N	103°47'38.040"W	0.49
11518.00	92.100	269.400	8838.30	2857.51	-22.41	-2857.43	706612.24	735746.69	33°01'17.045"N	103°47'38.791"W	1.57
11582.00	92.200	269.900	8835.89	2921.46	-22.80	-2921.39	706548.29	735746.30	33°01'17.044"N	103°47'39.542"W	0.80
11645.00	92.200	270.100	8833.48	2984.41	-22.80	-2984.34	706485.34	735746.30	33°01'17.048"N	103°47'40.281"W	0.32
11709.00	91.800	270.500	8831.24	3048.37	-22.46	-3048.30	706421.38	735746.64	33°01'17.054"N	103°47'41.032"W	0.88
11773.00	90.700	269.900	8829.85	3112.34	-22.24	-3112.28	706357.40	735746.86	33°01'17.060"N	103°47'41.784"W	1.96
11837.00	90.600	270.000	8829.12	3176.34	-22.30	-3176.28	706293.41	735746.80	33°01'17.062"N	103°47'42.535"W	0.22
11900.00	91.100	268.700	8828.19	3239.33	-23.01	-3239.27	706230.43	735746.09	33°01'17.058"N	103°47'43.275"W	2.21
11964.00	91.100	268.000	8826.96	3303.30	-24.85	-3303.23	706166.47	735744.25	33°01'17.043"N	103°47'44.027"W	1.09
12028.00	91.100	268.700	8825.73	3367.28	-26.70	-3367.19	706102.51	735742.41	33°01'17.028"N	103°47'44.778"W	1.09
12092.00	91.100	269.100	8824.50	3431.27	-27.92	-3431.17	706038.54	735741.18	33°01'17.020"N	103°47'45.529"W	0.62
12156.00	91.200	268.500	8823.21	3495.25	-29.26	-3495.14	705974.57	735739.84	33°01'17.010"N	103°47'46.281"W	0.95
12220.00	91.500	269.000	8821.71	3559.23	-30.66	-3559.11	705910.61	735738.44	33°01'16.999"N	103°47'47.032"W	0.91
12284.00	91.700	267.700	8819.92	3623.19	-32.50	-3623.05	705846.67	735736.60	33°01'16.984"N	103°47'47.783"W	2.05



Actual Wellpath Report

No. 1H AWP

Page 7 of 8



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	COG Operating LLC	Slot	No. 1H_SHL
Area	Chaves County, NM	Well	No. 1H
Field	(Andromeda) Sec 14, T15S, R31E	Wellbore	No. 1H AWB
Facility	Andromeda Federal No. 1H	Sidetrack from	No. 1 AWB at 8300.00 MD

WELLPATH DATA (166 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	DLS [°/100ft]
12347.00	91.500	267.200	8818.16	3686.13	-35.30	-3685.97	705783.76	735733.80	33°01'16.959"N	103°47'48.522"W	0.85
12411.00	92.200	267.300	8816.09	3750.05	-38.37	-3749.86	705719.87	735730.73	33°01'16.932"N	103°47'49.273"W	1.10
12475.00	91.400	267.700	8814.08	3813.99	-41.16	-3813.77	705655.97	735727.94	33°01'16.908"N	103°47'50.023"W	1.40
12539.00	90.300	268.800	8813.14	3877.97	-43.12	-3877.73	705592.01	735725.99	33°01'16.892"N	103°47'50.775"W	2.43
12603.00	90.100	269.300	8812.91	3941.96	-44.18	-3941.72	705528.02	735724.92	33°01'16.884"N	103°47'51.526"W	0.84
12666.00	89.500	270.000	8813.13	4004.96	-44.56	-4004.71	705465.03	735724.54	33°01'16.884"N	103°47'52.266"W	1.46
12730.00	89.600	270.000	8813.63	4068.96	-44.56	-4068.71	705401.03	735724.54	33°01'16.887"N	103°47'53.018"W	0.16
12794.00	89.600	269.100	8814.08	4132.95	-45.07	-4132.71	705337.04	735724.04	33°01'16.885"N	103°47'53.769"W	1.41
12858.00	89.600	269.200	8814.53	4196.95	-46.02	-4196.70	705273.05	735723.09	33°01'16.879"N	103°47'54.521"W	0.16
12922.00	89.500	269.500	8815.03	4260.95	-46.74	-4260.69	705209.06	735722.36	33°01'16.875"N	103°47'55.273"W	0.49
12986.00	89.500	269.600	8815.59	4324.95	-47.24	-4324.69	705145.07	735721.86	33°01'16.873"N	103°47'56.024"W	0.16
13050.00	89.600	269.700	8816.09	4388.94	-47.63	-4388.69	705081.08	735721.47	33°01'16.873"N	103°47'56.776"W	0.22
13114.00	89.100	269.800	8816.82	4452.94	-47.91	-4452.68	705017.09	735721.19	33°01'16.873"N	103°47'57.527"W	0.80
13178.00	88.900	269.900	8817.93	4516.93	-48.08	-4516.67	704953.10	735721.02	33°01'16.875"N	103°47'58.279"W	0.35
13227.00	89.100	270.100	8818.79	4565.92	-48.08	-4565.66	704904.11	735721.02	33°01'16.877"N	103°47'58.854"W	0.58
13287.00	89.100	270.100	8819.73	4625.90	-47.98	-4625.66	704844.12	735721.13	33°01'16.881"N	103°47'59.559"W	0.00



Actual Wellpath Report

No. 1H AWP

Page 8 of 8



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	COG Operating LLC	Slot	No. 1H_SHL
Area	Chaves County, NM	Well	No. 1H
Field	(Andromeda) Sec 14, T15S, R31E	Wellbore	No. 1H AWB
Facility	Andromeda Federal No. 1H	Sidetrack from	No. 1 AWB at 8300.00 MD

TARGETS

Name	MD [ft]	TVD [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	Shape
No. 1H PBHL Rev1		8784.00	-49.78	-4625.97	704843.81	735719.32	33°01'16.863"N	103°47'59.563"W	point

WELLPATH COMPOSITION

Ref Wellbore: No. 1H AWB

Ref Wellpath: No. 1H AWP

Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment	Wellbore
0.00	8300.00	Generic gyro - continuous (Standard)	GYRO - <100 - 8981>	No. 1 AWB
8300.00	13227.00	NaviTrak (Standard)	MWD - <8357 - 13227>	No. 1H AWB
13227.00	13287.00	Blind Drilling (std)	Projection to bit	No. 1H AWB