

Submit 3 Copies To Appropriate District
 Office
 District I
 1625 N. French Dr., Hobbs, NM 87240
 District II
 1301 W. Grand Ave., Artesia, NM 88201
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103

June 19, 2008

RECEIVED
 HOBBS OGD
 APR 27 2011

CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-35922
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 29529
7. Lease Name or Unit Agreement Name: State "T"
8. Well Number 1
9. OGRID Number 162928
10. Pool name or Wildcat Saunders, San Andres
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4215' GL

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
 Oil Well Gas Well Other

2. Name of Operator
 Energen Resources Corporation

3. Address of Operator
 3300 N. "A" St., Bldg 4, Ste. 100, Midland, TX 79705

4. Well Location
 Unit Letter H : 2970 feet from the South line and 660 feet from the East line
 Section 5 Township 15-S Range 33-E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK PLUG AND ABANDON
 TEMPORARILY ABANDON CHANGE PLANS
 PULL OR ALTER CASING MULTIPLE COMPL
 DOWNHOLE COMMINGLE

OTHER:

SUBSEQUENT REPORT OF:

- REMEDIAL WORK ALTERING CASING
 COMMENCE DRILLING OPNS. P AND A
 CASING/CEMENT JOB

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See attached procedure.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tracie J Cherry TITLE Asst Supv Regulatory/Admin DATE 04-26-11

Type or print name Tracie J Cherry E-mail address: tracie.cherry@energen.com PHONE 432/684-3692

For State Use Only

APPROVED BY [Signature] TITLE _____ DATE APR 26 2011

Conditions of Approval (if any):

ENERGEN RESOURCES CORPORATION

State T #1

30-025-35922

2970' FSL and 660' FEL

Sec 5, T-15-S, R-33E, UL - H

Lea Co., NM

Saunders (San Andres)

P&A Well

See Attached Wellbore Diagrams:

Plugging Procedure:

1. RIH with tbg, tag CIBP @ 4075'.
2. Dump bail 35' cmt.
3. WOC - Tag cement plug.
4. Fill wellbore with M.F.
5. Spot ^{100'} cmt plug @ 2676'.

6B 6. WOC - Tag cement plug. *Spot 100' cmt plug @ 1500'*

7. Spot 100' cmt plug @ 687'.
8. WOC - Tag cement plug.
9. Spot cmt plug from 150' to surface.
10. WOC.
11. Cut off wellhead 3' from surface and weld on P&A marker.

ENERGEN RESOURCES

State T #1

Lea County, NM

Current Conditions: 4/19/2011

TA'd PRD

GL Elevation: 4215'

Location: 2970' FSL X 660' FEL

UL - H, Sec 5, T-15-S, R-33E

Spud: 6/15/2002 Completed: 7/16/2002

API No: 30-025-35922


Surface Casing:

8-5/8" 24# @ 456'

Hole Size: 12-1/4"

Cemented to surface
w/ 450 sx CI C

637'



Production Liner:

5-1/2" 15.5# @ 5130'

Cemented to surface

1300 sx 50/50 Poz C

in 7-7/8" hole

CIBP @ 4750' ✓

Sqzd Perf's: 4780'-4804'

Perf's: 4934'-4970'

PBTD: 5102'

TD: 5137'

ENERGEN RESOURCES

State T #1

Lea County, NM

GL Elevation: 4215'

Location: 2970' FSL X 660' FEL

UL - H, Sec 5, T-15-S, R-33E

Spud: 6/15/2002 Completed: 7/16/2002

API No: 30-025-35922


Surface Casing:

8-5/8" 24# @ 456'

Hole Size: 12-1/4"

Cemented to surface

w/ 450 sx CI C



Spot Plug from 150' - Surface

637'

Spot Plug from 587' - 687'

MLF

Spot 100' cmt plug @ 1500'

T/S

Production Liner:

5-1/2" 15.5# @ 5130'

Cemented to surface

1300 sx 50/50 Poz C

in 7-7/8" hole

Spot Plug @ 2676'

100'
B/S

Dump bail 35' cmt on CIBP ✓

CIBP @ 4750' ✓

Sqzd Perf's: 4780'-4804'

Perf's: 4934'-4970'

PBTD: 5102'

TD: 5137'