

Amerada Petroleum Corp. State SR "B"

OPERATOR

LEASE

1 6605 660E 15 95 32E

WELL NO.

FOOTAGE LOCATION

SECTION

TOWNSHIP


RANGE

Drilled as a Devonian producer - Now PTA

Schematic

Drilled in 1956

Tabular Data



10 SKS.

13 3/8 @ 338'

40 SKS @ 313'

40 SKS @ 525'

8 5/8 pulled from 600'

25 SKS @ 3505'

8 5/8 @ 3550'

25 SKS @ 4802'

5 1/2 pulled from 6600'

25 SKS @ 6542'

30 SKS @ 10,965

5 1/2 @ 11,085'

Surface Casing

Size 13 3/8" Cemented with 275 sx.

TOC Surface feet determined by Circulated

Hole size 17 1/2

Intermediate Casing

Size 8 5/8" Cemented with 1500 sx.

TOC 644 feet determined by Temp. Survey

Hole size 11

Long string

Size 5 1/2" Cemented with 900 sx.

TOC 7315 feet determined by Temp. Survey

Hole size 7 3/4

Total depth 11,125

Injection interval

11,085 feet to 11,125 feet (perforated or open-hole, indicate which)

Tubing size lined with (material) set in a

packer at feet

(brand and model)

(or describe any other casing-tubing seal).

Other Data

1. Name of the injection formation

2. Name of Field or Pool (if applicable)