

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-105
Revised 1-1-89

OIL CONSERVATION DIVISION

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO. 30-025-26097
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. -
7. Lease Name or Unit Agreement Name Santa Fe Railway
8. Well No. 1
9. Pool name or Wildcat E. Crossroads (San Andres)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL GAS WELL OTHER

2. Name of Operator
MGF Oil Corporation

3. Address of Operator
P. O. Box 21540, Tulsa, OK 74121-1540

4. Well Location
Unit Letter A : 760 Feet From The North Line and 760 Feet From The East Line

Section 13 Township 10S Range 36E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
3977 GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: _____ <input type="checkbox"/>		OTHER: _____ <input type="checkbox"/>	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- Set CIBP @ 4920' w/35' cmt on top.
- TIH w/tbg. Load hole w/10# brine w/25# gel/bbl.
- Set 25 sx cmt plug @ 2450'.
- Set 25 sx cmt plug @ 550'.
- Set 25 sx cmt surface plug.
- Weld on cap and install DH marker.

Note: Cmt was circulated to surface on both the 8 5/8" & 4 1/2" casing strings.

Estimated starting date: 5/1/92.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE C. Van Valkenburg TITLE Technical Coordinator DATE 4/10/92

TYPE OR PRINT NAME Charlotte Van Valkenburg TELEPHONE NO. 918-491-4314

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE _____

Orig. Signed by Paul Kautz Geologist

CONDITIONS OF APPROVAL, IF ANY:

APR 17 '92