

WCOPR MIDWEST OIL CORPORATION

1 T P-State

Sec. 31, T-16-S, R-38-E

CO-ORD

1980' fr N Line &amp; 660' fr E Line of Sec.

Spud 8-22-64

Comp 10-5-64

CLASS

EL 37482

## CSG &amp; SX - TUBING

CSG	SX	DEPTH	FEET
13 3/8"		357'	350
8 5/8"		5140'	450
4 1/2"		6030'	200

FORMATION

DATUM

FORMATION

DATUM

LOG:

SA 5040

Glor 6520

B Sprg

8320

Abo 8980

LOGS EL GR RA IND HC A

TD 10010', PBD 5996'

IP San Andres Perfs 5207-5508' Pmpd 50 BOPD + 36 BW. Pot. Based on 24 hr test, gravity 27., GOR 870.

Distribution limited and publication prohibited by subscribers' agreement.  
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.  
DATE

PROP DEPTH 10,000' TYPE

	F.R. 8-20-64
	PD 10,000' - Abo
8-24-64	Drlg. 1665' anhy.
8-31-64	Drlg. 5145' lm.
9-8-64	Drlg. 6533' dolo.
	DST 5330-5430', open 1 hr 30 mins,
	Rec 630' O&GCM
	30 min ISIP 2118#, FP 163-319#,
	30 min FSIP 1880#.
	DST 5430-5775', open 1 hr 30 mins,
	Rec 1435' gas in DP, 60' free oil + 125'
	O&GCDM,
	30 min ISIP 2340#, FP 199-212#,
	1 hr FSIP 1476#.
	DST 5775-5817', open 1 hr,
	Rec 110' VSO&GCM,
	30 min ISIP 2207#, FP 53-53#,
	30 min FSIP 2048#.

9-8-64 - cont. -  
DST 5818-50', open 3 hrs,  
Rec 180' mud, 720' blk sul wtr,  
30 min ISIP 2327#, FP 39-478#,  
1 hr 30 min FSIP 2101#.  
9-14-64 Drlg. 8215' dolo. & sd.  
9-21-64 TD 9224', circ for samples.  
DST (Bone Spring) 8440-8582', open 2 hrs,  
rec 180' VSO&GCM, 140' SGCM, 100' SGCM  
w/sul odor  
30 min ISIP 3288#, FP 79-105#,  
1 hr FSIP 3183#.  
9-28-64 TD 10010', WOO.  
DST 9140-9240', open 2 hrs 30 mins,  
rec 2750' MC Sul Wtr,

30 min ISIP 3922#, FP 339-293#,  
30 min FSIP 3328#.  
DST 9540-96', open 1 hr,  
rec 90' mud, w/tr. oil & gas, + 90'  
sul. WCM,  
30 min ISIP 3577#, FP 80-141#,  
30 min FSIP 3571#.  
10-5-64 TD 10010', PBD 5996', swbg.  
SP DST (Wichita Albany) 9677-9853', open 2 hrs,  
rec 7048' salty sul. wtr,  
30 min ISIP 3571#, FP 777-3312#, 1 hr FSIP  
3500#, HP 4622-4608#.  
Ran Casing  
Perf @ 5600' W/4 SPI (Casing Squeeze)  
Squeezed perf @ 5600' W/300 sx.  
Perf 5207-12', 5233-36', 5296-5301', 5342-44',  
5378-80', 5386-91', 5400-04', 5407-12',  
5500-08' W/1 SPF

10-5-64 - cont. -

Ac. 3200 gals. 5207-5508'.

10-12-64 TD 10010', PBD 5996', RU Pump.

Swbd 5½ BF (5% oil) in 1 hr

10-19-64 TD 10010', PBD 5996', tstg on pump.  
Pmpd 20 BO + 35 BW in 24 hrs.

10-26-64 TD 10010', PBD 5996', tstg on pump.  
Pmpd 11 BO + 30 BW in 24 hrs.

11-2-64 TD 10010', PBD 5996', tstg on pump.  
pmpd 5 BO + 33 BW in 24 hrs.

11-9-64 TD 10010', PBD 5996', tstg on pump.  
pmpd 4 BO + 34 BW in 24 hrs.

11-16-64 TD 10010', PBD 5996', tstg on pump.  
Pmpd 3 BO + 35 BW in 24 hrs.

11-23-64 TD 10010', PBD 5996', tstg on pump.  
Pmpd 3 BO + 40 BW in 24 hrs.

11-30-64 TD 10010', PBD 5996', tstg on pump

(Final posting until status changes)

12-14-64 TD 10010', PBD 5996', COMPLETED.

