

INSTRUCTIONS

This form is to be filled with the appropriate district units of the Dry-Land, not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and resistivity logs run in the well and a summary of all geologic tests conducted, including drill stem tests. All measurements shall be measured together. In the case of directionally drilled wells, true vertical depths shall also be reported. The multiple measurements, however, shall be reported for each well. The form is to be filled in quadruplicate except on state land, where only copies are required. See Page 1125.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anby 2085	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn 11133	T. Kirtland-Parishland	T. Penn. "C"
H. Salt	T. Atoka 11312	T. Pictured Cliffs	T. Penn. "D"
T. Yates 3211	T. Miss	T. Cliff House	T. Leadville
T. V Rivers	T. Devonian	T. Menefee	T. Madras
T. Queen 4091	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres 4878	T. Simpson	T. Gallup	T. Ignacio Quartz
T. Glorietta 6292	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blainebry	T. Gr. Wash	T. Morrison	T.
T. Tubb 7360	T. Granite	T. Todilto	T.
T. Drinkard	T. Delaware Sand	T. Entrada	T.
T. Abo 8302	T. Bone Springs	T. Wingate	T.
T. Wolfcamp, L.S. 9674	T.	T. Chinle	T.
T. Penn. 10314	T.	T. Permian	T.
T. Cisco (Hough C)	T.	T. Penn. "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....	No. 4, from.....to.....
No. 2, from.....to.....	No. 5, from.....to.....
No. 3, from.....to.....	No. 6, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....	feet.
No. 2, from.....to.....	feet.
No. 3, from.....to.....	feet.
No. 4, from.....to.....	feet.

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2085	2085	Redbeds, Sand, Anhydrite				
2085	3050	965	Anhydrite, Salt				
3050	4560	1510	Shale, Sand, Anhydrite				
4560	5530	970	Dolomite, Anhydrite				
5530	6495	965	Dolo, Shale, Chert, Anhydrite				
6495	8655	2160	Dolomite				
8655	8860	205	Shale, Dolomite				
8860	10090	1230	Shale, Lime, Dolomite				
10090	10636	546	Chert, Shale, Lime				
10636	11265	629	Shale, Lime				
11265	11500	235	Sand, Shale, Lime				

1987
1988
1989