

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

Submit 3 Copies to Appropriate District Office

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO.
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. LG-2252
7. Lease Name or Unit Agreement Name Kochia AAM State
8. Well No. 1
9. Pool name or Wildcat Dean Devonian
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3855.1' GR

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER
2. Name of Operator YATES PETROLEUM CORPORATION
3. Address of Operator 105 South 4th St., Artesia, NM 88210
4. Well Location Unit Letter 0 : 990 Feet From The South Line and 2310 Feet From The East Line Section 35 Township 15S Range 36E NMPM Lea County

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: Abandon current interval & add perfs. higher in Devonian <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

We propose to abandon the current Devonian perforations 13672-13676' and add pay higher in the Devonian from 13642-13646' and 13594-13598' as follows:

1. Move in and rig up. Nipple down tree and nipple up and test BOP. TOOH w/tubing.
2. Squeeze off perforations 13672-13676' with cement retainer. Will set retainer as low as possible in order to maximize remaining rathole.
3. RIH w/casing gun and perforate 13642-13646' and 13594-13598' with 4 SPF.
4. RIH w/RBP and packer.
5. Isolate and acidize perforations 13594-13598' w/500 gallons 15% NEFE HCL acid. Swab test. Based on results of swab test, will decide whether to produce both sets of new perfs or just the upper perfs.
6. If decision is made to produce both zones, will isolate and acidize perfs. 13642-13646' with 500 gallons 15% NEFE HCL acid.
7. Move packer above perfs and swab well.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kusty Klein TITLE Production Clerk DATE July 26, 1993

TYPE OR PRINT NAME Kusty Klein TELEPHONE NO. 505/748-1471

(This space for State Use)

APPROVED BY Paul Kautz Geologist TITLE _____ DATE AUG 03 1993

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

02

1954