

Multi-Point Surface Use and Operations Plan
Barney Cockburn's Ohio Jones No. 2

Page No. 3

5. Location and Type of Water Supply

Fresh and brine water will be purchased and trucked over the existing road system to the well site.

6. Source of Construction Materials

Caliche for surfacing a small well pad will be obtained from an existing pit in the NE/4 of the NE/4 Section 31-17S-33E. The pit is on land owned by George Williams, Lovington, New Mexico. Location of the pit is shown on the third attached plat.

7. Methods of Handling Waste Disposal

- A. Any excess fluids used to plug the well will be allowed to evaporate in the sump and reserve pit until pits are dry.
- B. Trash, waste paper, garbage and junk will be buried in a separate trash pit and covered with a minimum of 24 inches of dirt. All waste material will be contained to prevent scattering by the wind. Location of the trash pit is shown on the well site layout.
- C. All trash and debris will be buried or removed from the well site within 30 days after the well is plugged and abandoned.
- D. Current laws and regulations pertaining to the disposal of human waste will be complied with.

8. Ancillary Facilities

None required.

9. Well Site Layout

- A. A plat of the well site is attached which shows the small well pad, sump pit, reserve pit, trash pit and location of the plugging machine.
- B. Only minor levelling of the well site will be required. No significant cuts and fills will be necessary.
- C. The reserve pit will be plastic lined.