


Rec'd and Fwd.
T. A. Stangor
State Oil & Gas



AREA 640 ACRES
LOCATE WELL CORRECTLY

DEPARTMENT OF THE STATE GEOLOGIST

NEW MEXICO SCHOOL OF MINES
Socorro, New Mexico

WELL RECORD

Mail to State Geologist, Socorro, New Mexico, not more than ten days after completion of well. Indicate questionable data by following it with (?). Submit in duplicate.

Company **Texas Pacific Coal & Oil Company** Address **1710 Ft. Worth Nat'l Bk. Bldg., Ft. Worth, Texas.**
 Send correspondence to **R. J. Fleckenstein** Address **1710 Ft. Worth Nat'l Bk. Bldg., Ft. Worth, Texas.**
State of New Mexico Well No. **3 "G"** in **SE $\frac{1}{4}$** of Sec. **24**, T. **18-S**,
 R. **37-E**, N. M. P. M., **Hobbs** Oil Field, **Lea** County.
 If State land the oil and gas lease is No. **2056** Assignment No. _____
 If patented land the owner is _____ Address _____
 The lessee is **Texas Pacific Coal & Oil Company** Address **1710 Ft. Worth Nat'l Bk. Bldg. Ft. Worth, Texas.**
 If not state or patented land, give status _____
 Drilling commenced **May 3,** 19 **32** Drilling was completed **June 14,** 19 **32**
 Name of drilling contractor **Smith & McDannald** Address **P.O. Box 87, Electra, Texas.**
 Elevation above sea level at top of casing **3669.27** feet.
 The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from **4095** to **4115** No. 4, from _____ to _____
 No. 2, from **4120** to **4150** No. 5, from _____ to _____
 No. 3, from **4212** to **4226** No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATED		PURPOSE
							FROM	TO	
12 $\frac{1}{2}$ "	50#	8	2nd Hand	210'	Plain				
9" O.D.	34#	10	Natl. Seamless	2900'	Baker-Burch Cement	Float Shoe			
7" "	24#	8	"	3900'	Plain				

MUDDING AND CEMENTING RECORD

SIZE	WHERE SET	No. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
12 $\frac{1}{2}$ "	215'	200	Halliburton		
9" O.D.	2810'	400	"		
7" "	3676'	300	"		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
 Adapters—Material _____ Size _____

SHOOTING RECORD

SIZE	SHELL USED	EXPLOSIVE USED	QUANTITY	DATE	DEPTH SHOT	DEPTH CLEANED OUT

TOOLS USED

Rotary tools were used from **0** feet to **4227** feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing **June 16,** 19**32**
 The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; **No water** water; and _____% sediment. Gravity, Be. **37**
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYES

_____, Driller _____, Driller
 _____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **24th** day of **June**, 19**32**
 Name _____
 Position **General Superintendent**
 Notary Public _____
 My commission expires **May 31, 1933** Representing **Texas Pacific Coal & Oil Co.** Company or Operator

FORMATION RECORD

From	to	Thickness in Feet	Formation
0	18	18	Surface
18	23	5	Lime
23	95	72	Sand shells lime
95	107	12	Sand
107	110	3	Hard sand pack
110	162	52	Broken sand
162	206	44	Broken sand
206	215	9	Red Bed
215	267	52	Red Bed
267	786	519	Red bed shale & shells
786	1200	414	Red bed sandy lime shells
1200	1260	60	Broken sand
1260	1313	53	Red bed hard shells
1313	1414	101	B. red bed lime shells
1414	1445	31	Red bed gyp shells
1445	1477	32	Broken anhydrite and red bed
1477	1514	37	Hard white lime
1514	1603	89	Anhydrite
1603	1637	34	Br. salt anhydrite
1637	1650	13	Anhydrite
1650	1749	99	Br. salt
1749	1757	8	Anhydrite
1757	1775	18	Salt
1775	1862	87	Salt & anhydrite
1862	1870	8	Anhydrite
1870	1900	30	Salt
1900	2121	221	Salt potash anhydrite shells
2121	2325	204	Salt potash anhydrite
2325	2550	225	Br. salt
2550	2561	11	Anhydrite
2561	2595	34	Br. salt anhydrite
2595	2651	56	Br. lime anhydrite (Base salt 2595)
2651	2710	59	Broken anhydrite and lime shells SIM 2697
2710	2745	35	Br. lime anhydrite
2745	2825	80	Anhydrite
2825	2835	10	Lime anhydrite
2835	2840	5	Anhydrite
2840	2897	57	Lime
2897	2988	91	Anhydrite lime streaks
2988	3064	76	Lime and anhydrite
3064	3180	116	Anhydrite red bed lime streaks
3180	3280	100	Br. anhydrite sand shale
3280	3335	55	Broken anhydrite and lime
3335	3476	141	Broken lime and anhydrite
3476	3502	26	Lime and anhydrite
3502	3586	84	Anhydrite and lime streaks
3586	3665	79	Lime and anhydrite
3665	3676	11	Anhydrite
3676	3751	75	Lime and anhydrite
3751	3881	131	Lime
3881	3890	9	Hard white lime
3890	3897	7	Hard blue lime
3897	3911	13	Anhydrite sandy lime
3911	3921	10	Hard sand lime anhydrite
3921	3926	5	Brown lime sandy
3926	3952	26	Sand and lime
3952	3983	31	Gray and brown lime sandy
3983	4008	25	Blue lime
4008	4025	17	Sand and lime
4025	4030	5	Broken sand
4030	4057	27	White lime
4057	4096	39	Brown lime
4096	4107	11	Soft brown lime, showing oil
4107	4109	2	Hard lime
4109	4127	18	Soft brown lime, showing oil, hard streaks
4127	4139	12	Brown lime soft
4139	4146	7	Brown lime hard
4146	4167	21	Brown lime med.
4167	4170	3	Soft brown lime
4170	4192	22	Brown and gray lime
4192	4212	20	Brown lime
4212	4214	2	Soft b. lime
4214	4215	1	Hard lime
4215	4226	11	Soft b. lime
4226	4227	1	Hard lime

Official Well Test

Tubing gauge	2916 Barrels
Tubing and casing	3758 "
Tubing gauge	6,761 MCF Gas
Tubing and casing	8,626 " "
Gas-Oil Ratio - Tubing	2,319
" " " - Casing & tubing	2,295

NEW MEXICO STATE LAND OFFICE
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST
NEW MEXICO SCHOOL OF MINES
SOCORRO, NEW MEXICO


NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Mr. **T. A. Standeliff**, State Geologist, **Hobbs**, N. Mex., **4-12-** 19 **32**
Hobbs, N. Mex., **XXXXX** Oil & Gas Inspector

Dear Sir: you are hereby notified that it is our intention to commence the drilling of a well to be known as

New Mexico STATE Well No. **3 "G"** in **SE 1/4** of Sec. **24**
T. **18**, R. **57**, N. M. P. M., **Hobbs** Oil Field
Lea County.



AREA 640 ACRES
LOCATE WELL CORRECTLY

The well is **1320** feet (N.) of **So.** line and **1325** feet (E.) of East line.

(W.) _____
of _____ line of **SE 1/4** of **Sec. 24**.

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. **22**

Assignment No. _____

If patented land the owner is _____

Address _____

The lessee is **Texas Pacific Coal & Oil Company** Address **1710 Fort Worth National Bank Bldg., Ft. Worth, Texas.**

The elevation of the derrick floor above sea level is _____ feet. We propose to drill well with No. **Rotary**

Make of Drill _____

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented
12 1/2"	50#	Second Hand	210'	Cemented.
9" O.D.	34# Natl Seamless	New	2900'	"
7" "	24# " "	"	3900'	"

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about **4180** feet.

Additional information:

Sincerely yours,

TEXAS PACIFIC COAL AND OIL COMPANY

Approved _____, 19 **32**
Except as follows:

By **R. J. Fleckenstein** Company or Operator.
Position **General Superintendent.**

Send communication regarding well to
Name **R. J. Fleckenstein**

State Geologist or Oil and Gas Inspector. Address **Port Worth, Texas**

NEW MEXICO STATE LAND OFFICE
 OFFICE OF THE STATE GEOLOGIST
 SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	<input checked="" type="checkbox"/>	REPORT ON DEEPENING WELL	<input type="checkbox"/>
REPORT ON RESULT OF SHOOTING WELL	<input type="checkbox"/>	REPORT ON PULLING OR OTHERWISE ALTERING CASING	<input type="checkbox"/>
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	<input type="checkbox"/>	REPORT ON REPAIRING WELL	<input type="checkbox"/>
REPORT ON RESULT OF ABANDONMENT OF WELL	<input type="checkbox"/>		<input type="checkbox"/>

Fort Worth, Texas May 3, 1932

Mr. T. A. Standeliff State ~~Geologist~~ **Oil & Gas Inspector**
 Santa Fe, N. Mex.

Following is a report on the work done and the results obtained under the heading noted above at the State of New Mexico "G" Well No. 3 in the

SE¹ COMPANY OR OPERATOR of Sec. 24, T. 18S LEASE, R. 37E, N. M. P. M., Hobbs Oil Field, Lea County.

The dates of this work were as follows: 5-3-32

Notice of intention to do the work was (was not) submitted on Form SG 101 on April 12, 1932, and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

This report is sent in to show date above well spudded.

Subscribed and sworn to before me this

3rd day of May, 1932.

Tarrant County, Texas

NOTARY PUBLIC.

My commission expires 5-31-33

I hereby swear or affirm that the information given above is true and correct.

Name *T. A. Standeliff*
 Position **General Superintendent**

Representing **Texas Pacific Coal & Oil Company**

Address **1710 Ft. Worth Nat'l Bk. Bldg., Ft. Worth, Texas.**

Remarks:

T. A. Standeliff
 T. A. STANCLIFF
 STATE OIL & GAS INSPECTOR

NEW MEXICO STATE LAND OFFICE
 OFFICE OF THE STATE GEOLOGIST
 SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL	REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL	Casing set	X

Fort Worth, Texas

May 5, 1932

Mr. T. A. Standeliff State Geologist
 Hobbs, ~~XXXXXX~~ N. Mex. Oil & Gas Inspector

Following is a report on the work done and the results obtained under the heading noted above at the Texas Pacific Coal & Oil Co. State New Mexico "G" Well No. 3 in the

SE 1 of Sec. 24, T. 18S, R. 37E, N. M. P. M., Hobbs Oil Field, Lea County.

The dates of this work were as follows: 5-5-32

Notice of intention to do the work was (was not) submitted on Form SG _____ on _____, 19____, and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

12 1/2" surface casing set in 200 sacks cement at 215' in 16" hole.

Subscribed and sworn to before me this 5th day of May, 1932.

Tarrant County, Texas. NOTARY PUBLIC.

My commission expires 5-31-33

I hereby swear or affirm that the information given above is true and correct.

Name T. A. Standeliff

Position General Superintendent

Representing Texas Pacific Coal and Oil Company

Address 1710 Ft. Worth Nat'l Bldg., Ft. Worth, Texas.

Remarks:

Accepted in lieu of Form B.C.-103.

T. A. Standeliff
 NAME T. A. STANDELIFF TITLE

NEW MEXICO STATE LAND OFFICE
 OFFICE OF THE STATE GEOLOGIST
 SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	X	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL			

Fort Worth, Texas May 12, 1932

Mr. T. A. Standeliff State Geologist
 Hobbs, ~~Sanford~~ N. Mex. Oil & Gas Inspector

Following is a report on the work done and the results obtained under the heading noted above at the T.P.C. & O. Co. State "G" Well No. 3 in the

SE¹/₄ of Sec. 24, T. 18S, R. 37E, N. M. P. M., Hobbs Oil Field, Lea County.

The dates of this work were as follows: 5-7-32

Notice of intention to do the work was (~~submitted~~) submitted on Form SG on May 5, 1932, and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

As previously reported, 12¹/₂" casing was set in 200 sacks cement at 215' in 16" hole and was tested by bailing on May 7th and water found to be completed shut off.

Subscribed and sworn to before me this 12th day of May 19 32.

Tarrant County, Tex. NOTARY PUBLIC.

My commission expires 5-31-33

I hereby swear or affirm that the information given above is true and correct.

Name T. A. Standeliff

Position General Superintendent

Representing Texas Pacific Coal & Oil Company

Address 1710 Ft. Worth Nat'l Bk Bldg., Ft. Worth Tex.

Remarks:

T. A. Standeliff
 NAME TITLE

NEW MEXICO STATE LAND OFFICE
 OFFICE OF THE STATE GEOLOGIST
 SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL	REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL	Running Casing	X

Fort Worth, Texas 5-16-32

PLACE DATE

Mr. T. A. Stancliff State Geologist
 Hobbs, ~~State~~ N. Mex. Oil & Gas Inspector.

Following is a report on the work done and the results obtained under the heading noted above at the Texas Pacific Coal & Oil Co. State New Mexico "G" Well No. 3 in the

SE 1/4 COMPANY OR OPERATOR of Sec. 24, T. 18S LEASE, R. 37E, N. M. P. M., Hobbs Oil Field, Lea County.

The dates of this work were as follows: 5-16-32

Notice of intention to do the work was (was not) submitted on Form SG _____ on _____, 19____, and approval of the proposed plan was (~~was not~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

9" O.D. Casing (34#) set in 400 sacks cement at 2810' in 11" hole.

Subscribed and sworn to before me this 16th day of May, 1932.

Tarrant County, Texas NOTARY PUBLIC.

My commission expires 5-31-33

I hereby swear or affirm that the information given above is true and correct.

Name _____
 Position General Superintendent
 Representing Texas Pacific Coal & Oil Company
 Address 1710 Ft. Worth Nat'l Bk. Bldg., Ft. Worth Texas.

Remarks:

In place 7 10.8.103

NAME T. A. STANCLIFF TITLE

NEW MEXICO STATE LAND OFFICE
OFFICE OF THE STATE GEOLOGIST
SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	X	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL			

Fort Worth, Texas

May 21, 1932

PLACE

DATE

Mr. T. A. Stancliff State Geologist
Hobbs, Santa Fe, N. Mex. Oil & Gas Inspector

Following is a report on the work done and the results obtained under the heading noted above at the T. P. C. & O. Co. State of New Mexico "G" Well No. 3 in the

COMPANY OR OPERATOR

LEASE

SE 1/4 of Sec. 24, T. 18S, R. 37E, N. M. P. M., Hobbs Oil Field, Lea County.

The dates of this work were as follows: 5-16-32

Notice of intention to do the work was (~~was not~~) submitted on Form SG _____ on _____, 19____, and approval of the proposed plan was (~~was not~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

9" O.D. 34# casing set in 400 sacks cement at 2810' in 11" hole was tested by bailing and water found to be completely shut off.

Subscribed and sworn to before me this 21st day of May 1932

Tarrant County, Texas NOTARY PUBLIC.

My commission expires 5-31-33

I hereby swear or affirm that the information given above is true and correct.

Name *T. B. Beckwith*

Position General Superintendent

Representing Texas Pacific Coal & Oil Company

Address 1710 Ft. Worth Nat'l Bk. Bldg.,

Fort Worth, Texas.

Remarks:

NAME T. A. STANCLIFF TITLE OIL & GAS INSPECTOR

NEW MEXICO STATE LAND OFFICE
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST
NOTICE OF TEST OF WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in duplicate.

Fort Worth, Texas ~~XXXXXX~~, June 1, 1932

Mr. T. A. Stancliff

State ~~Geologist~~, Oil & Gas Inspector
Hobbs, ~~New Mexico~~, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in State "G"
Well No. 5 in SE $\frac{1}{4}$ of Sec. 24 T. 18S, R. 37E,
N. M. P. M. Hobbs Oil Field Lee County,
on June 3, 1932 7" OD 24 lb. casing was ~~lined~~ cemented in Line
formation at a depth of 3878' feet on 5-31 1932
300 sacks of Ineor cement were used.

The method used in placing the cement was as follows:

Fluid level will be bailed to a depth of Bottom of hole feet and left undisturbed for at least 12 hours before your inspection.

Adjacent property owners have been notified as follows: Texas Company on South, Shell Pet. Co. on East and Gypsy Oil Co. on North.

Additional information:

Work completed at 4:00 P.M. 5-31-32.

Approved June 2 1932 Sincerely yours,

Except as follows:

Texas Pacific Coal & Oil Company
Company or Operator.

By:

Position General Superintendent Production

Send communication regarding well to

Name R. J. Fleckenstein

Address 1710 Ft. Worth National Bank Bldg.

Fort Worth, Texas.

T. A. Stancliff
State Geologist or Oil and Gas Inspector

NEW MEXICO STATE LAND OFFICE
 OFFICE OF THE STATE GEOLOGIST
 SANTA FE, NEW MEXICO

MISCELLANEOUS REPORTS ON WELLS

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas Inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	X	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL			

Fort Worth, Texas 6-4-32

Mr. T. A. Stancliff State Geologist PLACE DATE

Hobbs ~~Sanmar~~ N. Mex. Oil & Gas Inspector

Following is a report on the work done and the results obtained under the heading noted above at the T. P. C. & O. Co. State "G" Well No. 3 in the

SE 1/4 of Sec. 24, T. 18S, R. 37E, N. M. P. M., Hobbs Oil Field, Lea County.

The dates of this work were as follows: 6-3-32

Notice of intention to do the work was (was not) submitted on Form SG 103 on June 1, 1932, and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Hole was bailed to bottom and water was completely shut off after standing 12 hours.

Subscribed and sworn to before me this 4th day of June, 1932.

Tarrant County, Texas. NOTARY PUBLIC.
 My commission expires 5-31-33

I hereby swear or affirm that the information given above is true and correct.
 Name _____
 Position General Superintendent
 Representing Texas Pacific Coal & Oil Company
 Address 1710 Fort Worth National Bank Bldg.
 Fort Worth, Texas.

Remarks: