

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. OIL CONS. DIVISION
15 N. French Dr.
Hobbs, NM 88240
BUREAU OF LAND MANAGEMENT APPROVED
Budget Form No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT--" for such proposals

5. Lease Designation and Serial No.

NM-53381

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Caviness 11 Fed #3

9. API Well No.

30-025-30634

10. Field and Pool, or Exploratory Area

Mescalero Escarpe Bone Spring

11. County or Parish, State

P.O. Box 1933, Roswell, NM 88202 505-623-6601

Lea County, NM

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

990' FNL & 330' FWL, Sec 11, T18S, R33E

12 CHECK APPROPRIATE BOX (s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other <u>Plug & Abandon</u>	<input type="checkbox"/> Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and log form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If wells directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

PBTD: 9,377' SURFACE CASING: 13 3/8" set @ 492'
 TOC: 3,400' INTERMEDIATE CASING: 8 5/8" set @ 3,158'
 PERF'S: 8,744-9,223'

- 1) Set CIBP @ 8,700' w/35' cement on top.
- 2) Cut and lay down approximately 3,400' casing. Load hole with 9# mud.
- 3) Set 100' plug (50' in/50' outside of 5 1/2" casing stub). Tag plug.
- 4) Set 100' plug @ 3,208' (50' in/50' outside of 8 5/8" casing shoe). Tag plug.
- 5) Set 150' plug @ 504'.
- 6) Set 20 sxs cement surface plug.

14. I hereby certify that the foregoing is true and correct

Signed Dianna Rodgers Title Production Analyst Date 6-Sep-00

(This space for Federal or State office use)

(ORIG. SGD.) GARY GOURLEY

PETROLEUM ENGINEER

SEP 08 2000

Approved by _____ Date _____
Conditions of approval, if any: _____