

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO.	30-025-02082
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR TO PLUG BACK TO A DIFFERENT RESERVOIR. USE 'APPLICATION FOR PERMIT' (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Lease Name or Unit Agreement Name Bridges State
2. Name of Operator Mobil Producing TX & NM Inc.* *Mobil exploration & Producing US Inc. as agent for MPTM	8. Well No. 53
3. Address of Operator P.O. Box 633, Midland, TX 79702	9. Pool name or Wildcat Vacuum Grayburg (San Andres)
4. Well Location Unit Letter <u>H</u> : <u>1980</u> Feet From The <u>North</u> Line and <u>660</u> Feet From The <u>East</u> Line Section <u>23</u> Township <u>T-17-S</u> Range <u>34-R</u> NMPM Lea County 10. Elevation (Show whether DF, RKB, RT, GR, etc.) KB 4034	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER: <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.
- MIRU PU. DIG PIT. FLOW WELL BACK TO PIT. ND WH. NU BOP
 - RIH W/ WS TO 3970'. LOAD HOLE W/ 10 PPG GELLED BRINE. SPOT 25 SX CLASS C NEAT CMT CAP ON TOP OF CIBP @ 3985
 - PUH TO 2825'. SPOT 35 SX CLASS C NEAT CMT PLUG ACROSS SALT BASE @ 2775' AND TOC @ 2715' FROM 2825-2665'.
 - PUH TO 1783'. CUT AND PULL 7" CSG OR PERFORATE AND SQUEEZE 50 SX CLASS C NEAT CMT PLUG ACROSS SALT TOP @ 1733' FROM 1783-1683'. **PLUG MUST BE TAGGED!**
 - PUH TO 871'. SPOT 50 SX CLASS C NEAT CMT PLUG ACROSS 10-3/4" CSG SHOE @ 821' FROM 871-771'. (IF 7" CSG NOT RECOVERED, PERFORATE AND SQUEEZE 50 SX CLASS C NEAT CMT PLUG). **PLUG MUST BE TAGGED!**
 - PUH TO 30'. SPOT 15 SX CLASS C NEAT CMT PLUG FROM 30'-SURFACE. POOH W/ WS
 - ND BOP. RD PU. DIG OUT CELLAR AND CUT CSG 3' BELOW SURFACE. WELD STEEL PLATE ON CSG STUB. ERECT P&A MARKER WITH WELL NAME AND PLUGGED DATE. FILL CELLAR AND CLEAN SURFACE LOCATION.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kaye Pollock TITLE Regulatory Technician DATE 08-04-93

TYPE OR PRINT NAME Kaye Pollock TELEPHONE NO. 915-688-2584

(This space for State Use)

APPROVED BY Paul Kautz Geologist TITLE _____ DATE AUG 09 1993

CONDITIONS OF APPROVAL, IF ANY: THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.

BRIDGES STATE # 53
VACUUM GRAYBURG (SAN ANDRES) FIELD
LEA COUNTY, NEW MEXICO


RECOMMENDED WORKOVER PROCEDURE

1. MIRU PU. DIG PIT. FLOW WELL BACK TO PIT. ND WH. NU BOP.
2. RIH W/ WS TO 3970'. LOAD HOLE W/ 10 PPG GELLED BRINE. SPOT 25 SX CLASS C NEAT CMT CAP ON TOP OF CIBP @ 3985'.
3. PUH TO 2825'. SPOT 35 SX CLASS C NEAT CMT PLUG ACROSS SALT BASE @ 2775' AND TOC @ 2715' FROM 2825-2665'.
4. PUH TO 1783'. CUT AND PULL 7" CSG OR PERFORATE AND SQUEEZE 50 SX CLASS C NEAT CMT PLUG ACROSS SALT TOP @ 1733' FROM 1783-1683'. **PLUG MUST BE TAGGED!**
5. PUH TO 871'. SPOT 50 SX CLASS C NEAT CMT PLUG ACROSS 10-3/4" CSG SHOE @ 821' FROM 871-771'. (IF 7" CSG NOT RECOVERED, PERFORATE AND SQUEEZE 50 SX CLASS C NEAT CMT PLUG). **PLUG MUST BE TAGGED!**
6. PUH TO 30'. SPOT 15 SX CLASS C NEAT CMT PLUG FROM 30'-SURFACE. POOH W/ WS.
7. ND BOP. RD PU. DIG OUT CELLAR AND CUT CSG 3' BELOW SURFACE. WELD STEEL PLATE ON CSG STUB. ERECT P&A MARKER WITH WELL NAME AND PLUGGED DATE. FILL CELLAR AND CLEAN SURFACE LOCATION.

BRIDGES STATE
WELL # 53
VACUUM GRAYBURG (SAN ANDRES) FIELD
LEA COUNTY, NEW MEXICO
CURRENT COMPLETION

KB = 4034'
GL = 4023'

H, 23, T 17-S, R 34-E, 1980' FNL, 660' FEL



BRIDGES STATE
WELL # 53
VACUUM GRAYBURG (SAN ANDRES) FIELD
LEA COUNTY, NEW MEXICO
PROPOSED COMPLETION

H, 23, T 17-S, R 34-E, 1980' FNL, 660' FEL

KB = 4034'

GL = 4023'

10-3/4" 35.75# L.W. CSG @ 821'
CMT'D W / 257 SX CIRC.

15 SX CLASS C NEAT CMT PLUG
FROM 30'-SURFACE

50 SX CLASS C NEAT CMT PLUG ACROSS CSG SHOE
FROM 871-771'
PLUG MUST BE TAGGED!

50 SX CLASS C NEAT CMT PLUG ACROSS SALT TOP @
1733' AND 7" CSG STUB FROM 1783-1683'
PLUG MUST BE TAGGED!

TOC @ 2715' (CALCULATED)

35 SX CLASS C NEAT CMT PLUG ACROSS SALT BASE @
2775' AND TOC @ 2715' FROM 2825-2665'

PBTD=3970'

7" CIBP @ 3985' W/ 15' CMT CAP

7" 22# SL CSG @ 4280'
CMT'D W / 227 SX

SAN ANDRES OH FROM 4280-4620'

TD=4655'

FILL @ 4620'