

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy <u>1840</u>	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt <u>3242</u>	T. Azoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates <u>3500</u>	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers <u>3972</u>	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen <u>4660</u>	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg <u>4920</u>	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. Delaware Sd <u>5790</u>	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzite _____
T. Bone Spring <u>7910</u>	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Scharb <u>10,141</u>	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blainebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo _____	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1840		Red beds				
1840	1910		Anhy				
1910	3240		Salt				
3240	3500		Anhy				
3500	4660		Dolo, Anhy, Sd				
4660	5290		Sand, Dolo, Anhy				
5290	5790		Sandstone, Shale & Ls				
5790	7910		Limestone & Shale				
7910	10140		Dolo				
10140	10223		Ls & Shale				