

WRS COMPLETION REPORT
 COMPLETIONS
 PI# 30-T-0006 05/18/90 SEC 13 TWP 18S RGE 32E
 30-025-30766-0000 PAGE 1

NMEX STATE LEA COUNTY * 1650FNL 2310FWL SEC SE NW
 OPERATOR MERIDIAN OIL INC FOOTAGE SPOT
 5 WELL NO. SHINNERY FEDERAL D DO
 3845GR LEASE NAME WELL CLASS INT FIN

SPUD DATE 12/27/1989 04/24/1990 LEASE NO. CORBIN W
 8700 DELAWARE CACTUS DRLG TYPE TOOL HOLE TYPE FIELD POOL AREA
 DTD 8711 PROJ. FORM CONTRACTOR PB 5400 VERT PERMIT OR WELL ID NO. API 30-025-30766-0000
 DRILLERS T.D. LOG T.D. PLUG BACK TO OLD T.D. FORM T.D. OIL STATUS

13 MI SW BUCKEYE, NM
 WELL IDENTIFICATION/CHANGES
 PROJ FM CHGD FROM BONE SPRING
 FIELD CHGD FROM QUERECHO PLAINS

CASING/LINER DATA
 CSG 13 3/8 @ 400 W/ 425 SACKS
 CSG 8 5/8 @ 2892 W/ 1350 SACKS
 CSG 5 1/2 @ 8711 W/ 960 SACKS
 PERF 5500- 5500 W/ 8/FT SQZD
 PERF
 PERF


ATT PUMP CMT @
 3000 PSI, COULD
 NOT

TUBING DATA
 TBG 2 7/8 AT 4967

INITIAL POTENTIAL
 IPP 113BOPD 50 MCFD 204BW 24HRS
 DELAWARE PERF W/ 64/IT 5006- 5068
 PERF 5006- 5068 1500GALS
 ACID 5006- 5068 40620GALS 125500LBS SAND
 7 1/2% NEFE HCL
 SWFR 5006- 5068
 35# BORATE

CONTINUED IC# 300257034989
Petroleum Information

Copyrighted 1990
 Reproduction
 Prohibited



COMPLETIONS
 PI# 30-T-0006 05/18/90 SEC 13 TWP 18S RGE 32E
 30-025-30766-0000 PAGE 2

MERIDIAN OIL INC
 5 SHINNERY FEDERAL

D DO

GOR 442 INITIAL POTENTIAL

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	GTY-NO	DETAILS
					BSE	DEPTH/SUB
LOG	RUSTLER		1285	2560		
LOG	YATES		2855	990		
LOG	QUEEN		4000	-155		
LOG	SN ANDRS		4640	-795		
LOG	DELAWARE		5006	-1161		
LOG	BONE SPG		6726	-2881		

SUBSEA MEASUREMENTS FROM GR

PRODUCTION TEST DATA

BONE SPG PERF
 BRPG @ 6950
 BRPG @ 5400
 PERF-NO DETAILS

LOGS AND SURVEYS /INTERVAL, TYPE/
 DLL
 DSN MSG SDBL

DRILLING PROGRESS DETAILS

MERIDIAN OIL INC
 21 DESTA DR
 MIDLAND, TX 79705
 915-686-5600
 LOC/1989/
 DRLG 2910
 DRLG 8390
 8711 TD, WOCT

12/01 DEVIATION SURVEYS @ 400 (1/2 DEG), 869 (1/2 DEG)
 01/02 1355 (1/4 DEG), 1828 (1/4 DEG), 2138 (1/4 DEG),
 01/16 2389 (3/4 DEG), 2664 (1 1/2 DEG), 2779 (1 1/2 DEG),
 02/06 4378 (1/2 DEG), 2910 (1 DEG), 3389 (1 DEG), 3885 (3/4 DEG)
 02/06 5613 (1/2 DEG), 4868 (1/2 DEG), 5365 (1/2 DEG),
 7083 (1 1/4 DEG), 6099 (1/4 DEG), 6587 (3/4 DEG),
 8343 (1 1/4 DEG), 7370 (1 DEG), 7853 (1 DEG),
 8705 (1 3/4 DEG)

CONTINUED

COMPLETIONS
PI# 30-T-0006 05/18/90 SEC 13 TWP 18S RGE 32E
30-025-30766-0000 PAGE 3

MERIDIAN OIL INC
5 SHINNERY FEDERAL

D DO

DRILLING PROGRESS DETAILS

TOTAL DISPLACEMENT 113.3982 FT @ 8705
02/08 8711 TD, WOCT
03/08 8711 ID, PREP TEST
04/12 8711 TD, TSTG
04/25 8711 TD, PB 5400, PREP PERF
04/27 8711 TD, PB 5400, TOP
TD REACHED 01/17/90 RIG REL 01/20/90
05/15 8711 TD, PB 5400
COMP 4/24/90, IPP 113 BO, 50 MCFG, 204
BPWD, GOR 442, GYT (NR)
PROD ZONE - DELAWARE 5006-5068
NO CORES OR DSTS RPTD