


AREA 640 ACRES  
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBJECT IN TRIPLICATE.



WELL RECORD

Phillips Petroleum Company

Company or Operator

Gaspar

Well No. 300

of Sec. 20

Address

Lease 37-2

N. M. P. M. Union

Field

County

Well is 400 feet south of the North line and 400 feet west of the East line of Sec. 20

If State land the oil and gas lease is No. 7-1000 Assignment No.

If patented land the owner is Address

If Government land the permittee is Address

The Lessee is Address

Drilling commenced March 20 19 57 Drilling was completed May 15 19 57

Name of drilling contractor Loffland Bros., Tulsa, Okla.

Elevation above sea level at top of casing 2224 feet.

The information given is to be kept confidential until Not confidential

OIL SANDS OR ZONES

No. 1, from 3002 to 3004 No. 4, from to  
No. 2, from to No. 5, from to  
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from Drilled w/rotary - none logged to feet.  
No. 2, from to feet.  
No. 3, from to feet.  
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
1 3/4" OD	28	welded	Amoco	104	0			
1 1/2" OD	25	8	SS	1001	Halliburton			
1" OD	24	10	SS	5000	40			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
1 1/2"	1 3/4"	104	170	Halliburton		
1 1/2"	1 1/2"	1001	200	"		
1"	1"	5000	200	"		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set  
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
1000 gal.	Dowell "XX"		1000 gal	4-25-57	3000-3004	2800
5000 "	"	"	5000 "	5-4-57	40	"
5000 "	"	"	5000 "	5-9-57	40	"
10000 "	"	"	10000 "	5-22-57	40	"

Result: No production before treating. After, 20 bbl oil, 0 water, in 24 hrs.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 3004 feet to feet, and from feet to feet  
Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing May 25th 19 57  
The production of the first 24 hours was 20 barrels of fluid of which 20% was oil; 0% water and 1,000,000% sediment. Gravity, Be.  
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas  
Rock pressure, lbs. per sq. in.

EMPLOYEES

Driller  
Driller  
Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 31st day of May 19 57  
Place: Midland, Texas Date: May 31, 1957  
Name: [Signature] District Superintendent

FORMATION RECORD

FORM C-100

FROM	TO	THICKNESS IN FEET	FORMATION
0	62	62	Surface Hole
62	110	48	Sand
110	170	60	Red Bed
170	270	100	Red Bed and Shell
270	287	17	Green Rock
287	340	53	Sand and Shell
340	1032	692	Red Bed and shell
1032	1150	118	Andy drite
1150	1481	331	Salt and Shell
1481	1627	146	Salt and Shell
1627	2075	448	Salt and Shell
2075	2187	112	Salt and Andy Drite
2187	2244	57	Salt and Shell
2244	2355	111	Salt and Andy Drite
2355	2422	67	Salt and Shell
2422	2460	38	Broken Andy Drite
2460	2515	55	Andy Drite
2515	2587	72	Broken Andy Drite
2587	2625	38	Line
2625	2664	39	Andy Drite, Gyp, And Lime
2664	2718	54	Broken Line
2718	2745	27	Gyp and Broken Line
2745	2796	51	Lime and Gyp
2796	2897	101	Lime
2897	2975	78	Broken Lime . Show of gas.
2975	3040	65	Lime
3040	3040	0	3040 (3040-3040)

IMPORTANT WATER SANDS

CASING RECORD

MUDGING AND CEMENTING RECORD

RECORD OF SPONGING OR CHEMICAL TREATMENT

RECORD OF DRILL-STEM AND SPECIAL RECORD

TOOLS USED

PRODUCTION

EMPLOYEES

FORMATION RECORD (ON OTHER SHEET)