


NEW MEXICO OIL CONSERVATION COMMISSION

State 0					
12					



STATE 0 12

Santa Fe, New Mexico

WELL RECORD

JUL 15 1937

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

The Atlantic Refining Company

State 0

Company or Operator

Lease

Well No. 2

in Comm. 40

of Sec. 32

T. 20 south

R. 37 east

N. M. P. M.

Bunice

Field,

Lee

County

Well is 660 feet south of the North line and 660 feet east of the west line of Sec. 32, T20S-R37E

If State land the oil and gas lease is No. B-2268 Assignment No. 2

If patented land the owner is _____ Address _____

If Government land the permittee is _____ Address _____

The Lessee is S. Hansen _____ Address _____

Drilling commenced 5-17-37 19 _____ Drilling was completed 8-19-37 19 _____

Name of drilling contractor Bert Fields Inc. _____ Address Dallas, Texas.

Elevation above sea level at top of casing 3545 feet.

The information given is to be kept confidential until _____ 19 _____


OIL SANDS OR ZONES

No. 1, from See Log to _____ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from See Log to _____ feet.
 No. 2, from _____ to _____ feet.
 No. 3, from _____ to _____ feet.
 No. 4, from _____ to _____ feet.



CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
10-3/4	40#	8	SC	235'	-	-	-	Surface Csg.
7-5/8	26#	8	Pitts.	1151'6"	Halliburton	-	-	Inter.
5-1/2	17#	10	"	3700'2"	"	-	-	Oil Strgs.

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
15-3/4	10 1/2	288'	250	Halliburton		
9-7/8	7-5/8	1151'6"	600	"		
6-3/4	5-1/2	3700'2"	800	"		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
 Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Dowell XX#	3000	6-10-37	3730-3840'	
		Dowell XXW	5000	6-12-37	3830-3840'	

Results of shooting or chemical treatment Well tested 5 bbls. per hour for four hours before treatment and 28 bbls. per hour for 15 hrs.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 3840 feet, and from _____ feet to _____ feet
 Cable toops were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing 6-15-37 19 _____
 The production of the first 24 hours was 672 barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Lee Marie _____, Driller C. M. Mills _____, Driller
 L. Powell _____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.


Subscribed and sworn to before me this 12th _____ Dallas, Texas 7-12-37 _____
 Name _____ Date _____

day of July 1937 _____
 Position _____

Leah Levine
 Notary Public

Representing The Atlantic Refining Company
 Company or Operator

My Commission expires June 1, 1938 _____
 Address Bex 2819, Dallas, Texas



FORMATION RECORD

1943

FROM	TO	THICKNESS IN FEET	FORMATION
0	85		Callesche Sand
85	155		Sand red bed
155	295		Red bed and shells
295	500		Sand and shells
500	700		Red bed and shells
700	1065		Red bed and rock
1065	1105		Red bed
1105	1208		Anhydrite
1208	1235		Salt and anhydrite
1235	1560		Salt and potash
1560	1795		Salt and strks. of anhydrite
1795	1840		Salt
1840	1865		Anhydrite and salt broken
1865	2318		Salt and potash
2318	2500		Salt and anhydrite
2500	2609		Anhydrite
2609	2683		Lime
2683	3440		Lime T.D.

Handwritten notes and scribbles on the left side of the page.

Handwritten notes and scribbles on the left side of the page.