


Santa Fe, New Mexico

DATE _____ 8E
 HOUR _____ 12E
 WELL RECORD
 FILED _____ 02E
 DATE _____ 2E
 FILED _____ 12E



Mail to Oil Conservation Commission, Santa Fe, New Mexico, at its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

DUPLICATE

AREA 640 ACRES LOCATE WELL CORRECTLY

Texas Pacific Coal & Oil Company, P. O. Box 2110, Fort Worth, Texas

Company or Operator
 State New Mex. "A" Ac. 2 Well No. 10 in SW 1/4 of Sec. 8 T. 22-S
 Lease
 R. 36-E, N. M. P. M., So. Eunice Field, Lea County.
 Well is 660' from south of the north line and 330' from west of the east line of Section 8.
 If State land the oil and gas lease is No. N.M. 2-A Assignment No. A-983
 If patented land the owner is _____, Address _____
 If Government land the permittee is _____, Address _____
 The Lessee is _____, Address _____
 Drilling commenced March 20, 1938 Drilling was completed April 21, 1938
 Name of drilling contractor George P. Livermore, Address Kermit, Texas
 Elevation above sea level at top of casing 3610 feet.
 The information given is to be kept confidential until _____ 19____.

Broken Oil & Gas OIL SANDS OR ZONES

No. 1, from 3760 to 3840 No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.
 No. 1, from _____ to _____ feet.
 No. 2, from _____ to _____ feet.
 No. 3, from _____ to _____ feet.
 No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
12 1/2				177'				
9-5/8				3154'				
7 OD				3710				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	12 1/2	177	200	Halliburton		
	9-5/8	3154	250	"		
	7 OD	3710	200	"		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
 Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 3840 feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing April 23, 1938
 The production of the first 24 hours was 1,080.00 barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, Be. _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

George P. Livermore, Driller T. E. Massey, Superintendent, Driller
 _____, Driller Texas Pacific Coal & Oil Company, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 4 day of May 1938

 Notary Public.
 My Commission expires June 1, 1939
 Fort Worth, Texas May 4, 1938
 Name _____
 Position _____
 Representing Texas Pacific Coal & Oil Company
 Company or Operator
 Address Fort Worth, Texas

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	38	38	Sand
38	175	137	Re Sand Rock
175	195	20	Red Rock
195	345	150	Red Bed & Shells
345	360	15	Sand
360	1311	951	Red Bed & Shells
1311	1465	154	Red Bed Rock & Shells
1465	1572	107	Anhydrite
1572	1627	55	Red Rock, Salt, Anhyd.
1627	1678	51	Anhyd. Salt Streaks
1678	1837	159	Anhyd. & Salt
1837	2095	158	Anhyd. Salt Streaks
2095	2422	327	Alt & Anhyd.
2422	2630	208	Salt Streaks. Anhyd.
2630	3059	429	Anhyd. & Salt
3059	3090	31	Broken Anhyd. & Salt
3090	3105	15	Anhydrite
3105	3115	10	Lime
3115	3154	39	Lime Streaks, Anhyd.
3154	3244	90	Lime
3244	3270	26	Broken Lime
3270	3280	10	Lime
3280	3310	30	Broken Lime
3310	3448	138	Lime
3448	3467	19	Broken Lime
3467	3475	8	Brown Lims
3475	3615	140	Lime
3615	3635	20	Broken Lime
3635	3780	145	Lime
3780	3840	60	Broken Lime
Total Depth		3840	