



NEW MEXICO OIL CONSERVATION COMMISSION



Santa Fe, New Mexico

WELL RECORD



Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE

DUPLICATE

M. D. Bryant-Drilling & Exploration Co., Inc., Box 1575, Hobbs, New Mexico

Company or Operator M. D. Bryant-Drilling & Exploration Co., Inc. Address Box 1575, Hobbs, New Mexico
 State N.M. Well No. 3 in NW-SE of Sec. 12, T. -21S

R. -35E N. M. P. M. Eunice Field, Lea County.

Well is 3630 feet south of the North line and 2090 feet west of the East line of Section 12

If State land the oil and gas lease is No. B-1581 Assignment No. 1

If patented land the owner is _____ Address _____

If Government land the permittee is _____ Address _____

The Lessee is _____ Address _____

Drilling commenced March 18 19 39 Drilling was completed April 14 19 39

Name of drilling contractor Drilling & Exploration Co., Inc. address 408 Continental Bldg., Dallas, Texas

Elevation above sea level at top of casing 3584 feet.

The information given is to be kept confidential until Not confidential 19 _____

OIL SANDS OR ZONES

No. 1, from 3785 to 3893 No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to _____ feet.
 No. 2, from _____ to _____ feet.
 No. 3, from _____ to _____ feet.
 No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
8 5/8"	32#	8	Various	1579'	Baker			
5 1/2"	17#	10	Youngstown	3710'	"			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8 5/8"	2005	600	Halliburton	Sp. Gr. 1.20	5 Tons
6 3/4"	5 1/2"	- 124	75	"	Water	-

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
 Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	172	172	Caliche
172	335	163	Red Rock
335	720	385	Red Bed & Shells
720	889	169	Red Rock
889	989	100	Shale and Shells
989	1050	61	Red Rock and Gyp
1050	1564	514	Red Rock
1564	1695	131	Anhydrite
1695	1708	13	Anhydrite and Salt
1708	2802	1094	Salt
2802	3041	239	Salt and Anhydrite
3041	3317	276	Anhydrite
3317	3383	66	Anhydrite and Streaks of Lime
3383	3476	93	Lime
3476	3487	11	Sandy Lime
3487	3893	406	Lime
		3893	Total Depth