

COUNTY LEA FIELD Osuda, S. STATE NM 30-025-23274
 OPR AMERADA HESS CORP. MAP
 1 State WE "L" Com
 Sec 10, T-21-S, R-35-E
 1980' FSL, 1780' FWL of Sec. CO-ORD
 Spd 8-31-69

Cmp 11-28-69	CLASS			
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
13 3/8" at 347' w/400 sx				
9 5/8" at 5350' w/350 sx				
7" at 11,368' w/505 sx				
5" lnr 11,267-12,095' w/80 sx				
LOGS EL GR RA IND HC A				

TD 12,095'; PBD 11,963'

IP (Atoka) Perfs 11,723-753' F 972 MCFGPD + 10.56 BOPD. Pot based on 24 hr test thru 32/64" chk. GOR 92,045; Grav 47.9; TP 400#; CP 800#.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. McVay PROP DEPTH 12,500' TYPE
 DATE

- F.R. 9-2-69
- PD 12,500' (Morrow)
- Contractor - McVay
- 1-29-70 AMEND FIELD NAME, Formerly reported as Undesignated.
- 9-2-69 Drlg. 1015' redbed & anhy
- 9-8-69 Drlg. 4189' anhy
- 9-15-69 TD 5018'; Fshg
- 9-22-69 Drlg. 6375' 1m
- 9-29-69 TD 8490'; Prep Drill
- DST (1st Bone Springs) 8548-90', open 4 hrs,
 CIS 2 min after tool closed @ 39 MCFGPD decreased
 to TSTM, Rev Out 50 BO (grav 36.3) + 26 BGCM,
 30 min ISIP 2694#, FP 403-867#, 2 hr 15 min FSIP
 2308#
- 10-6-69 Drlg. 9560' 1m, sh & cht

10-6-69

Continued

EST (Bone Springs) 9230-85', open 4 hrs,
rec 445' DF, 30 min ISIP 120#, FP 378-378#,
2 hr 15 min FSIP 1523#

DEF (2nd Bone Springs) 9371-9431', open 4 hrs
GYS 10 min @ 93.5 MCFGPD, Rev Out 7551' GCDF +
11 BMC salt wtr, 30 min ISIP 3897#, FP 3726-
3893#, 2 hr 15 min FSIP 3907#

10-13-69

Orig. 10,733' 1m

10-20-69

TD 11,370' 1m & sh; Trip

10-27-69

TD 11,506' 1m; On Trip

11-3-69

TD 11,661' 1m; On Trip

11-10-69

Orig. 11,935' 1m & sh

EST (Morrow) 11,600-877', open 45 min (11,600' WB),

11-10-69

Continued

Flwd 5 PWF in 13 min thru 12/64" chk,

Flwd 5 BWF in 21 min thru 16/64" chk,

Rev out 74 BWB + 3 BGCM, Rec 90' DM below sub,
30 min ISIP 7043#, FP 850-175#, 2 hr FSIP 7080#

11-17-69

TD 12,095' sh; WOO

11-24-69

TD 12,095'; PBD 11,963'; MORT

Perf 11,723-727', 11,730-734', 11,740-753'

w/Z SPF

11-1-69

TD 12,095'; PBD 11,963'; Tstg

Flwd 959 MCFGPD thru 32/64" chk, CP 800#,

TF 400#

12-9-69

TD 12,095'; PBD 11,963'; WO Lines

12-12-69

TD 12,095'; PBD 11,963'; WO Lines

12-14-69

TD 12,095'; PBD 11,963'; WO Lines

1-26-70 TD 12,095'; FBD 11,963'; COMPLETE
LOG TOPS: Anhydrite 1786', Yates 3697',
Seven Rivers 4035', Queen 4380', Grayburg 4814', Delaware Sand 5405', Bone Springs 7510',
1st Sand 8460', 2nd Sand 9040', 3rd Sand 9897',
Wolfcamp 10,036', Strawn 10,770', Atoka 11,138',
Mississippian 12,095'

1-29-70 COMPLETION REPORTED