

Submit 3 Copies To Appropriate District Office
 District I
 1625 N. French Dr., Hobbs, NM 87240
 District II
 811 South First, Artesia, NM 87210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised March 25, 1999

OIL CONSERVATION DIVISION
 2040 South Pacheco
 Santa Fe, NM 87505

WELL API NO. 30-025-34344
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: H. T. ORCUTT (NCT-B) COM
8. Well No. 14
9. Pool name or Wildcat EUMONT; YATES-7 RVR-S-QUEEN (PRO GAS)

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other	2. Name of Operator Chevron U.S.A. Inc.
3. Address of Operator P.O. Box 1150 Midland, TX 79702	4. Well Location Unit Letter E : 1500 feet from the NORTH line and 725 feet from the WEST line Section 4 Township 21S Range 36E NMPM County LEA

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

CHEVRON U.S.A., INC. PROPOSES TO P&A THE SUBJECT WELL AS SHOWN ON THE ATTACHED PROCEDURE.

THE COMMISSION MUST BE NOTIFIED 30 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE WELL TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE J. K. Ripley TITLE REGULATORY O.A. DATE 12/4/00
 Type or print name J. K. RIPLEY Telephone No. (915)687-7148

APPROVED BY _____ TITLE _____ DATE _____
 Conditions of approval, if any: _____

JC

dp

HT Orcutt NCT-B Cc #14

WBS# JWPWB- A0011-ABN

API: 30-025-34344

Eumont/Jalmat Pool

Lea County, New Mexico

Thursday, November 30, 2000

Procedure to Plug & Abandon

Notify OCD 24 hrs prior to operations.

1. This procedure will P & A the HT Orcutt NCT-B Com #14.
2. MIRU PU. ND WH. NU BOP.
3. RIH w/ WS.
4. RU Sierra. Set CIBP @ 2880' (100' above top perf @ 2968'). Dump bail 35' of cmt. Tag Plug.
5. Place 100' of Class C cmt from 1260' to 1160' (top of salt).
6. Spot 100' of Class C cmt plug from 565' – 465'(shoe). Tag plug.
7. Spot 10 sx Class C cmt plug from 77' to surf. RD Sierra. WOC.
8. ND BOP. RD PU.

9. ND wellhead. Cut off casing 4' below GL & cap.

10. Install 4" marker 4' above GL w/ the following stamped on it:

Chevron U.S.A. Inc.
 HT Orcutt NCT-B Com #14
 1500 FNL & 725 FWL
 T-21-S, R-36-E, Sec. 4, Unit F
 Lea County, NM

Casing	Depth
Surface Csg	8.625" @ 515'
Production Csg	5.5" @ 3630'
Formation Tops	Depth
Top of Salt	1260'
Yates	2640'
7 Rivers	2905'
Queen	3331'
Penrose	3454'

11. Remove all eqp., deadmen, and junk from location.

12. Fill any pits and level location.

Class C Cement: (175 sx)

- 1% CaCl (Cement Accelerator)
- 0.5 BA-10 (Fluid Loss Additive)
- 0.3 CD-32 (Cement Dispersant)

9.5# Brine w/ 25# of gel per BBL: (43 BBL)

CJ Affeld
 Petroleum Engineer
 CTN 687-7271
 HM 915 694 – 3884

CURRENT WELL DATA SHEET

FIELD: Eumont

WELL NAME: H. T. Orcutt (NCT-B) Com # 14

FORMATION: YTS 7R Qn

Unit E

LOC: 1500' FNL & 725' FWL

SEC: 4

GL: 3551'

CURRENT STATUS:

TOWNSHIP: 21S

COUNTY: Lea

KB to GL: 6'


API NO: 30-025-34344

RANGE: 36E

STATE: NM

DF to GL: 5'

REFNO:



Subsequent Well Work:

7/98: Set CIBP @ 3300'. Acidz perfs 2968' - 3048' w/ 6000 gal @ 15% HCL. RIT w/ log to 3112'.