

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other) Perforating	X

November 8, 1954
(Date)

Hobbs, New Mexico
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Gulf Oil Corporation
(Company or Operator)

H. P. Saunders
(Lease)

Coats Drilling Co.
(Contractor)

Well No. **1** in the **SW** 1/4 **SE** 1/4 of Sec. **7**

T. **22-S**, R. **38-E**, NMPM., **Drinkard** Pool, **Lea** County.

The Dates of this work were as follows: **November 4, 1954**

Notice of intention to do the work ~~was~~ (was not) submitted on Form C-102 on _____, 19____, (Cross out incorrect words)

and approval of the proposed plan ~~was~~ (was not) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Perforated 5-1/2" casing from 7145-7138', 7124-7100', 7076-7054', 7018-7000', 6964-6934', and 6920-6913' with 4, 1/2" Jet holes per foot.

Witnessed by **P. K. Parker**
(Name)

Gulf Oil Corporation
(Company)

Drilling Foreman
(Title)

Approved: **OIL CONSERVATION COMMISSION**

P. G. Stanley
(Name)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name: *E. J. Joseph*

Position: **Area Supt. of Prod.**

Representing: **Gulf Oil Corporation**

Address: **Box 2167, Hobbs, N. M.**

(Title)

(Date)

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

November 5, 1954
(Date)

Hobbs, New Mexico
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Gulf Oil Corporation
(Company or Operator)

H. P. Saunders
(Lease)

Coats Drilling Co.
(Contractor)

Well No. 1 in the SW 1/4 SE 1/4 of Sec. 7

T. 22-S, R. 38-E, NMPM, Drinkard Pool, Lea County.

The Dates of this work were as follows: October 31 thru November 3, 1954

Notice of intention to do the work (X) (was not) submitted on Form C-102 on _____, 19____,
(Cross out incorrect words)

and approval of the proposed plan (X) (was not) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Ran 221 Jts and cut jt (7146') 5-1/2" OD 17#, 15.50#, and 14# Gr J-55 SS casing. Set and cemented at 7157' with 1150 sacks 4% Gel and 100 sacks Neat on bottom. Plug at 7062'. Maximum pressure 1500#. Job complete by B.J. 5:AM 11-1-54.

After waiting over 30 hours, tested 5-1/2" casing with 1000# for 30 minutes. There was no drop in pressure. Drilled cement plug from 7062' to 7155'.

Witnessed by P. K. Parker Gulf Oil Corporation Drilling Foreman
(Name) (Company) (Title)

Approved: OIL CONSERVATION COMMISSION

S. G. Stanley
(Name)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name: *S. G. Stanley*

Position: Area Supt. of Prod.

Representing: Gulf Oil Corporation

Address: Box 2167, Hobbs, N. M.

(Title)

(Date)

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

September 23, 1954
(Date)

Hobbs, New Mexico
(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Gulf Oil Corporation
(Company or Operator)

H. P. Saunders
(Lease)

Coats Drilling Co.
(Contractor)

Well No. 1 in the SW 1/4 SE 1/4 of Sec. 7

T. 22-S, R. 38-E, NMPM., Drinkdar Pool, Lea County.

The Dates of this work were as follows: September 20-21, 1954

Notice of intention to do the work (~~was~~ was not) submitted on Form C-102 on _____, 19____,
(Cross out incorrect words)

and approval of the proposed plan (~~was~~ was not) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Ran 89 Jts and cut joint (2885') 8-5/8" OD 32# and 24# Gr J-55 SS casing. Set and cemented at 2899' with 1500 sacks 4% Gel and 150 sacks Neat on bottom. Plug pumped to 2863'. Maximum pressure 1200#. Job complete by BJ at 10:30AM 9-20-54. Circulated approximately 75 sacks.

After waiting over 30 hours, tested 8-5/8" casing with 1000# for 30 minutes. There was no drop in pressure. Drilled cement plug from 2863' to 2899'. Tested below casing shoe with 1000# for 30 minutes. There was no drop in pressure.

Witnessed by P, K. Parker Gulf Oil Corporation Drilling Foreman
(Name) (Company) (Title)

Approved: OIL CONSERVATION COMMISSION
S. G. Stanley
(Name)
(Title) (Date)

I hereby certify that the information given above is true and complete to the best of my knowledge.
Name: S. G. Stanley
Position: Area Supt. of Prod.
Representing: Gulf Oil Corporation
Address: Box 2167, Hobbs, N. M.