


LOG

DEPTH	FORMATION	DEPTH	FORMATION	DEPTH	FORMATION
100	Shale				
200	Shale - Blue				
300	Shale - Blue				
400	Shale - Blue				
500	Shale - Blue				
600	Shale - Blue				
700	Shale - Blue				
800	Shale - Blue				
900	Shale - Blue				
1000	Shale - Blue				
1100	Shale - Blue				
1200	Shale - Blue				
1300	Shale - Blue				
1400	Shale - Blue				
1500	Shale - Blue				
1600	Shale - Blue				
1700	Shale - Blue				
1800	Shale - Blue				
1900	Shale - Blue				
2000	Shale - Blue				
2100	Shale - Blue				
2200	Shale - Blue				
2300	Shale - Blue				
2400	Shale - Blue				
2500	Shale - Blue				
2600	Shale - Blue				
2700	Shale - Blue				
2800	Shale - Blue				
2900	Shale - Blue				
3000	Shale - Blue				
3100	Shale - Blue				
3200	Shale - Blue				
3300	Shale - Blue				
3400	Shale - Blue				
3500	Shale - Blue				
3600	Shale - Blue				
3700	Shale - Blue				
3800	Shale - Blue				
3900	Shale - Blue				
4000	Shale - Blue				
4100	Shale - Blue				
4200	Shale - Blue				
4300	Shale - Blue				
4400	Shale - Blue				
4500	Shale - Blue				
4600	Shale - Blue				
4700	Shale - Blue				
4800	Shale - Blue				
4900	Shale - Blue				
5000	Shale - Blue				

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS



Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	XX	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

Hobbs, New Mexico Place March 29, 1945 Date

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Skelly Oil Company E. L. Steeler Well No. 2 in the
Company or Operator Lease
NE NE of Sec. 17, T. 23, R. 37, N. M. P. M.,
Penrose-Skelly Field, Lea County.

The dates of this work were as follows: 3-14-45

Notice of intention to do the work was (~~XXXX~~) submitted on Form C-102 on March 16 19 45
and approval of the proposed plan was (~~XXXX~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Drilled to TD 7200' 3 1/2 M in line. Ran 7" casing to 7198'
and cemented with 570 sacks cement, let stand 72 hours,
then drilled out cement plug and tested 1200# pressure
2 hours. O. K.

Witnessed by J. S. Potter Davidson Drilling Driller
Name Company Title

Subscribed and sworn before me this
29 th day of March, 1945
[Signature]
Notary Public
My commission expires Dec. 26, 1948

I hereby swear or affirm that the information given above is true and correct.
Name [Signature]
Position Dist. Supt.
Representing Skelly Oil Company
Company or Operator
Address Drawer "D", Hobbs, N. M.

Remarks:

[Signature]
Name
Title