


NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

WELL RECORD



AREA 640 ACRES  
LOCATE WELL CORRECTLY

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

Skelly Oil Company  
(Company or Operator)

Hobbs "A"  
(Lease)

Well No. 1, in NW 1/4 of NE 1/4, of Sec. 30, T. 25S, R. 38E, NMPM.  
Pool, Lea County.

Well is 660' feet from North line and 660' feet from West line of Section 30. If State Land the Oil and Gas Lease No. is ?

Drilling Commenced July 9, 1955, 19... Drilling was Completed August 25, 1955.

Name of Drilling Contractor Thomas Drilling Company

Address Hobbs, New Mexico

Elevation above sea level at Top of Tubing Head 3051' S.F. The information given is to be kept confidential until Not Confidential, 19...

OIL SANDS OR ZONES

No. 1, from 3312' to 3421' No. 4, from ... to ...  
No. 2, from ... to ... No. 5, from ... to ...  
No. 3, from ... to ... No. 6, from ... to ...

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from ... to ... feet.  
No. 2, from ... to ... feet.  
No. 3, from ... to ... feet.  
No. 4, from ... to ... feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	32	New	852'	Float			Surface
7" CD	20	New	943'	Float			Intermediate
5" CD	13	New	3342'	Float			Production

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8-5/8"	850'	350	Halliburton		
8"	7"	940'	50	"		
6-1/4"	5"	3310'	200	"		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Fractured open-hole section 310-3425' with 10,000 gallons by Halliburton's sandoil process.

Result of Production Stimulation... all flowed 180 bbls. oil in 7 hours thru 3/4" choke.

**RECORD OF DRILL-STEM AND SPECIAL TESTS**

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

**TOOLS USED**

Rotary tools were used from 0' feet to 3425' feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet.  
 Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet.

**PRODUCTION**

Put to Producing August 23, 19 55

OIL WELL: The production during the first 24 hours was 616.80 barrels of liquid of which 100 % was  
 was oil; \_\_\_\_\_ % was emulsion; \_\_\_\_\_ % water; and \_\_\_\_\_ % was sediment. A.P.I.  
 Gravity 35.0 Deg.

GAS WELL: The production during the first 24 hours was \_\_\_\_\_ M.C.F. plus \_\_\_\_\_ barrels of  
 liquid Hydrocarbon. Shut in Pressure \_\_\_\_\_ lbs.

Length of Time Shut in \_\_\_\_\_

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

**Southeastern New Mexico**

**Northwestern New Mexico**

T. Anhy. <u>800'</u>	T. Devonian _____	T. Ojo Alamo _____
T. Salt <u>917'</u>	T. Silurian _____	T. Kirtland-Fruitland _____
B. Salt <u>2231'</u>	T. Montoya _____	T. Farmington _____
T. Yates <u>2359'</u>	T. Simpson _____	T. Pictured Cliffs _____
T. 7 Rivers <u>2656'</u>	T. McKee _____	T. Menefee _____
T. Queen <u>3127'</u>	T. Ellenburger _____	T. Point Lookout _____
T. Grayburg _____	T. Gr. Wash _____	T. Mancos _____
T. San Andres _____	T. Granite _____	T. Dakota _____
T. Glorieta _____	T. _____	T. Morrison _____
T. Drinkard _____	T. _____	T. Penn _____
T. Tubbs _____	T. _____	T. _____
T. Abo _____	T. _____	T. _____
T. Penn _____	T. _____	T. _____
T. Miss _____	T. _____	T. _____

**FORMATION RECORD**

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0'	800'	800'	Red Bed				
800	917	117	Anhydrite				
917	2231	1314	Anhy. & Salt				
2231	2359	128	Anhydrite				
2359	2656	297	Anhy. & Lime				
2656	3127	471	Lime				
3127	3425	298	Lime & Sand				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

August 29, 1955

(Date)

Company or Operator Skelly Oil Company

Address Box 38 - Hobbs, New Mexico

Name A. J. Tompkins

Position or Title Dist. Supt.