

WRS COMPLETION REPORT
 COMPLETIONS SEC 10 TWP 25S RGE 34E
 PI# 30-T-0018 03/27/89 30-025-30458-0000 PAGE 1

NMEX LEA * 660FNL 1980FWL SEC NE NW
 STATE COUNTY FOOTAGE SPOT
 OPERATOR MERIDIAN OIL INC D DG
 WELL NO. 1 LEASE NAME PITCHFORK "10"
 OPER ELEV 3373KB 3342GR FIELD/POOL AREA PITCHFORK RANCH
 API 30-025-30458-0000
 LEASE TYPE NO. PERMIT OR WELL I.D. NO.
 10/09/1988 02/08/1989 ROTARY GAS
 SPUD DATE COMP. DATE TYPE TOOL STATUS
 15100 MORROW CACTUS DRLG 23 RIG SUB 30
 PROJ. DEPTH PROJ. FORM CONTRACTOR
 DTD 15027 PB 14905 FM/TD MORROW
 DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

33 MI SE HALFWAY, NM

CASING/LINER DATA

CSG 13 3/8 @ 612 W/ 650 SACKS
 CSG 9 5/8 @ 5186 W/ 3300 SACKS
 CSG 7 @ 13300 W/ 1725 SACKS
 LNR 4 1/2 12878-15026 W/ 320S

TUBING DATA

TBG 3 1/2 AT 12878

INITIAL POTENTIAL

IPF 828 MCFD 24HRS
 MORROW PERF W/ 54/IT 14880-14905
 @14880FT BHT 223F
 11/64CK 728MCFD TP 890 BHFP 904
 BH 2607 FPCAOF 828MCFD
 GOR DRY

GAS GTY .600
 P/L CON EL PASO NATURAL GAS
 NO DETAILS
 1ST PT TEST IN 1440 MINS

PRODUCTION TEST DATA

PTF 600 MCFD 32/64CK 24HRS

CONTINUED IC# 300257036188

COMPLETIONS SEC 10 TWP 25S RGE 34E
PI# 30-T-0018 03/27/89 30-025-30458-0000 PAGE 2

MERIDIAN OIL INC D DG
1 PITCHFORK "10"

PRODUCTION TEST DATA

MORROW PERF W/ 54/IT 14880-14905
PERF 14880-14905
ACID 14880-14905 2000GALS
7 1/2%
TP 145

PTF 2391 MCFD 32/64CK 24HRS
MORROW PERF 14880-14905

PTF 552 MCFD 13/64CK 24HRS
MORROW PERF 14880-14905
TP 1440

LOGS AND SURVEYS /INTERVAL, TYPE/

LOGS 1430-15027 DI 14130-15027 GR 13000-15027 DI
LOGS 13000-15027 GR GR CNL
LOGS FDC CAL CBND
LOGS CBL CET GR
LOGS CALP CCL

DRILLING PROGRESS DETAILS

MERIDIAN OIL INC
21 DESTA DRIVE
MIDLAND, TX 79705
915-686-5600
09/07 LOC/1988/
10/10 DRLG 612
10/17 DRLG 4340
10/25 DRLG 6820
10/31 DRLG 11096 (LM)
11/08 13300 TD, TRIP
11/14 DRLG 13588 (SH)
11/21 DRLG 14612 (SH, LM)
11/29 15027 TD, CIRC
12/02 15027 TD, TRIP
12/14 15027 TD, PB 14905, WOCT
12/21 15027 TD, PB 14905, CO
12/27 15027 TD, PB 14905, TSTG
12/28 15027 TD, PB 14905, TSTG
01/09 15027 TD, PB 14905, TSTG

CONTINUED

COMPLETIONS SEC 10 TWP 25S RGE 34E
PI# 30-T-0018 03/27/89 30-025-30458-0000 PAGE 3

MERIDIAN OIL INC D DG
1 PITCHFORK "10"

DRILLING PROGRESS DETAILS

01/13 15027 TD, PB 14905, TSTG
02/16 15027 TD, PB 14905, WOPT
02/23 15027 TD, PB 14905, WO STATE FORMS
03/20 DEV SURVEYS @ 164 (.50 DEG), 312 (1.00 DEG), 452
(.75 DEG), 612 (.75 DEG), 773 (1.00 DEG), 1030
(.50 DEG), 1380 (.25 DEG), 1826 (1.00 DEG), 2295
(.75 DEG), 2700 (.25 DEG), 3006 (1.00 DEG), 3130
(1.25 DEG), 3225 (1.00 DEG), 3443 (1.50 DEG),
3535 (1.25 DEG), 3629 (1.50 DEG), 3722 (1.50
DEG), 3815 (1.25 DEG), 3968 (1.00 DEG), 4032
(1.25 DEG), 4123 (1.25 DEG), 4218 (1.00 DEG),
4375 (.75 DEG), 4532 (.75 DEG), 4723 (.25 DEG),
4909 (1.25 DEG), 5003 (1.75 DEG), 5097 (2.00
DEG), 5186 (2.00 DEG), 5286 (1.25 DEG), 5626
(.75 DEG), 6126 (.75 DEG), 6515 (.50 DEG), 6978
(.50 DEG), 7425 (.50 DEG), 7920 (.75 DEG), 8386
(1.00 DEG), 8850 (.75 DEG), 9056 (.50 DEG),
9440 (.75 DEG), 9934 (2.50 DEG), 10193 (2.25
DEG), 10251 (2.25 DEG), 10407 (1.75 DEG), 10532
(1.25 DEG), 10719 (1.25 DEG), 10937 (1.50 DEG),
11096 (1.75 DEG), 11248 (1.75 DEG), 11404 (2.00
DEG), 11590 (2.25 DEG), 11800 (1.25 DEG), 12184
(1.25 DEG), 12554 (1.00 DEG), 12990 (1.25 DEG),
13300 (1.00 DEG), 13755 (.75 DEG), 14290 (.50
DEG), 14521 (1.00 DEG), 14878 (1.50 DEG), 15027
(1.00 DEG)
TOTAL DISPLACEMENT 267.1227 FT @ TD
TD REACHED 11/28/88 RIG REL 12/10/88
03/20 15027 TD, PB 14905
COMP 2/8/89, IPCAOF 828 MCFGPD, GOR DRY,
GTY (GAS) .600, SIWHP (NR),
SIBHP 2607
PROD ZONE - MORROW 14880-14905
NO CORES OR DSTS RPTD