

CONFIDENTIAL

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1. TYPE OF WELL: OIL WELL GAS WELL DRY DATE AUG 15 10 34 AM '95

2. TYPE OF COMPLETION: NEW WELL WORK OVER DEEP-EN PLUG BACK DIFF. DEVR. GAS OTHER

3. NAME OF OPERATOR: Enron Oil & Gas Company

4. ADDRESS AND TELEPHONE NO.: P. O. Box 2267, Midland, Texas 79702 915/686-3714

5. LOCATION OF WELL (Report location clearly and in accordance with any State requirements):
At surface 1830' FNL & 660' FWL
At top prod. interval reported below
At total depth 1830' FNL & 660' FWL
1830' FNL & 660' FWL

14. PERMIT NO. - DATE ISSUED 6-6-95

15. DATE SPUNDED 7-7-95 16. DATE T.D. REACHED 7-22-95 17. DATE COMPL. (Ready to prod.) 7-28-95 18. ELEVATION (DP, RKB, RT, GE, ETC.)* 3332' GR 19. ELEV. CASINGHEAD 3332'

20. TOTAL DEPTH, MD & TYD 12550 21. PLUG BACK T.D., MD & TYD 12369 22. IF MULTIPLE COMPL., HOW MANY* 1 23. INTERVALS DRILLED BY: ROTARY TOOLS X CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TYD)*
12260-12288 (3rd Bone Spring)

26. TYPE ELECTRIC AND OTHER LOGS RUN: Z-Densilog, Comp. Neutron, GR Caliper

27. WAS DIRECTIONAL SURVEY MADE: No

27. WAS WELL CORRED: No

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT FULLED
11-3/4 H-40 ST&C	42#	653	14-3/4	350 sx Prem +	Circulated
8-5/8 FS-80 & J-55 ST&C	32#	5035	11	1400 Prem H Lite	Circulated
5-1/2 CF-95 LT&C	&			1153 Prem + & 256 Prem	TOC # 5500'
PI10 CF-1	17#	12492	7-7/8	50/50 Poz A	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
None		

31. PERFORATION RECORD (Interval, size and number)

12260-12288 (.40" 112)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
<u>12260-12288</u>	<u>128,000# 20/40 Interprop Plus with 80,000 gals Medallion 3000</u>

33. PRODUCTION

DATE FIRST PRODUCTION 8-3-95 PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing WELL STATUS (Producing or shut-in) Producing

DATE OF TEST 8-11-95 HOURS TESTED 24 CHOKE SIZE 9/64 PROD'N. FOR TEST PERIOD → OIL—BBL. 365 GAS—MCF. 442 WATER—BBL. 57 GAS-OIL RATIO 1211

FLOW. TUBING PRESS. - CASING PRESSURE 880 CALCULATED 24-HOUR RATE → OIL—BBL. - GAS—MCF. - WATER—BBL. - OIL GRAVITY-API (CORR.) 41.0

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold TEST WITNESSED BY

35. LIST OF ATTACHMENTS: Logs

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.
SIGNED Betty Sildon TITLE Regulatory Analyst

ACCEPTED FOR
SJS
AUG 22 1995
DATE 8/14/95


*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Delaware & Bone Spring & Wolfcamp	0 785 5035 7865	785 5035 7865 12550	Red Bed Salt, Anhy Sand, Lime Sand, Lime, Shale

38. GEOLOGIC MARKERS

NAME	MEAS. DEPTH	VERT. DEPTH
Delaware	5249	
Bone Spring	9282	
Wolfcamp	12399	



WELL NAME AND NUMBER Javelina 17 Federal #2
Unit E 1830/N & 660/W
 LOCATION Sec. 17, T25S, R34E, Lea County, New Mexico
 (Give Unit, Section, Township and Range)
 OPERATOR Enron Oil & Gas Company 30-025-32989
 DRILLING CONTRACTOR McVay Drilling Company

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and that he has conducted deviation tests and obtained the following results:

Degrees @ Depth	Degrees @ Depth	Degrees @ Depth
<u>1/2 353</u>	<u>1 7369</u>	<u> </u>
<u>3/4 683</u>	<u>1 7860</u>	<u> </u>
<u>3/4 1162</u>	<u>1 3/4 8344</u>	<u> </u>
<u>3/4 1661</u>	<u>1 3/4 8840</u>	<u> </u>
<u>3/4 2970</u>	<u>1 9338</u>	<u> </u>
<u>2 3283</u>	<u>1 9834</u>	<u> </u>
<u>3 3592</u>	<u>1 1/4 10550</u>	<u> </u>
<u>2 1/2 3903</u>	<u>4 11048</u>	<u> </u>
<u>1 3/4 4214</u>	<u>1 3/4 11546</u>	<u> </u>
<u>3/4 4523</u>	<u>1 3/4 12050</u>	<u> </u>
<u>2 1/2 5035</u>	<u>1 12550</u>	<u> </u>
<u>2 5526</u>	<u> </u>	<u> </u>
<u>1 3/4 6023</u>	<u> </u>	<u> </u>
<u>1 1/4 6560</u>	<u> </u>	<u> </u>
<u>1 7011</u>	<u> </u>	<u> </u>

Drilling Contractor: McVay Drilling Company

By: Juan Valdez Jr

Subscribed and sworn to before me this 26th day of July, 1995

Jana Flanagan
 Notary Public

My Commission Expires: 8-16-97 Lea County New Mexico

FRONT COVER

NOV 19 1945

U.S. DEPARTMENT OF AGRICULTURE

WASHINGTON, D.C.