

HBP - _28_

**PERMITS,
RENEWALS, &
MODS**

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Tony Delfin
Deputy Cabinet Secretary

David R. Catanach, Division Director
Oil Conservation Division



June 7, 2016

Ms. Linda Fields
Kinder Morgan CO2 Company, L.P.
4632 W. Hwy 180
Snyder, Texas 79549

**Re: Renewal Of Annual Temporary Permission To Discharge Hydrostatic Test Water
Kinder Morgan CO2 Company, L.P.
Permit: HBP - 028**

Dear Ms. Fields:

The Oil Conservation Division (OCD) has received Kinder Morgan CO2 Company, L.P.'s (Kinder Morgan) renewal request, dated June 3, 2016, for an annual temporary permission to discharge small quantities of hydrostatic test wastewater generated from the testing of new transmission pipelines of oil and gas or products thereof throughout the State of New Mexico, which expires July 25, 2016. Also, the OCD acknowledges receipt of the filing fee (\$100.00) and temporary permission fee (\$150.00) with the June 3, 2016 submittal.

Based on the information provided in the request, annual temporary permission is hereby granted to Kinder Morgan for the discharge of the hydrostatic test wastewater generated from all new pipeline hydrostatic tests an operator may perform during an approved one-year period with the following understandings and conditions are applicable:

1. the volume does not exceed 25,000 gallons per hydrostatic test;
2. water from a public/municipal water supply or other OCD approved sources is used for each test;
3. email or written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
4. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. no discharge shall occur to a surface water body without obtaining a National Pollution Discharge Elimination Systems (NPDES) permit from the US EPA, NMED, and OCD prior to the discharge;


6. best management practices must be implemented to contain the discharge onsite, to ensure that the discharge does not impact adjacent property, and to control erosion;
7. the discharge does not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);
8. Kinder Morgan shall report all unauthorized discharges, spills, leaks and releases of hydrostatic test water and conduct corrective action pursuant to OCD Rule 19.15.29 NMAC;
9. the landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location must be properly notified of the activities prior to each proposed hydrostatic test event; and
10. an annual report, summarizing each test of new pipeline with less than 25,000 gallons per hydrostatic test event, will be submitted to OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a. the location of hydrostatic test (Section/Township/Range or GPS coordinates);
 - b. the date of each test;
 - c. the volume of each discharge; and
 - d. the source and quality of test water (laboratory analysis, if necessary).

Annual temporary permissions shall expire one (1) year after issuance. This temporary permission will expire July 25, 2017. Renewal requests for annual temporary permission to discharge shall be submitted forty-five (45) days prior to the expiration date. An annual temporary permission may be revoked or suspended for violation of any applicable provisions and/or conditions of the permit.

This approval does not relieve Kinder Morgan of responsibility should its operation result in pollution of surface water, ground water, or the environment. In addition, OCD approval does not relieve Kinder Morgan of responsibility for compliance with other federal, state or local regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,



Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District Offices

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

David R. Catanach, Division Director
Oil Conservation Division



June 22, 2015

Ms. Linda Fields
Kinder Morgan CO2 Company, L.P.
4632 W. Hwy 180
Snyder, Texas 79549

**Re: Renewal Of Annual Temporary Permission To Discharge Hydrostatic Test Water
Kinder Morgan CO2 Company, L.P.
Permit: HBP - 028**

Dear Ms. Fields:

The Oil Conservation Division (OCD) has received Kinder Morgan CO2 Company, L.P.'s (Kinder Morgan) renewal request, dated June 16, 2015, for an annual temporary permission to discharge small quantities of hydrostatic test wastewater generated from the testing of new transmission pipelines of oil and gas or products thereof throughout the State of New Mexico, which expires July 25, 2015. Also, the OCD acknowledges receipt of the filing fee (\$100.00) and temporary permission fee (\$150.00) with the June 16, 2015 submittal.

Based on the information provided in the request, annual temporary permission is hereby granted to Kinder Morgan for the discharge of the hydrostatic test wastewater generated from all new pipeline hydrostatic tests an operator may perform during an approved one-year period with the following understandings and conditions are applicable:

1. the volume does not exceed 25,000 gallons per hydrostatic test;
2. water from a public/municipal water supply or other OCD approved sources is used for each test;
3. email or written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
4. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. no discharge shall occur to a surface water body without obtaining a National Pollution Discharge Elimination Systems (NPDES) permit from the US EPA, NMED, and OCD prior to the discharge;
6. best management practices must be implemented to contain the discharge onsite, to ensure that the discharge does not impact adjacent property, and to control erosion;


7. the discharge does not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);
8. Kinder Morgan shall report all unauthorized discharges, spills, leaks and releases of hydrostatic test water and conduct corrective action pursuant to OCD Rule 19.15.29 NMAC;
9. the landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location must be properly notified of the activities prior to each proposed hydrostatic test event; and
10. an annual report, summarizing each test of new pipeline with less than 25,000 gallons per hydrostatic test event, will be submitted to OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a. the location of hydrostatic test (Section/Township/Range or GPS coordinates);
 - b. the date of each test;
 - c. the volume of each discharge; and
 - d. the source and quality of test water (laboratory analysis, if necessary).

Annual temporary permissions shall expire one (1) year after issuance. This temporary permission will expire July 25, 2016. Renewal requests for annual temporary permission to discharge shall be submitted forty-five (45) days prior to the expiration date. An annual temporary permission may be revoked or suspended for violation of any applicable provisions and/or conditions of the permit.

This approval does not relieve Kinder Morgan of responsibility should its operation result in pollution of surface water, ground water, or the environment. In addition, OCD approval does not relieve Kinder Morgan of responsibility for compliance with other federal, state or local regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,



Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District Offices

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey, Division Director
Oil Conservation Division



July 1, 2014

Ms. Linda Fields
Kinder Morgan CO2 Company, L.P.
SACROC Unit
4632 W. Hwy 180
Snyder, Texas 79549

**Re: Annual Temporary Permission To Discharge Hydrostatic Test Water
Kinder Morgan CO2 Company, L.P.
Permit: HBP - 028**

Dear Ms. Fields:

The Oil Conservation Division (OCD) has received Kinder Morgan CO2 Company, L.P.'s (Kinder Morgan) renewal request, received by OCD on June 26, 2014 and the fees received by OCD on June 30, 2014, for an annual temporary permission to discharge small quantities of hydrostatic test wastewater generated from the testing of new transmission pipelines of oil and gas or products thereof throughout the State of New Mexico, which expires July 25, 2014. Also, the OCD acknowledges receipt of the filing fee (\$100.00) and temporary permission fee (\$150.00) with the June 30, 2014 fee submittal.

Based on the information provided in the request, annual temporary permission is hereby granted to Kinder Morgan for the discharge of the hydrostatic test wastewater generated from all new pipeline hydrostatic tests an operator may perform during an approved one-year period with the following understandings and conditions are applicable:

1. the volume does not exceed 25,000 gallons per hydrostatic test;
2. water from a public/municipal water supply or other OCD approved sources is used for each test;
3. email or written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
4. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. no discharge shall occur to a surface water body without obtaining a National Pollution Discharge Elimination Systems (NPDES) permit from the US EPA, NMED, and OCD prior to the discharge;


6. best management practices must be implemented to contain the discharge onsite, to ensure that the discharge does not impact adjacent property, and to control erosion;
7. the discharge does not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);
8. Kinder Morgan shall report all unauthorized discharges, spills, leaks and releases of hydrostatic test water and conduct corrective action pursuant to OCD Rule 19.15.29 NMAC;
9. the landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location must be properly notified of the activities prior to each proposed hydrostatic test event; and
10. an annual report, summarizing each test of new pipeline with less than 25,000 gallons per hydrostatic test event, will be submitted to OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a. the location of hydrostatic test (Section/Township/Range or GPS coordinates);
 - b. the date of each test;
 - c. the volume of each discharge; and
 - d. the source and quality of test water (laboratory analysis, if necessary).

Annual temporary permissions shall expire one (1) year after issuance. This temporary permission will expire July 25, 2015. Renewal requests for annual temporary permission to discharge shall be submitted forty-five (45) days prior to the expiration date. An annual temporary permission may be revoked or suspended for violation of any applicable provisions and/or conditions of the permit.

This approval does not relieve Kinder Morgan of responsibility should its operation result in pollution of surface water, ground water, or the environment. In addition, OCD approval does not relieve Kinder Morgan of responsibility for compliance with other federal, state or local regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,

A handwritten signature in black ink, appearing to read 'Brad A. Jones', with a long horizontal line extending to the right.

Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District Offices

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

David Martin
Cabinet Secretary-Designate

Brett F. Woods, Ph.D.
Deputy Cabinet Secretary

Jami Bailey, Division Director
Oil Conservation Division



July 25, 2013

Ms. Linda Fields
Kinder Morgan CO2 Company, L.P.
1001 Louisiana, Suite 1000
Houston, Texas 77002

**Re: Annual Temporary Permission To Discharge Hydrostatic Test Water
Kinder Morgan CO2 Company, L.P.
Permit: HBP - 028**

Dear Ms. Fields:

The Oil Conservation Division (OCD) has received Kinder Morgan CO2 Company, L.P.'s (Kinder Morgan) request, dated July 18, 2013 and received by OCD on July 23, 2013, for an annual temporary permission to discharge small quantities of hydrostatic test wastewater generated from the testing of new transmission pipelines of oil and gas or products thereof throughout the State of New Mexico. Also, the OCD acknowledges receipt of the filing fee (\$100.00) and temporary permission fee (\$150.00) with the July 18, 2013 request.

Based on the information provided in the request, annual temporary permission is hereby granted to Kinder Morgan for the discharge of the hydrostatic test wastewater generated from all new pipeline hydrostatic tests an operator may perform during an approved one-year period with the following understandings and conditions are applicable:

1. the volume does not exceed 25,000 gallons per hydrostatic test;
2. water from a public/municipal water supply or other OCD approved sources is used for each test;
3. email or written notification must be provided to the OCD 72 hours prior to each hydrostatic discharge event;
4. the discharge does not enter any lake, perennial stream, river or their respective tributaries that may be seasonal;
5. no discharge shall occur to a surface water body without obtaining a National Pollution Discharge Elimination Systems (NPDES) permit from the US EPA, NMED, and OCD prior to the discharge;


6. best management practices must be implemented to contain the discharge onsite, to ensure that the discharge does not impact adjacent property, and to control erosion;
7. the discharge does not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B, and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations);
8. Kinder Morgan shall report all unauthorized discharges, spills, leaks and releases of hydrostatic test water and conduct corrective action pursuant to OCD Rule 19.15.29 NMAC;
9. the landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location must be properly notified of the activities prior to each proposed hydrostatic test event; and
10. an annual report, summarizing each test of new pipeline with less than 25,000 gallons per hydrostatic test event, will be submitted to OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a. the location of hydrostatic test (Section/Township/Range or GPS coordinates);
 - b. the date of each test;
 - c. the volume of each discharge; and
 - d. the source and quality of test water (laboratory analysis, if necessary).

Annual temporary permissions shall expire one (1) year after issuance. This temporary permission will expire July 25, 2014. Renewal requests for annual temporary permission to discharge shall be submitted forty-five (45) days prior to the expiration date. An annual temporary permission may be revoked or suspended for violation of any applicable provisions and/or conditions of the permit.

This approval does not relieve Kinder Morgan of responsibility should its operation result in pollution of surface water, ground water, or the environment. In addition, OCD approval does not relieve Kinder Morgan of responsibility for compliance with other federal, state or local regulations.

If there are any questions regarding this matter, please do not hesitate to contact me at (505) 476-3487 or brad.a.jones@state.nm.us.

Sincerely,



Brad A. Jones
Environmental Engineer

BAJ/baj

cc: OCD District Offices