

HBP - _____28_____

**GENERAL
CORRESPONDENCE**

**YEAR(S):
_____2013 - 2015_____**

**ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH**

I hereby acknowledge receipt of Check No. 408922 dated 06/08/2015

or cash received on 06/22/2015 in the amount of \$ 250.⁰⁰

from Kinder Morgan Cortez Pipeline Company

for 100.⁰⁰ filing fee 150.⁰⁰ Temporary Permission Fee

Submitted by: Brad Jones Date: 06/22/2015

Submitted to ASD by: Lorraine DeVargas Date: 06/22/2015

Received in ASD by: _____ Date: _____

Filing Fee ✓ New Facility: _____ Renewal: _____

Modification _____ Other _____

Organization Code 521.07 Applicable FY 15

To be deposited in the Water Quality Management Fund.

Full Payment _____ or Annual Increment _____



RECEIVED OCD

2015 JUN 19 P 3: 28

June 16, 2015

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Certified No. {7012 2920 0000 8530 8087}

Re: Submittal for the Renewal of the Annual Temporary Discharge Permit for Kinder Morgan OCD
OGRID # 241756 Permit #HPB - 028

Dear Mr. Jones:

Kinder Morgan (KM) is submitting the following renewal request for the Annual Temporary Permit to discharge waters from hydrostatic tests from new pipe. This application was completed using the OCD's Guidelines for Hydrostatic Test Dewatering, revised January 11, 2007. A check in the amount of \$250.00 that covers the filing and permission fees is included for this submittal application.


In order to maintain coverage under the Annual Temporary Permit, KM will comply with the following conditions:

- 1) The volume will not exceed 25,000 gallons per hydrostatic test
- 2) Water from a public/municipal water supply or other OCD-approved sources will be used for each test
- 3) Written notification shall be provided to the OCD 72-hours prior to each hydrostatic discharge event
- 4) The discharge will not enter any lake, perennial stream, river or their respective tributaries that may be seasonal
- 5) No discharge shall occur
 - a) Where ground water is less than 10 feet below ground surface;
 - b) Within 200 feet of a watercourse, lakebed, sinkhole or playa lake;
 - c) Within an existing wellhead protection area;
 - d) Within 500 feet of a wetland; or
 - e) Within 500 feet from the nearest permanent residence, school, hospital, institution or church
- 6) Best management practices shall be implemented to contain the discharge onsite, does not impact adjacent property, and to control erosion
- 7) The discharge will not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations)

- 8) The landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location shall be properly notified of the activities prior to each proposed hydrostatic event; and
- 9) An annual report, summarizing all tests of new pipe with less than 25,000 gallons per hydrostatic test event, will be submitted to the OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a) The location of hydrostatic test (Section/Township/Range or GPS coordinates)
 - b) The date of each test;
 - c) The volume of each discharge; and
 - d) The source and quality of test water (laboratory analysis, if necessary).

If you have any questions, please contact me at 325-721-9435.

Sincerely,



Linda Fields
Senior EHS Specialist

cc: Stormi Swim – Environmental Project Manager

Enclosure: Check #408922



SACROC Unit, 4632 W. Hwy. 180, Snyder, Texas 79549, 915/574-7000

June 25, 2014

2014 JUN 26 PM 1:55

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

FEDEX Tracking #770418440860

Re: Submittal for the Renewal of the Annual Temporary Discharge Permit for Kinder Morgan OCD
OGRID # 241756 Permit #HPB - 028

Dear Mr. Jones:

Kinder Morgan (KM) is submitting the following renewal request for the Annual Temporary Permit to discharge waters from hydrostatic tests from new pipe. This application was completed using the OCD's Guidelines for Hydrostatic Test Dewatering, revised January 11, 2007. A check in the amount of \$250.00 that covers the filing and permission fees is being sent separately for this submittal application.

In order to maintain coverage under the Annual Temporary Permit, KM will comply with the following conditions:

- 1) The volume will not exceed 25,000 gallons per hydrostatic test
- 2) Water from a public/municipal water supply or other OCD-approved sources will be used for each test
- 3) Written notification shall be provided to the OCD 72-hours prior to each hydrostatic discharge event
- 4) The discharge will not enter any lake, perennial stream, river or their respective tributaries that may be seasonal
- 5) No discharge shall occur
 - a) Where ground water is less than 10 feet below ground surface;
 - b) Within 200 feet of a watercourse, lakebed, sinkhole or playa lake;
 - c) Within an existing wellhead protection area;
 - d) Within 500 feet of a wetland; or
 - e) Within 500 feet from the nearest permanent residence, school, hospital, institution or church
- 6) Best management practices shall be implemented to contain the discharge onsite, does not impact adjacent property, and to control erosion
- 7) The discharge will not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations)

- 8) The landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location shall be properly notified of the activities prior to each proposed hydrostatic event; and
- 9) An annual report, summarizing all tests of new pipe with less than 25,000 gallons per hydrostatic test event, will be submitted to the OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a) The location of hydrostatic test (Section/Township/Range or GPS coordinates)
 - b) The date of each test;
 - c) The volume of each discharge; and
 - d) The source and quality of test water (laboratory analysis, if necessary).

If you have any questions, please contact me at 325-721-9435.

Sincerely,

A handwritten signature in black ink that reads "Linda Fields". The script is cursive and fluid, with the first letters of "Linda" and "Fields" being capitalized and prominent.

Linda Fields
Senior EHS Specialist

cc: Stormi Swim – Environmental Project Manager

**ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH**

I hereby acknowledge receipt of Check No. 219478 dated 6/18/14

or cash received on 7/1/14 in the amount of \$ 250.00

from KINDER MORGAN

for HBP-28

Submitted by: BRAD JONES Date: 7/2/14

Submitted to ASD by: LUPE SHERMAN Date: 7/2/14

Received in ASD by: _____ Date: _____

Filing Fee ☒ New Facility: _____ Renewal: _____

Modification _____ Other ☒ TEMPORARY PERMISSION FEE

Organization Code 521.07 Applicable FY 14

To be deposited in the Water Quality Management Fund.

Full Payment _____ or Annual Increment _____

NEW MEXICO ENVIRONMENT DEPARTMENT - ALBUQUERQUE FIELD OFFICE DAILY CHECK RECEIPT LOG

DATE RECEIVED	WALK- IN	MAIL	NAME ON CHECK	DATE OF CHECK	CHECK/MONEY ORDER#	PROGRAM ACCOUNT CODE	AMOUNT OF CHECK	DATE DEPOSITED	DEPOSITED BY:
7/1/14		✓	KINDER MORGAN	6/18/14	219478		\$250.00		
TOTAL							\$250.00		

REVENUE TRANSMITTAL SHEET

Description	Fund	Dept.	Share Acct	Sub Acct	Amount
Liquid Waste	34000	Z3200	496402		
Water Recreation Facilities	40000	Z8501	496402		
Food Permit Fees	99100	Z2600	496402		
OTHER	34100	Z32900		2329029000	

**ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH**

I hereby acknowledge receipt of Check No. 214479 dated 7/17/13
or cash received on 7/26/13 in the amount of \$ 250.00
from Kinder Morgan Production Company
for HBP-028

Submitted by: Brad Jones Date: 7/26/13

Submitted to ASD by: Rachel Herrera Date: 7/29/13

Received in ASD by: _____ Date: _____

Filing Fee X New Facility: _____ Renewal: _____

Modification _____ Other X Temporary Permission

Organization Code 521.07 Applicable FY FY14

To be deposited in the Water Quality Management Fund.

Full Payment _____ or Annual Increment _____

New Mexico Environment Department Revenue Transmittal

Description		Fund	CES	DFA Org.	DFA ED Acct. Org.	ED Acct.	Amount
1	CY Reimbursement Project Tax	064	01				1
2	Gross Receipt Tax	064	01		2329 900000	2329134	2
3	Air Quality Title V	092	13		1690 900000	4169134	3
4	PRP Prepayments	248	14		9690 900000	4969014	4
5	Climax Chemical Co	248	14		9690 900000	4969015	5
6	Circle K Reimbursements	248	14		9690 900000	4969248	6
7	Hazardous Waste Permits	339	27		1690 900000	4169027	7
8	Hazardous Waste Annual Generator Fees	339	27		1690 900000	4169339	8
9	Water Quality - Drinking Water	340	28		1690 900000	4169028	9
10	Water Quality - Oil Conservation Division	341	29		2329 900000	2329029	10
11	Water Quality - GW Discharge Permit	341	29		1690 900000	4169029	11
12	Air Quality Permits	631	31		1690 900000	4169031	12
13	Payments under Protest	651	33		2919 900000	2919033	13
* 14	Xerox Copies	652	34		2349 900000	2349001	14
15	Ground Water Penalties	652	34		2349 900000	2349002	15
16	Witness Fees	652	34		2349 900000	2349003	16
17	Air Quality Penalties	652	34		2349 900000	2349004	17
18	OSHA Penalties	652	34		2349 900000	2349005	18
19	Prior Year Reimbursement	652	34		2349 900000	2349006	19
20	Surface Water Quality Certification	652	34		2349 900000	2349009	20
21	Jury Duty	652	34		2349 900000	2349012	21
22	CY Reimbursements (i.e.: telephone)	652	34		2349 900000	2349014	22
* 23	UST Owners List	783	24		9690 900000	4969201	23
* 24	Hazardous Waste Notifiers List	783	24		9690 900000	4969202	24
* 25	UST Maps	783	24		9690 900000	4969203	25
* 26	UST Owners Update	783	24		9690 900000	4969205	26
* 28	Hazardous Waste Regulations	783	24		9690 900000	4969207	28
* 29	Radiologic Tech. Regulations	783	24		9690 900000	4969208	29
* 30	Superfund CERCLIS List	783	24		9690 900000	4969211	30
* 31	Solid Waste Permits Fees	783	24		9690 900000	4969213	31
32	Smoking School	783	24		9690 900000	4969214	32
* 33	SWQB - NPS Publications	783	24		9690 900000	4969222	33
* 34	Radiation Licensing Regulations	783	24		9690 900000	4969228	34
* 35	Sale of Equipment	783	24		9690 900000	4969301	35
* 36	Sale of Automobile	783	24		9690 900000	4969302	36
** 37	Lust Recoveries	783	24		9690 900000	4969614	37
** 38	Lust Prepayments	783	24		9690 900000	4969615	38
39	Surface Water Publication	783	24		9690 900000	4969801	39
40	Exxon Reese Drive Ruidoso - CAF	783	24		9690 900000	4969242	40
41	Emerg. Hazardous Waste Penalties NOV	957	32		1640 900000	4164032	41
42	Radiologic Tech. Certification	987	05		1690 900000	4169005	42
44	UST Permit Fees	989	20		1690 900000	4169020	44
45	UST Tank Installers Fees	989	20		1690 900000	4169021	45
46	Food Permit Fees	991	26		1690 900000	4169026	46
43	Other						43

* Gross Receipt Tax Required ** Site Name & Project Code Required

TOTAL:

Contact Person: Glenn VonGonten Phone #: 476-3488 Date: 7/29/13

Received in ASD By: _____ Date: _____ RT #: _____ ST# _____

[illegible]

7/26/13		X	Kindu Morgan Production	7/17/13	214479	250.00		
7/26/13		X	Naugio Refining	7/10/13	1000229498	100.00		
TOTAL						350.00 \$0.00		

REVENUE TRANSMITTAL SHEET					
Description	Fund	Dept.	Share Acct	Sub Acct	Amount
Liquid Waste	34000	Z3200	496402		
Water Recreation Facilities	40000	Z8501	496402		
Food Permit Fees	99100	Z2600	496402		
OTHER					

Description	Fund	Dept.	Share Acct	Sub Acct	Amount
Liquid Waste	34000	Z3200	496402		
Water Recreation Facilities	40000	Z8501	496402		
Food Permit Fees	99100	Z2600	496402		
OTHER					



SACROC Unit, 4632 W. Hwy. 180, Snyder, Texas 79549, 915/574-7000

RECEIVED COO
2013 JUL 23 P 3:28

July 18, 2013

Mr. Brad Jones
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

CERTIFIED NO. {7012 2920 0000 8530 7677}

Re: Submittal for the Annual Temporary Discharge Permit for Kinder Morgan OCD OGRID # 241756

Dear Mr. Jones:

Kinder Morgan (KM) is submitting the following request for an Annual Temporary Permit to discharge waters from hydrostatic tests from new pipe. This application was completed using the OCD's Guidelines for Hydrostatic Test Dewatering, revised January 11, 2007. A check in the amount of \$250.00 that covers the filing and permission fees is enclosed within this submittal application.


In order to maintain coverage under the Annual Temporary Permit, KM will comply with the following conditions:

- 1) The volume will not exceed 25,000 gallons per hydrostatic test
- 2) Water from a public/municipal water supply or other OCD-approved sources will be used for each test
- 3) Written notification shall be provided to the OCD 72-hours prior to each hydrostatic discharge event
- 4) The discharge will not enter any lake, perennial stream, river or their respective tributaries that may be seasonal
- 5) No discharge shall occur
 - a) Where ground water is less than 10 feet below ground surface;
 - b) Within 200 feet of a watercourse, lakebed, sinkhole or playa lake;
 - c) Within an existing wellhead protection area;
 - d) Within 500 feet of a wetland; or
 - e) Within 500 feet from the nearest permanent residence, school, hospital, institution or church
- 6) Best management practices shall be implemented to contain the discharge onsite, does not impact adjacent property, and to control erosion
- 7) The discharge will not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsections A, B and C of the 20.6.2.3103 NMAC (the New Mexico Water Quality Control Commission Regulations)

- 8) The landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location shall be properly notified of the activities prior to each proposed hydrostatic event; and
- 9) An annual report, summarizing all tests of new pipe with less than 25,000 gallons per hydrostatic test event, will be submitted to the OCD within 45 days after the temporary permission expiration date and shall contain the following information:
 - a) The location of hydrostatic test (Section/Township/Range or GPS coordinates)
 - b) The date of each test;
 - c) The volume of each discharge; and
 - d) The source and quality of test water (laboratory analysis, if necessary).

If you have any questions, please contact me at 325-721-9435.

Sincerely,



Linda Fields
Senior EHS Specialist

Enclosure – Check for the amount of \$250.00

cc: Stormi Swim – Environmental Project Manager

RECEIVED OCD
2013 JUL 23 P 2:58